

## WEST Search History

171

DATE: Tuesday, April 19, 2005

Hide?	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L16	MCP-1RA	42
<input type="checkbox"/>	L15	L14 AND MCP-1RA	7
<input type="checkbox"/>	L14	530/387.1,387.3,388.1,388.15.CCLS.	4940
<input type="checkbox"/>	L13	L12 AND MCP-1RA	1
<input type="checkbox"/>	L12	435/70.1,70.2,70.21.CCLS.	2645
<input type="checkbox"/>	L11	Coughlin.IN.	783
<input type="checkbox"/>	L10	Coughlin-S-R.IN.	11
<input type="checkbox"/>	L9	Coughlin-Shaun-R.IN.	26
<input type="checkbox"/>	L8	Charo-I-R.IN.	1
<input type="checkbox"/>	L7	Charo-Israel-R.IN.	3
<input type="checkbox"/>	L6	Coughlin.IN.	783
<input type="checkbox"/>	L5	Coughlin-S.IN.	783
<input type="checkbox"/>	L4	Coughlin-Shaun.IN.	1
<input type="checkbox"/>	L3	Charo.IN.	67
<input type="checkbox"/>	L2	Charo-I.IN.	1
<input type="checkbox"/>	L1	(Charo-Israel.IN.)	1

END OF SEARCH HISTORY

## Hit List

[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

**Search Results** - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 20040219644 A1

**Using default format because multiple data bases are involved.**

L13: Entry 1 of 1

File: PGPB

Nov 4, 2004

PGPUB-DOCUMENT-NUMBER: 20040219644

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040219644 A1

TITLE: MCP-1 receptor antibodies

PUBLICATION-DATE: November 4, 2004

**INVENTOR-INFORMATION:**

NAME	CITY	STATE	COUNTRY	RULE-47
Charo, Israel R.	San Francisco	CA	US	
Coughlin, Shaun R.	Tiburon	CA	US	

US-CL-CURRENT: [435/70.21](#); [424/143.1](#), [435/320.1](#), [435/334](#), [530/388.22](#)

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Draw. Da
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	----------

[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

Terms	Documents
L12 AND MCP-1RA	1

**Display Format:**  [Change Format](#)

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)

## Hit List

[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

**Search Results** - Record(s) 1 through 7 of 7 returned.

☐ 1. Document ID: US 20040151721 A1

**Using default format because multiple data bases are involved.**

L15: Entry 1 of 7

File: PGPB

Aug 5, 2004

PGPUB-DOCUMENT-NUMBER: 20040151721

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040151721 A1

TITLE: Humanized anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: August 5, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
O'Keefe, Theresa	Waltham	MA	US	
Ponath, Paul	San Francisco	CA	US	

US-CL-CURRENT: [424/141.1](#); [530/388.15](#)

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 2. Document ID: US 20040132980 A1

L15: Entry 2 of 7

File: PGPB

Jul 8, 2004

PGPUB-DOCUMENT-NUMBER: 20040132980

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040132980 A1

TITLE: Humanized anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: July 8, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	Newton	MA	US	
Horvath, Christopher	Taunton	MA	US	
Newman, Walter	Boston	MA	US	
Jones, S. Tarran	Radlett	MA	GB	
O'Brien, Siobhan H.	London		GB	
O'Keefe, Theresa	Waltham		US	

US-CL-CURRENT: [530/388.15](#); [435/320.1](#), [435/328](#), [435/69.1](#), [536/23.53](#)

## ABSTRACT:

The present invention relates to a humanized antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. Des
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	-----------

☐ 3. Document ID: US 20040126851 A1

L15: Entry 3 of 7

File: PGPB

Jul 1, 2004

PGPUB-DOCUMENT-NUMBER: 20040126851

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040126851 A1

TITLE: Humanized anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: July 1, 2004

## INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	Newton	MA	US	
Horvath, Christopher	Taunton	MA	US	
Newman, Walter	Boston	MA	US	
Jones, S. Tarran	Hertfordshire	MA	GB	
O'Brien, Siobhan H.	London		GB	
O'Keefe, Theresa	Waltham		US	

US-CL-CURRENT: [435/69.1](#); [435/320.1](#), [435/328](#), [530/388.15](#), [536/23.53](#)

## ABSTRACT:

The present invention relates to a humanized antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. Des
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	-----------

☐ 4. Document ID: US 20020150576 A1

L15: Entry 4 of 7

File: PGPB

Oct 17, 2002

PGPUB-DOCUMENT-NUMBER: 20020150576  
PGPUB-FILING-TYPE: new  
DOCUMENT-IDENTIFIER: US 20020150576 A1

TITLE: Humanized anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: October 17, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	Newton	MA	US	
Horvath, Christopher	Taunton	MA	US	
Newman, Walter	Boston	MA	US	
Jones, S. Tarran	Radlett	MA	GB	
O'Brien, Siobhan H.	London		GB	
O'Keefe, Theresa	Waltham		US	

US-CL-CURRENT: 424/142.1; 530/388.15

ABSTRACT:

The present invention relates to a humanized antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMOC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	----------

☐ 5. Document ID: US 20020037285 A1

L15: Entry 5 of 7

File: PGPB

Mar 28, 2002

PGPUB-DOCUMENT-NUMBER: 20020037285  
PGPUB-FILING-TYPE: new  
DOCUMENT-IDENTIFIER: US 20020037285 A1

TITLE: Anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: March 28, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	West Roxbury	MA	US	

US-CL-CURRENT: 424/130.1; 424/135.1, 424/143.1, 424/144.1, 530/388.1

ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 6. Document ID: US 6727349 B1

L15: Entry 6 of 7

File: USPT

Apr 27, 2004

US-PAT-NO: 6727349

DOCUMENT-IDENTIFIER: US 6727349 B1

TITLE: Recombinant anti-CCR2 antibodies and methods of use therefor

DATE-ISSUED: April 27, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
LaRosa; Gregory J.	Newton	MA		
Horvath; Christopher	Taunton	MA		
Newman; Walter	Boston	MA		
Jones; S. Tarran	Radlett			GB
O'Brien; Siobhan H.	Finchley			GB
O'Keefe; Theresa	Waltham	MA		

US-CL-CURRENT: 530/387.3; 424/130.1, 424/156.1, 530/387.1, 530/388.23

ABSTRACT:

The present invention relates to a humanized antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

62 Claims, 64 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 39

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

☐ 7. Document ID: US 6696550 B2

L15: Entry 7 of 7

File: USPT

Feb 24, 2004

US-PAT-NO: 6696550

DOCUMENT-IDENTIFIER: US 6696550 B2

TITLE: Humanized anti-CCR2 antibodies and methods of use therefor

DATE-ISSUED: February 24, 2004

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
LaRosa; Gregory J.	Newton	MA		
Horvath; Christopher	Taunton	MA		
Newman; Walter	Boston	MA		
Jones; S. Tarran	Radlett			GB
O'Brien; Siobhan H.	London			GB
O'Keefe; Theresa	Waltham	MA		

US-CL-CURRENT: 530/388.23; 424/130.1, 424/133.1, 424/156.1, 530/387.1, 530/387.3

## ABSTRACT:

The present invention relates to a humanized antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

74 Claims, 64 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 40

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	-----	---------

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-------	---------------------	-------	----------	-----------	---------------

Terms	Documents
L14 AND MCP-1RA	7

Display Format:  Change Format[Previous Page](#)[Next Page](#)[Go to Doc#](#)

## Hit List

[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

**Search Results** - Record(s) 1 through 42 of 42 returned.

☐ 1. Document ID: US 20050048052 A1

**Using default format because multiple data bases are involved.**

L16: Entry 1 of 42

File: PGPB

Mar 3, 2005

PGPUB-DOCUMENT-NUMBER: 20050048052

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050048052 A1

TITLE: Anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: March 3, 2005

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	Newton	MA	US	

US-CL-CURRENT: 424/144.1; 435/7.2

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	----------

☐ 2. Document ID: US 20040265303 A1

L16: Entry 2 of 42

File: PGPB

Dec 30, 2004

PGPUB-DOCUMENT-NUMBER: 20040265303

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040265303 A1

TITLE: Anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: December 30, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	Newton	MA	US	
Newman, Walter	Boston	MA	US	

US-CL-CURRENT: 424/143.1; 530/388.22

ABSTRACT:



The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 3. Document ID: US 20040223968 A1

L16: Entry 3 of 42

File: PGPB

Nov 11, 2004

PGPUB-DOCUMENT-NUMBER: 20040223968

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040223968 A1

TITLE: Mammalian monocyte Chemoattractant protein receptors

PUBLICATION-DATE: November 11, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Charo, Israel R.	San Francisco	CA	US	
Coughlin, Shaun R.	Tiburon	CA	US	

US-CL-CURRENT: 424/145.1; 530/350

ABSTRACT:

Novel human chemokine receptors, MCP-1RA and MCP-1RB, and processes for producing them are disclosed. The receptors, which are alternately spliced versions of MCP-1 receptor protein may be used in an assay to identify antagonists of MCP-1 which are therapeutically useful in the treatment of atherosclerosis and other diseases characterized by monocytic infiltrates.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 4. Document ID: US 20040219644 A1

L16: Entry 4 of 42

File: PGPB

Nov 4, 2004

PGPUB-DOCUMENT-NUMBER: 20040219644

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040219644 A1

TITLE: MCP-1 receptor antibodies

PUBLICATION-DATE: November 4, 2004

## INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Charo, Israel R.	San Francisco	CA	US	
Coughlin, Shaun R.	Tiburon	CA	US	

US-CL-CURRENT: 435/70.21; 424/143.1, 435/320.1, 435/334, 530/388.22

## ABSTRACT:

Novel human chemokine receptors, MCP-1RA and MCP-1RB, and processes for producing them are disclosed. The receptors, which are alternately spliced versions of MCP-1 receptor protein may be used in an assay to identify antagonists of MCP-1 which are therapeutically useful in the treatment of atherosclerosis and other diseases characterized by monocytic infiltrates.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	MMIC	Drawings
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	----------

☐ 5. Document ID: US 20040151721 A1

L16: Entry 5 of 42

File: PGPB

Aug 5, 2004

PGPUB-DOCUMENT-NUMBER: 20040151721

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040151721 A1

TITLE: Humanized anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: August 5, 2004

## INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
O'Keefe, Theresa	Waltham	MA	US	
Ponath, Paul	San Francisco	CA	US	

US-CL-CURRENT: 424/141.1; 530/388.15

## ABSTRACT:

The present invention relates to a humanized antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	MMIC	Drawings
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	----------

☐ 6. Document ID: US 20040132980 A1

L16: Entry 6 of 42

File: PGPB

Jul 8, 2004

PGPUB-DOCUMENT-NUMBER: 20040132980  
PGPUB-FILING-TYPE: new  
DOCUMENT-IDENTIFIER: US 20040132980 A1

TITLE: Humanized anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: July 8, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	Newton	MA	US	
Horvath, Christopher	Taunton	MA	US	
Newman, Walter	Boston	MA	US	
Jones, S. Tarran	Radlett	MA	GB	
O'Brien, Siobhan H.	London		GB	
O'Keefe, Theresa	Waltham		US	

US-CL-CURRENT: 530/388.15; 435/320.1, 435/328, 435/69.1, 536/23.53

ABSTRACT:

The present invention relates to a humanized antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Draw. Da
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	----------

☐ 7. Document ID: US 20040126851 A1

L16: Entry 7 of 42

File: PGPB

Jul 1, 2004

PGPUB-DOCUMENT-NUMBER: 20040126851  
PGPUB-FILING-TYPE: new  
DOCUMENT-IDENTIFIER: US 20040126851 A1

TITLE: Humanized anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: July 1, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	Newton	MA	US	
Horvath, Christopher	Taunton	MA	US	
Newman, Walter	Boston	MA	US	
Jones, S. Tarran	Hertfordshire	MA	GB	
O'Brien, Siobhan H.	London		GB	

O'Keefe, Theresa

Waltham

US

US-CL-CURRENT: [435/69.1](#); [435/320.1](#), [435/328](#), [530/388.15](#), [536/23.53](#)

## ABSTRACT:

The present invention relates to a humanized antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	----------

---

☐ 8. Document ID: US 20030229911 A1

L16: Entry 8 of 42

File: PGPB

Dec 11, 2003

PGPUB-DOCUMENT-NUMBER: 20030229911

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030229911 A1

TITLE: Compositions and methods for wound healing

PUBLICATION-DATE: December 11, 2003

## INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Heber-Katz, Ellen	Philadelphia	PA	US	

US-CL-CURRENT: [800/18](#); [800/9](#)

## ABSTRACT:

Mice in which enhance wound healing occurs can be used to identify genes and gene products which are involved in enhanced wound healing in mammals, including humans. Methods and compositions for treating wounds, including central and peripheral nerve wounds, are also provided.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	----------

---

☐ 9. Document ID: US 20030166024 A1

L16: Entry 9 of 42

File: PGPB

Sep 4, 2003

PGPUB-DOCUMENT-NUMBER: 20030166024

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030166024 A1

TITLE: Human G-protein chemokine receptor (CCR5) HDGNR10

PUBLICATION-DATE: September 4, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Rosen, Craig A.	Laytonsville	MD	US	
Roschke, Viktor	Rockville	MD	US	
Li, Yi	Sunnyvale	CA	US	
Ruben, Steven M.	Olney	MD	US	

US-CL-CURRENT: [435/7.23](#); [435/320.1](#), [435/334](#), [435/69.1](#), [530/388.22](#), [536/23.53](#)

ABSTRACT:

The present invention relates to a novel human protein called Human G-protein Chemokine Receptor (CCR5) HDGNR10, and isolated polynucleotides encoding this protein. The invention is also directed to human antibodies that bind Human G-protein Chemokine Receptor (CCR5) HDGNR10 and to polynucleotides encoding those antibodies. Also provided are vectors, host cells, antibodies, and recombinant methods for producing Human G-protein Chemokine Receptor (CCR5) HDGNR10 and human anti-Human G-protein Chemokine Receptor (CCR5) HDGNR10 antibodies. The invention further relates to diagnostic and therapeutic methods useful for diagnosing and treating diseases, disorders, and/or conditions related to this novel human protein and these novel human antibodies.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	RMC	Draws De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	----------

☐ 10. Document ID: US 20030165494 A1

L16: Entry 10 of 42

File: PGPB

Sep 4, 2003

PGPUB-DOCUMENT-NUMBER: 20030165494

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030165494 A1

TITLE: Anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: September 4, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	Newton	MA	US	
Newman, Walter	Boston	MA	US	

US-CL-CURRENT: [424/130.1](#); [424/141.1](#), [424/143.1](#), [424/159.1](#), [530/388.22](#), [530/388.23](#), [530/389.2](#)

ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which

binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	--------

☐ 11. Document ID: US 20030148294 A1

L16: Entry 11 of 42

File: PGPB

Aug 7, 2003

PGPUB-DOCUMENT-NUMBER: 20030148294

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030148294 A1

TITLE: DNA encoding novel chemokine receptors

PUBLICATION-DATE: August 7, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Au-Young, Janice	Berkeley	CA	US	
Bandman, Olga	Mountain View	CA	US	
Coleman, Roger	Mountain View	CA	US	
Wilde, Craig G.	Sunnyvale	CA	US	

US-CL-CURRENT: 435/6; 435/320.1, 435/325, 435/69.1, 435/69.5, 530/350, 536/23.5

ABSTRACT:

The present invention provides polynucleotides (mmlr-ccr or mphg-ccr) which encode novel chemokine receptors (MMLR-CCR OR MPHG-CCR). The present invention provides for screening methods for the detection of molecules that modulate receptor activity. The present invention also provides for antisense molecules, diagnostic molecules, genetically engineered expression vectors and host cells for the production of purified MMLR-CCR or MPHG-CCR; antibodies, agonists, antagonists and inhibitors of MMLR-CCR or MPHG-CCR; and pharmaceutical compositions and methods of treatment based on the polypeptide, its antibodies, antagonists and inhibitors. The invention further provides diagnostic and therapeutic compositions for the detection and treatment of infection, inflammation, proliferative disease, solid tumors and cardiovascular disease.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	--------

☐ 12. Document ID: US 20030100058 A1

L16: Entry 12 of 42

File: PGPB

May 29, 2003

PGPUB-DOCUMENT-NUMBER: 20030100058

PGPUB-FILING-TYPE: new  
DOCUMENT-IDENTIFIER: US 20030100058 A1

TITLE: Human G-protein Chemokine Receptor (CCR5) HDGNR10

PUBLICATION-DATE: May 29, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Roschke, Viktor	Rockville	MD	US	
Rosen, Craig A.	Laytonsville	MD	US	
Ruben, Steven M.	Olney	MD	US	

US-CL-CURRENT: 435/69.1; 435/320.1, 435/326, 530/388.8, 536/23.53

ABSTRACT:

The present invention relates to a novel human protein called Human G-protein Chemokine Receptor (CCR5) HDGNR10, and isolated polynucleotides encoding this protein. The invention is also directed to human antibodies that bind Human G-protein Chemokine Receptor (CCR5) HDGNR10 and to polynucleotides encoding those antibodies. Also provided are vectors, host cells, antibodies, and recombinant methods for producing Human G-protein Chemokine Receptor (CCR5) HDGNR10 and human anti-Human G-protein Chemokine Receptor (CCR5) HDGNR10 antibodies. The invention further relates to diagnostic and therapeutic methods useful for diagnosing and treating diseases, disorders, and/or conditions related to this novel human protein and these novel human antibodies.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	--------

☐ 13. Document ID: US 20030037345 A1

L16: Entry 13 of 42

File: PGPB

Feb 20, 2003

PGPUB-DOCUMENT-NUMBER: 20030037345  
PGPUB-FILING-TYPE: new  
DOCUMENT-IDENTIFIER: US 20030037345 A1

TITLE: COMPOSITIONS AND METHODS FOR WOUND HEALING

PUBLICATION-DATE: February 20, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
HEBER-KATZ, ELLEN	PHILADELPHIA	PA	US	

US-CL-CURRENT: 800/3; 424/9.1, 435/4, 435/6

ABSTRACT:

Mice in which enhance wound healing occurs can be used to identify genes and gene products which are involved in enhanced wound healing in mammals, including humans.

Methods and compositions for treating wounds, including central and peripheral nerve wounds, are also provided.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KIMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

---

☐ 14. Document ID: US 20020156038 A1

L16: Entry 14 of 42

File: PGPB

Oct 24, 2002

PGPUB-DOCUMENT-NUMBER: 20020156038  
PGPUB-FILING-TYPE: new  
DOCUMENT-IDENTIFIER: US 20020156038 A1

TITLE: Gene expression profiling of antidepressant action in the brain

PUBLICATION-DATE: October 24, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Bonaventure, Pascal	San Diego	CA	US	
Quo, Hongqing	San Diego	CA	US	
Liu, Xuejun	San Diego	CA	US	
Kamme, Fredrik	San Diego	CA	US	
Meurers, Bernhard	La Jolla	CA	US	
Leysen, Josepha E.M.F.	Oud-Turnhout		BE	
Bakker, Margot H.M.	Breda		NL	

US-CL-CURRENT: 514/44; 435/287.2, 435/6

ABSTRACT:

Implementing gene expression to study drug action in the central nervous system is complicated by functional heterogeneity because of the existence of many different neuronal subtypes within the mammalian brain. The integration of laser capture microdissection (LCM) and RNA amplification with cDNA microarray technology allows for large-scale gene expression analysis at cellular level. Using this approach, we have generated gene expression profiles of imipramine, a reference antidepressant, and a new putative antidepressant, novelR1 in several laser-captured brain nuclei (locus coeruleus, dorsal raphe, hypothalamic paraventricular nucleus and hippocampus) of rats subjected to the chronic mild stress model (CMS) of depression.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KIMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

---

☐ 15. Document ID: US 20020150576 A1

L16: Entry 15 of 42

File: PGPB

Oct 17, 2002

PGPUB-DOCUMENT-NUMBER: 20020150576  
PGPUB-FILING-TYPE: new



DOCUMENT-IDENTIFIER: US 20020150576 A1

TITLE: Humanized anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: October 17, 2002

## INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	Newton	MA	US	
Horvath, Christopher	Taunton	MA	US	
Newman, Walter	Boston	MA	US	
Jones, S. Tarran	Radlett	MA	GB	
O'Brien, Siobhan H.	London		GB	
O'Keefe, Theresa	Waltham		US	

US-CL-CURRENT: 424/142.1; 530/388.15

## ABSTRACT:

The present invention relates to a humanized antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	----------

☐ 16. Document ID: US 20020150570 A1

L16: Entry 16 of 42

File: PGPB

Oct 17, 2002

PGPUB-DOCUMENT-NUMBER: 20020150570

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020150570 A1

TITLE: Anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: October 17, 2002

## INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	West Roxbury	MA	US	

US-CL-CURRENT: 424/130.1; 424/134.1, 424/141.1, 424/143.1, 424/85.1, 530/388.22, 530/388.23, 530/389.1

## ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of

the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	RMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	---------

---

17. Document ID: US 20020061834 A1

L16: Entry 17 of 42

File: PGPB

May 23, 2002

PGPUB-DOCUMENT-NUMBER: 20020061834

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020061834 A1

TITLE: Human G-protein Chemokine receptor (CCR5) HDGNR10

PUBLICATION-DATE: May 23, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Rosen, Craig A.	Laytonsville	MD	US	
Roschke, Viktor	Rockville	MD	US	
Li, Yi	Sunnyvale	CA	US	
Ruben, Steven M.	Olney	MD	US	

US-CL-CURRENT: 514/1; 435/320.1, 435/325, 435/69.1, 530/350, 536/23.5

ABSTRACT:

The present invention relates to a novel human protein called Human G-protein Chemokine Receptor (CCR5) HDGNR10, and isolated polynucleotides encoding this protein. The invention is also directed to human antibodies that bind Human G-protein Chemokine Receptor (CCR5) HDGNR10 and to polynucleotides encoding those antibodies. Also provided are vectors, host cells, antibodies, and recombinant methods for producing Human G-protein Chemokine Receptor (CCR5) HDGNR10 and human anti-Human G-protein Chemokine Receptor (CCR5) HDGNR10 antibodies. The invention further relates to diagnostic and therapeutic methods useful for diagnosing and treating diseases, disorders, and/or conditions related to this novel human protein and these novel human antibodies.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	RMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	---------

---

18. Document ID: US 20020051782 A1

L16: Entry 18 of 42

File: PGPB

May 2, 2002

PGPUB-DOCUMENT-NUMBER: 20020051782

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020051782 A1

TITLE: Anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: May 2, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory L.	West Roxbury	MA	US	

US-CL-CURRENT: 424/130.1; 424/145.1, 435/7.1, 536/23.5

ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KIMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 19. Document ID: US 20020051781 A1

L16: Entry 19 of 42

File: PGPB

May 2, 2002

PGPUB-DOCUMENT-NUMBER: 20020051781

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020051781 A1

TITLE: Anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: May 2, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	West Roxbury	MA	US	

US-CL-CURRENT: 424/130.1; 435/335, 530/388.23

ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KIMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 20. Document ID: US 20020048786 A1

L16: Entry 20 of 42

File: PGPB

Apr 25, 2002

PGPUB-DOCUMENT-NUMBER: 20020048786  
PGPUB-FILING-TYPE: new  
DOCUMENT-IDENTIFIER: US 20020048786 A1

TITLE: Human G-protein Chemokine Receptor HDGNR10

PUBLICATION-DATE: April 25, 2002

## INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Rosen, Craig A.	Laytonsville	MD	US	
Roschke, Viktor	Rockville	MD	US	
Li, Yi	Sunnyvale	CA	US	
Ruben, Steven M.	Olney	MD	US	

US-CL-CURRENT: 435/69.1; 424/130.1, 435/325, 435/7.2, 514/12, 536/23.5

## ABSTRACT:

The present invention relates to a novel human protein called Human G-protein Chemokine Receptor (CCR5) HDGNR10, and isolated polynucleotides encoding this protein. The invention is also directed to human antibodies that bind Human G-protein Chemokine Receptor (CCR5) HDGNR10 and to polynucleotides encoding those antibodies. Also provided are vectors, host cells, antibodies, and recombinant methods for producing Human G-protein Chemokine Receptor (CCR5) HDGNR10 and human anti-Human G-protein Chemokine Receptor (CCR5) HDGNR10 antibodies. The invention further relates to diagnostic and therapeutic methods useful for diagnosing and treating diseases, disorders, and/or conditions related to this novel human protein and these novel human antibodies.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	----------

☐ 21. Document ID: US 20020037285 A1

L16: Entry 21 of 42

File: PGPB

Mar 28, 2002

PGPUB-DOCUMENT-NUMBER: 20020037285  
PGPUB-FILING-TYPE: new  
DOCUMENT-IDENTIFIER: US 20020037285 A1

TITLE: Anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: March 28, 2002

## INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	West Roxbury	MA	US	

US-CL-CURRENT: [424/130.1](#); [424/135.1](#), [424/143.1](#), [424/144.1](#), [530/388.1](#)

ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	----------

---

☐ 22. Document ID: US 20020028436 A1

L16: Entry 22 of 42

File: PGPB

Mar 7, 2002

PGPUB-DOCUMENT-NUMBER: 20020028436

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020028436 A1

TITLE: Anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: March 7, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	West Roxbury	MA	US	

US-CL-CURRENT: [435/5](#); [424/130.1](#), [424/143.1](#), [435/7.1](#)

ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	----------

---

☐ 23. Document ID: US 20020015700 A1

L16: Entry 23 of 42

File: PGPB

Feb 7, 2002

PGPUB-DOCUMENT-NUMBER: 20020015700

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020015700 A1

TITLE: Anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: February 7, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	West Roxbury	MA	US	

US-CL-CURRENT: 424/130.1; 424/142.1, 424/145.1, 530/388.2, 530/388.23, 530/388.7, 530/388.75, 530/389.6

ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	RWMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 24. Document ID: US 20020012664 A1

L16: Entry 24 of 42

File: PGPB

Jan 31, 2002

PGPUB-DOCUMENT-NUMBER: 20020012664

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020012664 A1

TITLE: Anti-CCR2 antibodies and methods of use therefor

PUBLICATION-DATE: January 31, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
LaRosa, Gregory J.	West Roxbury	MA	US	

US-CL-CURRENT: 424/130.1; 435/5, 435/7.9

ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	RWMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 25. Document ID: US 6730301 B1

L16: Entry 25 of 42

File: USPT

May 4, 2004

US-PAT-NO: 6730301

DOCUMENT-IDENTIFIER: US 6730301 B1

TITLE: MCP-1 receptor antibodies

DATE-ISSUED: May 4, 2004

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Charo; Israel R.	San Francisco	CA		
Coughlin; Shaun R.	Tiburon	CA		

US-CL-CURRENT: 424/139.1; 424/130.1, 435/326, 530/386, 530/387.9, 530/388.22,  
530/389.1, 530/391.3

## ABSTRACT:

Novel human chemokine receptors, MCP-1RA and MCP-1RB, and processes for producing them are disclosed. The receptors, which are alternately spliced versions of MCP-1 receptor protein may be used in an assay to identify antagonists of MCP-1 which are therapeutically useful in the treatment of atherosclerosis and other diseases characterized by monocytic infiltrates.

12 Claims, 14 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 14

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 26. Document ID: US 6727349 B1

L16: Entry 26 of 42

File: USPT

Apr 27, 2004

US-PAT-NO: 6727349

DOCUMENT-IDENTIFIER: US 6727349 B1

TITLE: Recombinant anti-CCR2 antibodies and methods of use therefor

DATE-ISSUED: April 27, 2004

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
LaRosa; Gregory J.	Newton	MA		
Horvath; Christopher	Taunton	MA		
Newman; Walter	Boston	MA		
Jones; S. Tarran	Radlett			GB

O'Brien; Siobhan H. Finchley GB  
O'Keefe; Theresa Waltham MA

US-CL-CURRENT: 530/387.3; 424/130.1, 424/156.1, 530/387.1, 530/388.23

ABSTRACT:

The present invention relates to a humanized antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

62 Claims, 64 Drawing figures  
Exemplary Claim Number: 1  
Number of Drawing Sheets: 39

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 27. Document ID: US 6696550 B2

L16: Entry 27 of 42

File: USPT

Feb 24, 2004

US-PAT-NO: 6696550

DOCUMENT-IDENTIFIER: US 6696550 B2

TITLE: Humanized anti-CCR2 antibodies and methods of use therefor

DATE-ISSUED: February 24, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
LaRosa; Gregory J.	Newton	MA		
Horvath; Christopher	Taunton	MA		
Newman; Walter	Boston	MA		
Jones; S. Tarran	Radlett			GB
O'Brien; Siobhan H.	London			GB
O'Keefe; Theresa	Waltham	MA		

US-CL-CURRENT: 530/388.23; 424/130.1, 424/133.1, 424/156.1, 530/387.1, 530/387.3

ABSTRACT:

The present invention relates to a humanized antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

74 Claims, 64 Drawing figures



Exemplary Claim Number: 1  
Number of Drawing Sheets: 40

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KINC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

---

☐ 28. Document ID: US 6607879 B1

L16: Entry 28 of 42

File: USPT

Aug 19, 2003

US-PAT-NO: 6607879  
DOCUMENT-IDENTIFIER: US 6607879 B1

TITLE: Compositions for the detection of blood cell and immunological response gene expression

DATE-ISSUED: August 19, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Cocks; Benjamin G.	Sunnyvale	CA		
Stuart; Susan G.	Montara	CA		
Seilhamer; Jeffrey J.	Los Altos Hills	CA		

US-CL-CURRENT: 435/6; 435/69.1, 536/23.1, 536/24.1, 536/24.3, 536/24.31, 536/24.32, 536/24.33

ABSTRACT:

The present invention relates to a composition comprising a plurality of polynucleotide probes. The composition can be used as hybridizable array elements in a microarray. The present invention also relates to a method for selecting polynucleotide probes for the composition.

7 Claims, 2 Drawing figures  
Exemplary Claim Number: 1  
Number of Drawing Sheets: 2

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KINC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

---

☐ 29. Document ID: US 6538173 B2

L16: Entry 29 of 42

File: USPT

Mar 25, 2003

US-PAT-NO: 6538173  
DOCUMENT-IDENTIFIER: US 6538173 B2

TITLE: Compositions and methods for wound healing

DATE-ISSUED: March 25, 2003

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Heber-Katz; Ellen	Philadelphia	PA		

US-CL-CURRENT: 800/8; 424/9.1, 435/4, 435/6, 800/3

## ABSTRACT:

Mice in which enhance wound healing occurs can be used to identify genes and gene products which are involved in enhanced wound healing in mammals, including humans. Methods and compositions for treating wounds, including central and peripheral nerve wounds, are also provided.

20 Claims, 60 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 32

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--------	------	---------

☐ 30. Document ID: US 6491915 B2

L16: Entry 30 of 42

File: USPT

Dec 10, 2002

US-PAT-NO: 6491915

DOCUMENT-IDENTIFIER: US 6491915 B2

TITLE: Anti-CCR2 antibodies and methods of use therefor

DATE-ISSUED: December 10, 2002

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
LaRosa; Gregory J.	West Roxbury	MA		

US-CL-CURRENT: 424/130.1; 424/134.1, 424/141.1, 424/143.1, 424/85.1, 530/388.22, 530/388.23, 530/389.1

## ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

4 Claims, 40 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 15

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--------	------	---------

---

☐ 31. Document ID: US 6458353 B1

L16: Entry 31 of 42

File: USPT

Oct 1, 2002

US-PAT-NO: 6458353

DOCUMENT-IDENTIFIER: US 6458353 B1

**\*\* See image for Certificate of Correction \*\***

TITLE: Anti-CCR2 antibodies and methods of use therefor

DATE-ISSUED: October 1, 2002

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
LaRosa; Gregory J.	West Roxbury	MA		

US-CL-CURRENT: 424/130.1; 424/141.1, 424/143.1, 424/159.1, 435/69.1, 530/388.22, 530/388.23, 530/389.2

## ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

42 Claims, 40 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 15

---

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--------	-----	---------

---

☐ 32. Document ID: US 6451522 B2

L16: Entry 32 of 42

File: USPT

Sep 17, 2002

US-PAT-NO: 6451522

DOCUMENT-IDENTIFIER: US 6451522 B2

TITLE: Anti-CCR2 antibodies and methods of use therefor

DATE-ISSUED: September 17, 2002

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
LaRosa; Gregory J.	West Roxbury	MA		

US-CL-CURRENT: 435/5; 424/141.1, 435/345, 435/7.1, 435/7.93, 435/7.94

## ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

24 Claims, 40 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 15

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KNOC	Drawn De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

---

☐ 33. Document ID: US 6448021 B1

L16: Entry 33 of 42

File: USPT

Sep 10, 2002

US-PAT-NO: 6448021

DOCUMENT-IDENTIFIER: US 6448021 B1

**\*\* See image for Certificate of Correction \*\***

TITLE: Method of inhibiting cell function associated with CCR2 by anti-CCR2 amino-terminal domain antibodies

DATE-ISSUED: September 10, 2002

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
LaRosa; Gregory J.	West Roxbury	MA		

US-CL-CURRENT: 435/7.1; 424/141.1, 435/345, 435/5, 435/7.93, 435/7.94

## ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

21 Claims, 40 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 15

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KNOC	Drawn De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

---

☐ 34. Document ID: US 6406865 B2

L16: Entry 34 of 42

File: USPT

Jun 18, 2002

US-PAT-NO: 6406865

DOCUMENT-IDENTIFIER: US 6406865 B2

TITLE: Method of inhibiting interaction of cells bearing CCR2 by Anti-CCR2 amino-terminal domain antibodies

DATE-ISSUED: June 18, 2002

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
LaRosa; Gregory J.	West Roxbury	MA		

US-CL-CURRENT: 435/7.1; 424/141.1, 435/345, 435/5, 435/7.93, 435/7.94

## ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

18 Claims, 40 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 15

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	MMIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--------	------	---------

☐ 35. Document ID: US 6406694 B1

L16: Entry 35 of 42

File: USPT

Jun 18, 2002

US-PAT-NO: 6406694

DOCUMENT-IDENTIFIER: US 6406694 B1

TITLE: Anti-CCR2 antibodies

DATE-ISSUED: June 18, 2002

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
LaRosa; Gregory J.	West Roxbury	MA		

US-CL-CURRENT: 424/130.1; 424/134.1, 424/141.1, 424/143.1, 424/85.1, 530/388.22, 530/388.23, 530/389.1

## ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which

binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

4 Claims, 40 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 15

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

---

☐ 36. Document ID: US 6395497 B1

L16: Entry 36 of 42

File: USPT

May 28, 2002

US-PAT-NO: 6395497

DOCUMENT-IDENTIFIER: US 6395497 B1

TITLE: Method of inhibiting leukocyte trafficking by anti-CCR2 amino-terminal domain antibodies

DATE-ISSUED: May 28, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
LaRosa; Gregory J.	West Roxbury	MA		

US-CL-CURRENT: 435/7.1; 424/141.1, 435/345, 435/5, 435/7.93, 435/7.94

ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

16 Claims, 40 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 15

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

---

☐ 37. Document ID: US 6352832 B1

L16: Entry 37 of 42

File: USPT

Mar 5, 2002

US-PAT-NO: 6352832

DOCUMENT-IDENTIFIER: US 6352832 B1

TITLE: Anti-CCR2 antibodies and methods of use therefor

DATE-ISSUED: March 5, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
LaRosa; Gregory J.	West Roxbury	MA		
Horvath; Christopher	Taunton	MA		
Newman; Walter	Boston	MA		

US-CL-CURRENT: 435/7.1; 435/343, 435/343.2, 435/345, 435/5, 436/548

ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

72 Claims, 40 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 15

Full	Title	Citation	Front	Review	Classification	Date	Reference				Claims	KMIC	Drawing
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--	--------	------	---------

☐ 38. Document ID: US 6312689 B1

L16: Entry 38 of 42

File: USPT

Nov 6, 2001

US-PAT-NO: 6312689

DOCUMENT-IDENTIFIER: US 6312689 B1

**\*\* See image for Certificate of Correction \*\***

TITLE: Anti-CCR2 antibodies and methods of use therefor

DATE-ISSUED: November 6, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
LaRosa; Gregory J.	West Roxbury	MA		

US-CL-CURRENT: 424/130.1; 424/141.1, 424/143.1, 424/159.1, 530/388.22, 530/388.23, 530/389.2

ABSTRACT:

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2

with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.

43 Claims, 6 Drawing figures  
Exemplary Claim Number: 1  
Number of Drawing Sheets: 15

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 39. Document ID: US 6132987 A

L16: Entry 39 of 42

File: USPT

Oct 17, 2000

US-PAT-NO: 6132987  
DOCUMENT-IDENTIFIER: US 6132987 A

TITLE: Recombinant mammalian monocyte chemotactic protein-1 (MCP-1) receptors (MCP-1R, CCR-2)

DATE-ISSUED: October 17, 2000

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Charo; Israel F.	Lafayette	CA		
Coughlin; Shaun R.	Tiburon	CA		

US-CL-CURRENT: 435/69.1, 435/252.3, 435/254.11, 435/320.1, 435/325, 435/348, 435/7.1, 435/7.21, 514/2, 530/350, 536/23.5

ABSTRACT:

DNAs encoding receptors for the chemokine, Monocyte Chemotactic Protein-1 (MCP-1), are disclosed. Recombinant reagents and methods for expressing the DNAs are also provided. Exemplary receptor proteins are MCP-1RA and MCP-1RB, which correspond to alternatively spliced transcripts of the human MCP-1R gene. The receptor proteins of the invention are useful in assays to identify agonists and antagonists of MCP-1.

28 Claims, 18 Drawing figures  
Exemplary Claim Number: 1,18  
Number of Drawing Sheets: 14

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 40. Document ID: US 6077673 A

L16: Entry 40 of 42

File: USPT

Jun 20, 2000

US-PAT-NO: 6077673  
DOCUMENT-IDENTIFIER: US 6077673 A



TITLE: Mouse arrays and kits comprising the same

DATE-ISSUED: June 20, 2000

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Chenchik; Alex	Palo Alto	CA		
Lukashev; Matvey	Newton	MA		

US-CL-CURRENT: 435/6; 422/68.1, 435/283.1, 435/285.1, 435/286.1, 435/286.2,  
435/287.1, 435/287.2, 435/287.7, 435/287.9, 435/289.1, 435/299.1

ABSTRACT:

Mouse arrays and methods for their use are provided. The subject arrays include a plurality of polynucleotide spots, each of which is made up of a polynucleotide probe composition of unique polynucleotides corresponding to a key mouse gene. The subject arrays find use in hybridization assays, particularly in assays for the identification of differential gene expression of key mouse genes of interest.

17 Claims, 0 Drawing figures  
Exemplary Claim Number: 1

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

☐ 41. Document ID: US 5994076 A

L16: Entry 41 of 42

File: USPT

Nov 30, 1999

US-PAT-NO: 5994076

DOCUMENT-IDENTIFIER: US 5994076 A

TITLE: Methods of assaying differential expression

DATE-ISSUED: November 30, 1999

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Chenchik; Alex	Palo Alto	CA		
Jokhadze; George	Mountain View	CA		
Bibilashvilli; Robert	Moscow			RU

US-CL-CURRENT: 435/6; 435/91.1, 435/91.2, 536/23.1, 536/24.3, 536/24.31, 536/24.33

ABSTRACT:

Methods and compositions are provided for analyzing differences in the RNA profiles between a plurality of different physiological samples. In the subject methods, a set of a representational number of distinct gene specific primers is used to generate labeled nucleic acids from each of the different physiological samples. The labeled nucleic acids are then compared to each other and differences in the RNA profiles are determined. The subject methods find use in methods of identifying

differential gene expression.

17 Claims, 2 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 1

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 42. Document ID: US 5707815 A

L16: Entry 42 of 42

File: USPT

Jan 13, 1998

US-PAT-NO: 5707815

DOCUMENT-IDENTIFIER: US 5707815 A

TITLE: Mammalian monocyte chemoattractant protein receptors and assays using them

DATE-ISSUED: January 13, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Charo; Israel F.	Lafayette	CA		
Coughlin; Shaun R.	Tiburon	CA		

US-CL-CURRENT: 435/7.2; 424/185.1, 435/325, 435/69.1, 435/7.1, 435/7.21, 530/350, 530/395

ABSTRACT:

Novel human chemokine receptors, MCP-1RA and MCP-1RB, and processes for producing them are disclosed. The receptors, which are alternately spliced versions of MCP-1 receptor protein may be used in an assay to identify antagonists of MCP-1 which are therapeutically useful in the treatment of atherosclerosis and other diseases characterized by monocytic infiltrates.

17 Claims, 18 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 14

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

Terms

Documents

MCP-1RA

42

**Display Format:**  [Change Format](#)

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)



National  
Library  
of Medicine



My NC  
[Sign In] [Regis]

All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journals

Book

Search **PubMed** for **MCP-1RA AND antibody** **Go** **Clear** **Save Search**

Limits

Preview/Index

History

Clipboard

Details

Display **Summary**Show **500**

Sort by

Send to

About Entrez

Text Version

**All: 73** Review: 0

Items 1 - 73 of 73

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

My NCBI (Cubby)

Related Resources

Order Documents

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

- ☐ **1:** [Speyer CL, Gao H, Rancilio NJ, Neff TA, Huffnagle GB, Sarma JV, Ward PA.](#) Related Articles, Links



Novel chemokine responsiveness and mobilization of neutrophils during sepsis.

Am J Pathol. 2004 Dec;165(6):2187-96.

PMID: 15579460 [PubMed - indexed for MEDLINE]

- ☐ **2:** [Feterowski C, Mack M, Weighardt H, Bartsch B, Kaiser-Moore S, Holzmann B.](#) Related Articles, Links



CC chemokine receptor 2 regulates leukocyte recruitment and IL-10 production during acute polymicrobial sepsis.

Eur J Immunol. 2004 Dec;34(12):3664-73.

PMID: 15517610 [PubMed - indexed for MEDLINE]

- ☐ **3:** [Maus UA, Wellmann S, Hampl C, Kuziel WA, Srivastava M, Mack M, Everhart MB, Blackwell TS, Christman JW, Schlondorff D, Bohle RM, Seeger W, Lohmeyer J.](#) Related Articles, Links



CCR2-positive monocytes recruited to inflamed lungs downregulate local CCL2 chemokine levels.

Am J Physiol Lung Cell Mol Physiol. 2005 Feb;288(2):L350-8. Epub 2004 Oct 29.

PMID: 15516494 [PubMed - indexed for MEDLINE]

- ☐ **4:** [Hiraoka M, Nitta N, Nagai M, Shimokado K, Yoshida M.](#) Related Articles, Links



MCP-1-induced enhancement of THP-1 adhesion to vascular endothelium was modulated by HMG-CoA reductase inhibitor through RhoA GTPase-, but not ERK1/2-dependent pathway.

Life Sci. 2004 Jul 30;75(11):1333-41.

PMID: 15234191 [PubMed - indexed for MEDLINE]

- ☐ **5:** [Shimizu S, Nakashima H, Masutani K, Inoue Y, Miyake K, Akahoshi M, Tanaka Y, Egashira K, Hirakata H, Otsuka T, Harada M.](#) Related Articles, Links



Anti-monocyte chemoattractant protein-1 gene therapy attenuates nephritis in MRL/lpr mice.

Rheumatology (Oxford). 2004 Sep;43(9):1121-8. Epub 2004 Jun 22.

PMID: 15213333 [PubMed - indexed for MEDLINE]

- ☐ **6:** [Kimura S, Wang KY, Tanimoto A, Murata Y, Nakashima Y, Sasaguri Y.](#) Related Articles, Links



Acute inflammatory reactions caused by histamine via monocytes/macrophages chronically participate in the initiation and progression of atherosclerosis.

Pathol Int. 2004 Jul;54(7):465-74.

PMID: 15189499 [PubMed - indexed for MEDLINE]

- ☐ 7: [Peterson KE, Errett JS, Wei T, Dimcheff DE, Ransohoff R, Kuziel WA, Evans L, Chesebro B.](#) Related Articles, Links



MCP-1 and CCR2 contribute to non-lymphocyte-mediated brain disease induced by Fr98 polytropic retrovirus infection in mice: role for astrocytes in retroviral neuropathogenesis.

J Virol. 2004 Jun;78(12):6449-58.

PMID: 15163738 [PubMed - indexed for MEDLINE]

- ☐ 8: [Hirata Terra J, Montano I, Schilb A, Millward TA.](#)

Related Articles, Links



Development of a microplate bioassay for monocyte chemoattractant protein-1 based on activation of p44/42 mitogen-activated protein kinase.

Anal Biochem. 2004 Apr 1;327(1):119-25.

PMID: 15033519 [PubMed - indexed for MEDLINE]

- ☐ 9: [Megjugorac NJ, Young HA, Amrute SB, Olshalsky SL, Fitzgerald-Bocarsly P.](#) Related Articles, Links



Virally stimulated plasmacytoid dendritic cells produce chemokines and induce migration of T and NK cells.

J Leukoc Biol. 2004 Mar;75(3):504-14. Epub 2004 Jan 23.

PMID: 14742635 [PubMed - indexed for MEDLINE]

- ☐ 10: [Bruhl H, Cihak J, Schneider MA, Plachy J, Rupp T, Wenzel I, Shakarami M, Milz S, Ellwart JW, Stangassinger M, Schlondorff D, Mack M.](#) Related Articles, Links



Dual role of CCR2 during initiation and progression of collagen-induced arthritis: evidence for regulatory activity of CCR2+ T cells.

J Immunol. 2004 Jan 15;172(2):890-8.

PMID: 14707060 [PubMed - indexed for MEDLINE]

- ☐ 11: [Amano H, Morimoto K, Senba M, Wang H, Ishida Y, Kumatori A, Yoshimine H, Oishi K, Mukaida N, Nagatake T.](#) Related Articles, Links



Essential contribution of monocyte chemoattractant protein-1/C-C chemokine ligand-2 to resolution and repair processes in acute bacterial pneumonia.

J Immunol. 2004 Jan 1;172(1):398-409.

PMID: 14688348 [PubMed - indexed for MEDLINE]

- ☐ 12: [Amoura Z, Combadiere C, Faure S, Parizot C, Miyara M, Raphael D, Ghillani P, Debre P, Piette JC, Gorochoy G.](#) Related Articles, Links



Roles of CCR2 and CXCR3 in the T cell-mediated response occurring during lupus flares.

Arthritis Rheum. 2003 Dec;48(12):3487-96.

PMID: 14673999 [PubMed - indexed for MEDLINE]

- ☐ 13: [Lee I, Wang L, Wells AD, Ye Q, Han R, Dorf ME, Kuziel WA, Rollins BJ, Chen L, Hancock WW.](#) Related Articles, Links




















Blocking the monocyte chemoattractant protein-1/CCR2 chemokine pathway induces permanent survival of islet allografts through a programmed death-1 ligand-1-dependent mechanism.

J Immunol. 2003 Dec 15;171(12):6929-35.


PMID: 14662900 [PubMed - indexed for MEDLINE]


- ☐ 14: [Christensen PJ, Du M, Moore B, Morris S, Toews GB, Paine R 3rd.](#) Related Articles, Links


-  Expression and functional implications of CCR2 expression on murine alveolar epithelial cells.  
Am J Physiol Lung Cell Mol Physiol. 2004 Jan;286(1):L68-72.  
PMID: 14656700 [PubMed - indexed for MEDLINE]
- ☐ 15: [Schjetne KW, Gundersen HT, Iversen JG, Thompson KM, Bogen B.](#) [Related Articles](#), [Links](#)  
 Antibody-mediated delivery of antigen to chemokine receptors on antigen-presenting cells results in enhanced CD4+ T cell responses.  
Eur J Immunol. 2003 Nov;33(11):3101-8.  
PMID: 14579278 [PubMed - indexed for MEDLINE]
- ☐ 16: [Ambati J, Anand A, Fernandez S, Sakurai E, Lynn BC, Kuziel WA, Rollins BJ, Ambati BK.](#) [Related Articles](#), [Links](#)  
 An animal model of age-related macular degeneration in senescent Ccl-2- or Ccr-2-deficient mice.  
Nat Med. 2003 Nov;9(11):1390-7. Epub 2003 Oct 19.  
PMID: 14566334 [PubMed - indexed for MEDLINE]
- ☐ 17: [Schuyler M, Gott K, Cherne A.](#) [Related Articles](#), [Links](#)  
 Experimental hypersensitivity pneumonitis: role of MCP-1.  
J Lab Clin Med. 2003 Sep;142(3):187-95.  
PMID: 14532907 [PubMed - indexed for MEDLINE]
- ☐ 18: [Strasly M, Doronzo G, Capello P, Valdembri D, Arese M, Mitola S, Moore P, Alessandri G, Giovarelli M, Bussolino F.](#) [Related Articles](#), [Links](#)  
 CCL16 activates an angiogenic program in vascular endothelial cells.  
Blood. 2004 Jan 1;103(1):40-9. Epub 2003 Sep 4.  
PMID: 12958070 [PubMed - indexed for MEDLINE]
- ☐ 19: [Yamamoto T, Nishioka K.](#) [Related Articles](#), [Links](#)  
 Role of monocyte chemoattractant protein-1 and its receptor, CCR-2, in the pathogenesis of bleomycin-induced scleroderma.  
J Invest Dermatol. 2003 Sep;121(3):510-6.  
PMID: 12925209 [PubMed - indexed for MEDLINE]
- ☐ 20: [Jin H, Vicario PP, Zweerink H, Goyal S, Hanlon WA, Dorn CP, Mills SG, DeMartino JA, Cascieri MA, Struthers M.](#) [Related Articles](#), [Links](#)  
 Expression and characterization of the chemokine receptor CCR2B from rhesus monkey.  
Biochem Pharmacol. 2003 Jul 15;66(2):321-30.  
PMID: 12826275 [PubMed - indexed for MEDLINE]
- ☐ 21: [Ajuebor MN, Hogaboam CM, Le T, Swain MG.](#) [Related Articles](#), [Links](#)  
 C-C chemokine ligand 2/monocyte chemoattractant protein-1 directly inhibits NKT cell IL-4 production and is hepatoprotective in T cell-mediated hepatitis in the mouse.  
J Immunol. 2003 May 15;170(10):5252-9.  
PMID: 12734374 [PubMed - indexed for MEDLINE]
- ☐ 22: [Han KH, Chen Y, Chang MK, Han YC, Park JH, Green SR, Boullier A, Quehenberger O.](#) [Related Articles](#), [Links](#)  
 LDL activates signaling pathways leading to an increase in cytosolic free calcium and stimulation of CD11b expression in monocytes.  
J Lipid Res. 2003 Jul;44(7):1332-40. Epub 2003 May 1.  
PMID: 12730301 [PubMed - indexed for MEDLINE]


- 23: [Vande Broek I, Asosingh K, Vanderkerken K, Straetmans N, Van Camp B, Van Riet I.](#) Related Articles, Links  
 Chemokine receptor CCR2 is expressed by human multiple myeloma cells and mediates migration to bone marrow stromal cell-produced monocyte chemotactic proteins MCP-1, -2 and -3.  
Br J Cancer. 2003 Mar 24;88(6):855-62.  
PMID: 12644822 [PubMed - indexed for MEDLINE]
- 24: [Vielhauer V, Anders HJ, Perez de Lema G, Luckow B, Schlondorff D, Mack M.](#) Related Articles, Links  
 Phenotyping renal leukocyte subsets by four-color flow cytometry: characterization of chemokine receptor expression.  
Nephron Exp Nephrol. 2003;93(2):e63.  
PMID: 12629274 [PubMed - indexed for MEDLINE]
- 25: [Solomon MF, Kuziel WA, Mann DA, Simeonovic CJ.](#) Related Articles, Links  
 The role of chemokines and their receptors in the rejection of pig islet tissue xenografts.  
Xenotransplantation. 2003 Mar;10(2):164-77.  
PMID: 12588649 [PubMed - indexed for MEDLINE]
- 26: [Wang B, Dyer WB, Zaunders JJ, Mikhail M, Sullivan JS, Williams L, Haddad DN, Harris G, Holt JA, Cooper DA, Miranda-Saksena M, Boadle R, Kelleher AD, Saksena NK.](#) Related Articles, Links  
 Comprehensive analyses of a unique HIV-1-infected nonprogressor reveal a complex association of immunobiological mechanisms in the context of replication-incompetent infection.  
Virology. 2002 Dec 20;304(2):246-64.  
PMID: 12504566 [PubMed - indexed for MEDLINE]
- 27: [Maus U, Henning S, Wenschuh H, Mayer K, Seeger W, Lohmeyer J.](#) Related Articles, Links  
 Role of endothelial MCP-1 in monocyte adhesion to inflamed human endothelium under physiological flow.  
Am J Physiol Heart Circ Physiol. 2002 Dec;283(6):H2584-91. Epub 2002 Aug 29.  
PMID: 12388329 [PubMed - indexed for MEDLINE]
- 28: [Wolf G, Jocks T, Zahner G, Panzer U, Stahl RA.](#) Related Articles, Links  
 Existence of a regulatory loop between MCP-1 and TGF-beta in glomerular immune injury.  
Am J Physiol Renal Physiol. 2002 Nov;283(5):F1075-84.  
PMID: 12372783 [PubMed - indexed for MEDLINE]
- 29: [Maus U, von Grote K, Kuziel WA, Mack M, Miller EJ, Cihak J, Stangassinger M, Maus R, Schlondorff D, Seeger W, Lohmeyer J.](#) Related Articles, Links  
 The role of CC chemokine receptor 2 in alveolar monocyte and neutrophil immigration in intact mice.  
Am J Respir Crit Care Med. 2002 Aug 1;166(3):268-73.  
PMID: 12153956 [PubMed - indexed for MEDLINE]
- 30: [Wang L, Li Y, Chen J, Gautam SC, Zhang Z, Lu M, Chopp M.](#) Related Articles, Links  
 Ischemic cerebral tissue and MCP-1 enhance rat bone marrow stromal cell migration in interface culture.  
Exp Hematol. 2002 Jul;30(7):831-6.


PMID: 12135683 [PubMed - indexed for MEDLINE]


-  **31:** [Panzer U, Schneider A, Guan Y, Reinking R, Zahner G, Harendza S, Wolf G, Thaiss F, Stahl RA.](#) [Related Articles, Links](#)


 Effects of different PPARgamma-agonists on MCP-1 expression and monocyte recruitment in experimental glomerulonephritis. *Kidney Int.* 2002 Aug;62(2):455-64. PMID: 12110006 [PubMed - indexed for MEDLINE]


-  **32:** [Lundien MC, Mohammed KA, Nasreen N, Tepper RS, Hardwick JA, Sanders KL, Van Horn RD, Antony VB.](#) [Related Articles, Links](#)


 Induction of MCP-1 expression in airway epithelial cells: role of CCR2 receptor in airway epithelial injury. *J Clin Immunol.* 2002 May;22(3):144-52. PMID: 12078856 [PubMed - indexed for MEDLINE]


-  **33:** [Banisadr G, Queraud-Lesaux F, Bouterin MC, Pelaprat D, Zalc B, Rostene W, Haour F, Parsadaniantz SM.](#) [Related Articles, Links](#)


 Distribution, cellular localization and functional role of CCR2 chemokine receptors in adult rat brain. *J Neurochem.* 2002 Apr;81(2):257-69. PMID: 12064472 [PubMed - indexed for MEDLINE]


-  **34:** [Sodhi A, Biswas SK.](#) [Related Articles, Links](#)


 Monocyte chemoattractant protein-1-induced activation of p42/44 MAPK and c-Jun in murine peritoneal macrophages: a potential pathway for macrophage activation. *J Interferon Cytokine Res.* 2002 May;22(5):517-26. PMID: 12060490 [PubMed - indexed for MEDLINE]


-  **35:** [Maus UA, Koay MA, Delbeck T, Mack M, Ermert M, Ermert L, Blackwell TS, Christman JW, Schlondorff D, Seeger W, Lohmeyer J.](#) [Related Articles, Links](#)


 Role of resident alveolar macrophages in leukocyte traffic into the alveolar air space of intact mice. *Am J Physiol Lung Cell Mol Physiol.* 2002 Jun;282(6):L1245-52. PMID: 12003780 [PubMed - indexed for MEDLINE]


-  **36:** [Hisada M, Lal RB, Masciotra S, Rudolph DL, Martin MP, Carrington M, Wilks RJ, Manns A.](#) [Related Articles, Links](#)

 Chemokine receptor gene polymorphisms and risk of human T lymphotropic virus type I infection in Jamaica. *J Infect Dis.* 2002 May 1;185(9):1351-4. Epub 2002 Apr 16. PMID: 12001056 [PubMed - indexed for MEDLINE]

-  **37:** [Traynor TR, Herring AC, Dorf ME, Kuziel WA, Toews GB, Huffnagle GB.](#) [Related Articles, Links](#)


 Differential roles of CC chemokine ligand 2/monocyte chemotactic protein-1 and CCR2 in the development of T1 immunity. *J Immunol.* 2002 May 1;168(9):4659-66. PMID: 11971015 [PubMed - indexed for MEDLINE]

-  **38:** [Horvath C, Welt FG, Nedelman M, Rao P, Rogers C.](#) [Related Articles, Links](#)

 Targeting CCR2 or CD18 inhibits experimental in-stent restenosis in primates: inhibitory potential depends on type of injury and leukocytes targeted.



Circ Res. 2002 Mar 8;90(4):488-94.  
PMID: 11884380 [PubMed - indexed for MEDLINE]

-  **39:** [Louisirirothanakul S, Liu H, Roongpisuthipong A, Nakayama EE, Takebe Y, Shioda T, Wasi C.](#) Related Articles, Links




Genetic analysis of HIV-1 discordant couples in Thailand: association of CCR2 64I homozygosity with HIV-1-negative status.  
J Acquir Immune Defic Syndr. 2002 Mar 1;29(3):314-5. No abstract available.  
PMID: 11873083 [PubMed - indexed for MEDLINE]

-  **40:** [Fife BT, Paniagua MC, Lukacs NW, Kunkel SL, Karpus WJ.](#) Related Articles, Links




Selective CC chemokine receptor expression by central nervous system-infiltrating encephalitogenic T cells during experimental autoimmune encephalomyelitis.  
J Neurosci Res. 2001 Nov 15;66(4):705-14.  
PMID: 11746391 [PubMed - indexed for MEDLINE]

-  **41:** [Husson H, Carideo EG, Cardoso AA, Lugli SM, Neuberg D, Munoz O, de Leval L, Schultze J, Freedman AS.](#) Related Articles, Links



MCP-1 modulates chemotaxis by follicular lymphoma cells.  
Br J Haematol. 2001 Dec;115(3):554-62.  
PMID: 11736935 [PubMed - indexed for MEDLINE]

-  **42:** [Dunzendorfer S, Kaneider NC, Kaser A, Woell E, Frade JM, Mellado M, Martinez-Alonso C, Wiedermann CJ.](#) Related Articles, Links




Functional expression of chemokine receptor 2 by normal human eosinophils.  
J Allergy Clin Immunol. 2001 Oct;108(4):581-7.  
PMID: 11590385 [PubMed - indexed for MEDLINE]

-  **43:** [Martinelli R, Sabroe I, LaRosa G, Williams TJ, Pease JE.](#) Related Articles, Links




The CC chemokine eotaxin (CCL11) is a partial agonist of CC chemokine receptor 2b.  
J Biol Chem. 2001 Nov 16;276(46):42957-64. Epub 2001 Sep 14.  
PMID: 11559700 [PubMed - indexed for MEDLINE]

-  **44:** [Beck CG, Studer C, Zuber JF, Demange BJ, Manning U, Urfer R.](#) Related Articles, Links



The viral CC chemokine-binding protein vCCI inhibits monocyte chemoattractant protein-1 activity by masking its CCR2B-binding site.  
J Biol Chem. 2001 Nov 16;276(46):43270-6. Epub 2001 Sep 10.  
PMID: 11551937 [PubMed - indexed for MEDLINE]

-  **45:** [Nomiyama H, Hieshima K, Nakayama T, Sakaguchi T, Fujisawa R, Tanase S, Nishiura H, Matsuno K, Takamori H, Tabira Y, Yamamoto T, Miura R, Yoshie O.](#) Related Articles, Links



Human CC chemokine liver-expressed chemokine/CCL16 is a functional ligand for CCR1, CCR2 and CCR5, and constitutively expressed by hepatocytes.  
Int Immunol. 2001 Aug;13(8):1021-9.  
PMID: 11470772 [PubMed - indexed for MEDLINE]

-  **46:** [Ohtsuki K, Hayase M, Akashi K, Kapiwoda S, Strauss HW.](#) Related Articles, Links



Detection of monocyte chemoattractant protein-1 receptor expression in experimental atherosclerotic lesions: an autoradiographic study.  
Circulation. 2001 Jul 10;104(2):203-8.

PMID: 11447087 [PubMed - indexed for MEDLINE]

- ☐ 47: [Yokochi S, Hashimoto H, Ishiwata Y, Shimokawa H, Haino M, Terashima Y, Matsushima K.](#) Related Articles, Links



An anti-inflammatory drug, propagermanium, may target GPI-anchored proteins associated with an MCP-1 receptor, CCR2.

J Interferon Cytokine Res. 2001 Jun;21(6):389-98.

PMID: 11440636 [PubMed - indexed for MEDLINE]

- ☐ 48: [Kim Y, Sung Ss, Kuziel WA, Feldman S, Fu SM, Rose CE Jr.](#) Related Articles, Links



Enhanced airway Th2 response after allergen challenge in mice deficient in CC chemokine receptor-2 (CCR2).

J Immunol. 2001 Apr 15;166(8):5183-92.

PMID: 11290802 [PubMed - indexed for MEDLINE]

- ☐ 49: [Kaji M, Ikari M, Hashiguchi S, Ito Y, Matsumoto R, Yoshimura T, Kuratsu Ji, Sugimura K.](#) Related Articles, Links



Peptide mimics of monocyte chemoattractant protein-1 (MCP-1) with an antagonistic activity.

J Biochem (Tokyo). 2001 Apr;129(4):577-83.

PMID: 11275557 [PubMed - indexed for MEDLINE]

- ☐ 50: [Singer II, Scott S, Kawka DW, Chin J, Daugherty BL, DeMartino JA, DiSalvo J, Gould SL, Lineberger JE, Malkowitz L, Miller MD, Mitnaul L, Siciliano SJ, Staruch MJ, Williams HR, Zweerink HJ, Springer MS.](#) Related Articles, Links



CCR5, CXCR4, and CD4 are clustered and closely apposed on microvilli of human macrophages and T cells.

J Virol. 2001 Apr;75(8):3779-90.

PMID: 11264367 [PubMed - indexed for MEDLINE]

- ☐ 51: [Martin J, LaBranche CC, Gonzalez-Scarano F.](#) Related Articles, Links



Differential CD4/CCR5 utilization, gp120 conformation, and neutralization sensitivity between envelopes from a microglia-adapted human immunodeficiency virus type 1 and its parental isolate.

J Virol. 2001 Apr;75(8):3568-80.

PMID: 11264346 [PubMed - indexed for MEDLINE]

- ☐ 52: [Mack M, Cihak J, Simonis C, Luckow B, Proudfoot AE, Plachy J, Bruhl H, Frink M, Anders HJ, Vielhauer V, Pfisteringer J, Stangassinger M, Schlondorff D.](#) Related Articles, Links



Expression and characterization of the chemokine receptors CCR2 and CCR5 in mice.

J Immunol. 2001 Apr 1;166(7):4697-704.

PMID: 11254730 [PubMed - indexed for MEDLINE]

- ☐ 53: [Tang KF, Tan SY, Chan SH, Chong SM, Loh KS, Tan LK, Hu H.](#) Related Articles, Links








A distinct expression of CC chemokines by macrophages in nasopharyngeal carcinoma: implication for the intense tumor infiltration by T lymphocytes and macrophages.










Hum Pathol. 2001 Jan;32(1):42-9.

PMID: 11172294 [PubMed - indexed for MEDLINE]

- ☐ 54: [Rothstein TL, Fischer GM, Tanguay DA, Pavlovic S, Colarusso TP, Gerstein RM, Clarke SH, Chiles TC.](#) Related Articles, Links

-  STAT3 activation, chemokine receptor expression, and cyclin-Cdk function in B-1 cells.  
Curr Top Microbiol Immunol. 2000;252:121-30. No abstract available.  
PMID: 11125469 [PubMed - indexed for MEDLINE]
- ☐ **55:** [MacLean JA](#), [De Sanctis GT](#), [Ackerman KG](#), [Drazen JM](#), [Sauty A](#), [DeHaan E](#), [Green FH](#), [Charo IF](#), [Luster AD](#). Related Articles, Links  
CC chemokine receptor-2 is not essential for the development of antigen-induced pulmonary eosinophilia and airway hyperresponsiveness.  
J Immunol. 2000 Dec 1;165(11):6568-75.  
PMID: 11086100 [PubMed - indexed for MEDLINE]
-  ☐ **56:** [Blease K](#), [Mehrad B](#), [Standiford TJ](#), [Lukacs NW](#), [Gosling J](#), [Boring L](#), [Charo IF](#), [Kunkel SL](#), [Hogaboam CM](#). Related Articles, Links  
Enhanced pulmonary allergic responses to Aspergillus in CCR2<sup>-/-</sup> mice.  
J Immunol. 2000 Sep 1;165(5):2603-11.  
PMID: 10946288 [PubMed - indexed for MEDLINE]
-  ☐ **57:** [Simpson J](#), [Rezaie P](#), [Newcombe J](#), [Cuzner ML](#), [Male D](#), [Woodroffe MN](#). Related Articles, Links  
Expression of the beta-chemokine receptors CCR2, CCR3 and CCR5 in multiple sclerosis central nervous system tissue.  
J Neuroimmunol. 2000 Aug 1;108(1-2):192-200.  
PMID: 10900353 [PubMed - indexed for MEDLINE]
- ☐ **58:** [Salcedo R](#), [Ponce ML](#), [Young HA](#), [Wasserman K](#), [Ward JM](#), [Kleinman HK](#), [Oppenheim JJ](#), [Murphy WJ](#). Related Articles, Links  
Human endothelial cells express CCR2 and respond to MCP-1: direct role of MCP-1 in angiogenesis and tumor progression.  
Blood. 2000 Jul 1;96(1):34-40.  
PMID: 10891427 [PubMed - indexed for MEDLINE]
-  ☐ **59:** [Hogaboam CM](#), [Bone-Larson CL](#), [Steinhauser ML](#), [Matsukawa A](#), [Gosling J](#), [Boring L](#), [Charo IF](#), [Simpson KJ](#), [Lukacs NW](#), [Kunkel SL](#). Related Articles, Links  
Exaggerated hepatic injury due to acetaminophen challenge in mice lacking C-C chemokine receptor 2.  
Am J Pathol. 2000 Apr;156(4):1245-52.  
PMID: 10751350 [PubMed - indexed for MEDLINE]
- ☐ **60:** [Agace WW](#), [Roberts AI](#), [Wu L](#), [Greineder C](#), [Ebert EC](#), [Parker CM](#). Related Articles, Links  
Human intestinal lamina propria and intraepithelial lymphocytes express receptors specific for chemokines induced by inflammation.  
Eur J Immunol. 2000 Mar;30(3):819-26.  
PMID: 10741397 [PubMed - indexed for MEDLINE]
-  ☐ **61:** [Bird JE](#), [Giancarli MR](#), [Kurihara T](#), [Kowala MC](#), [Valentine MT](#), [Gitlitz PH](#), [Pandya DG](#), [French MH](#), [Durham SK](#). Related Articles, Links  
Increased severity of glomerulonephritis in C-C chemokine receptor 2 knockout mice.  
Kidney Int. 2000 Jan;57(1):129-36.  
PMID: 10620194 [PubMed - indexed for MEDLINE]
- ☐ **62:** [Sabri F](#), [Tresoldi E](#), [Di Stefano M](#), [Polo S](#), [Monaco MC](#), [Verani A](#), [Fiore JR](#), [Lusso P](#), [Major E](#), [Chiodi F](#), [Scarlatti G](#). Related Articles, Links

Nonproductive human immunodeficiency virus type 1 infection of human

-  fetal astrocytes: independence from CD4 and major chemokine receptors.  
Virology. 1999 Nov 25;264(2):370-84.  
PMID: 10562499 [PubMed - indexed for MEDLINE]
- ☐ **63:** [Weber KS, Nelson PJ, Grone HJ, Weber C.](#) [Related Articles, Links](#)
-  Expression of CCR2 by endothelial cells : implications for MCP-1 mediated wound injury repair and In vivo inflammatory activation of endothelium.  
Arterioscler Thromb Vasc Biol. 1999 Sep;19(9):2085-93.  
PMID: 10479649 [PubMed - indexed for MEDLINE]
- ☐ **64:** [Easterbrook PJ, Rostron T, Ives N, Troop M, Gazzard BG, Rowland-Jones SL.](#) [Related Articles, Links](#)
-  Chemokine receptor polymorphisms and human immunodeficiency virus disease progression.  
J Infect Dis. 1999 Oct;180(4):1096-105.  
PMID: 10479136 [PubMed - indexed for MEDLINE]
- ☐ **65:** [Andjelkovic AV, Spencer DD, Pachter JS.](#) [Related Articles, Links](#)
-  Visualization of chemokine binding sites on human brain microvessels.  
J Cell Biol. 1999 Apr 19;145(2):403-12.  
PMID: 10209033 [PubMed - indexed for MEDLINE]
- ☐ **66:** [Collman RG, Yi Y.](#) [Related Articles, Links](#)
-  Cofactors for human immunodeficiency virus entry into primary macrophages.  
J Infect Dis. 1999 May;179 Suppl 3:S422-6.  
PMID: 10099111 [PubMed - indexed for MEDLINE]
- ☐ **67:** [Rodriguez-Frade JM, Vila-Coro AJ, de Ana AM, Albar JP, Martinez-A C, Mellado M.](#) [Related Articles, Links](#)
-  The chemokine monocyte chemoattractant protein-1 induces functional responses through dimerization of its receptor CCR2.  
Proc Natl Acad Sci U S A. 1999 Mar 30;96(7):3628-33.  
PMID: 10097088 [PubMed - indexed for MEDLINE]
- ☐ **68:** [Dal Monte P, Varani S, Lazzarotto T, Pignatelli S, Landini MP.](#) [Related Articles, Links](#)
-  Prokaryotic expression of human cytomegalovirus pUS22 and its reactivity with human antibody.  
Arch Virol. 1998;143(12):2413-9.  
PMID: 9930196 [PubMed - indexed for MEDLINE]
- ☐ **69:** [Han KH, Tangirala RK, Green SR, Quehenberger O.](#) [Related Articles, Links](#)
-  Chemokine receptor CCR2 expression and monocyte chemoattractant protein-1-mediated chemotaxis in human monocytes. A regulatory role for plasma LDL.  
Arterioscler Thromb Vasc Biol. 1998 Dec;18(12):1983-91.  
PMID: 9848893 [PubMed - indexed for MEDLINE]
- ☐ **70:** [Frade JM, Mellado M, del Real G, Gutierrez-Ramos JC, Lind P, Martinez-A C.](#) [Related Articles, Links](#)
-  Characterization of the CCR2 chemokine receptor: functional CCR2 receptor expression in B cells.  
J Immunol. 1997 Dec 1;159(11):5576-84.  
PMID: 9548499 [PubMed - indexed for MEDLINE]

71: [Heesen M, Tanabe S, Berman MA, Yoshizawa I, Luo Y, Kim RJ, Post TW, Gerard C, Dorf ME.](#) Related Articles, Links



Mouse astrocytes respond to the chemokines MCP-1 and KC, but reverse transcriptase-polymerase chain reaction does not detect mRNA for the KC or new MCP-1 receptor.

J Neurosci Res. 1996 Aug 15;45(4):382-91.

PMID: 8872898 [PubMed - indexed for MEDLINE]

72: [Gharraee-Kermani M, Denholm EM, Phan SH.](#)

Related Articles, Links



Costimulation of fibroblast collagen and transforming growth factor beta1 gene expression by monocyte chemoattractant protein-1 via specific receptors.

J Biol Chem. 1996 Jul 26;271(30):17779-84.

PMID: 8663511 [PubMed - indexed for MEDLINE]

73: [Qin S, LaRosa G, Campbell JJ, Smith-Heath H, Kassam N, Shi X, Zeng L, Butcher EC, Mackay CR.](#) Related Articles, Links



Expression of monocyte chemoattractant protein-1 and interleukin-8 receptors on subsets of T cells: correlation with transendothelial chemotactic potential.

Eur J Immunol. 1996 Mar;26(3):640-7.

PMID: 8605932 [PubMed - indexed for MEDLINE]

Display  Show  Sort by  Send to



[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Mar 29 2005 17:30:14



All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Books

Search  for

Limits Preview/Index History Clipboard Details

Display  Show  Sort by  Send to

About Entrez

Text Version

All: 542 Review: 25

Items 1 - 500 of 542

Page  of 2 Next

#### Entrez PubMed

Overview  
Help | FAQ  
Tutorial  
New/Noteworthy  
E-Utilities

#### PubMed Services

Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
LinkOut  
My NCBI (Cubby)

#### Related Resources

Order Documents  
NLM Catalog  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central

☐ 1: [Steigerwald M, Moll H.](#) [Related Articles, Links](#)

☐ [Leishmania major modulates chemokine and chemokine receptor expression by dendritic cells and affects their migratory capacity.](#)  
Infect Immun. 2005 Apr;73(4):2564-7.  
PMID: 15784607 [PubMed - indexed for MEDLINE]

☐ 2: [Moore BB, Kolodsick JE, Thannickal VJ, Cooke K, Moore TA, Hogaboam C, Wilke CA, Toews GB.](#) [Related Articles, Links](#)

☐ [CCR2-mediated recruitment of fibrocytes to the alveolar space after fibrotic injury.](#)  
Am J Pathol. 2005 Mar;166(3):675-84.  
PMID: 15743780 [PubMed - indexed for MEDLINE]

☐ 3: [Sui Y, Li S, Pinson D, Adany I, Li Z, Villinger F, Narayan O, Buch S.](#) [Related Articles, Links](#)

☐ [Simian human immunodeficiency virus-associated pneumonia correlates with increased expression of MCP-1, CXCL10, and viral RNA in the lungs of rhesus macaques.](#)  
Am J Pathol. 2005 Feb;166(2):355-65.  
PMID: 15681820 [PubMed - indexed for MEDLINE]

☐ 4: [Hokeness KL, Kuziel WA, Biron CA, Salazar-Mather TP.](#) [Related Articles, Links](#)

☐ [Monocyte chemoattractant protein-1 and CCR2 interactions are required for IFN-alpha/beta-induced inflammatory responses and antiviral defense in liver.](#)  
J Immunol. 2005 Feb 1;174(3):1549-56.  
PMID: 15661915 [PubMed - indexed for MEDLINE]

☐ 5: [Gavrilin MA, Gulina IV, Kawano T, Dragan S, Chakravarti L, Kolattukudy PE.](#) [Related Articles, Links](#)

☐ [Site-directed mutagenesis of CCR2 identified amino acid residues in transmembrane helices 1, 2, and 7 important for MCP-1 binding and biological functions.](#)  
Biochem Biophys Res Commun. 2005 Feb 11;327(2):533-40.  
PMID: 15629146 [PubMed - indexed for MEDLINE]

☐ 6: [Bonfield TL, John N, Malur A, Barna BP, Culver DA, Kavuru MS, Thomassen MJ.](#) [Related Articles, Links](#)

☐ [Elevated monocyte chemotactic proteins 1, 2, and 3 in pulmonary alveolar proteinosis are associated with chemokine receptor suppression.](#)  
Clin Immunol. 2005 Jan;114(1):79-85.

PMID: 15596412 [PubMed - indexed for MEDLINE]

- ☐ 7: [Speyer CL, Gao H, Rancilio NJ, Neff TA, Huffnagle GB, Sarma JV, Ward PA.](#) [Related Articles, Links](#)



Novel chemokine responsiveness and mobilization of neutrophils during sepsis.

Am J Pathol. 2004 Dec;165(6):2187-96.

PMID: 15579460 [PubMed - indexed for MEDLINE]

- ☐ 8: [Singh KK, Ellis RJ, Marquie-Beck J, Letendre S, Heaton RK, Grant I, Spector SA.](#) [Related Articles, Links](#)



CCR2 polymorphisms affect neuropsychological impairment in HIV-1-infected adults.

J Neuroimmunol. 2004 Dec;157(1-2):185-92.

PMID: 15579296 [PubMed - indexed for MEDLINE]

- ☐ 9: [Govindarajan B, Brat DJ, Csete M, Martin WD, Murad E, Litani K, Cohen C, Cerimele F, Nunnelley M, Lefkove B, Yamamoto T, Lee C, Arbiser JL.](#) [Related Articles, Links](#)



Transgenic expression of dominant negative tuberlin through a strong constitutive promoter results in a tissue-specific tuberous sclerosis phenotype in the skin and brain.

J Biol Chem. 2005 Feb 18;280(7):5870-4. Epub 2004 Dec 2.

PMID: 15576369 [PubMed - indexed for MEDLINE]

- ☐ 10: [Solomon MF, Kuziel WA, Simeonovic CJ.](#) [Related Articles, Links](#)



The contribution of chemokines and chemokine receptors to the rejection of fetal proislet allografts.

Cell Transplant. 2004;13(5):503-14.

PMID: 15565863 [PubMed - indexed for MEDLINE]

- ☐ 11: [Datta-Mannan A, Stone MJ.](#) [Related Articles, Links](#)



Chemokine-binding specificity of soluble chemokine-receptor analogues: identification of interacting elements by chimera complementation.

Biochemistry. 2004 Nov 23;43(46):14602-11.

PMID: 15544331 [PubMed - indexed for MEDLINE]

- ☐ 12: [Okuma T, Terasaki Y, Kaikita K, Kobayashi H, Kuziel WA, Kawasuji M, Takeya M.](#) [Related Articles, Links](#)



C-C chemokine receptor 2 (CCR2) deficiency improves bleomycin-induced pulmonary fibrosis by attenuation of both macrophage infiltration and production of macrophage-derived matrix metalloproteinases.

J Pathol. 2004 Dec;204(5):594-604.

PMID: 15538737 [PubMed - indexed for MEDLINE]

- ☐ 13: [Held KS, Chen BP, Kuziel WA, Rollins BJ, Lane TE.](#) [Related Articles, Links](#)



Differential roles of CCL2 and CCR2 in host defense to coronavirus infection.

Virology. 2004 Nov 24;329(2):251-60.

PMID: 15518805 [PubMed - indexed for MEDLINE]

- ☐ 14: [Feterowski C, Mack M, Weighardt H, Bartsch B, Kaiser-Moore S, Holzmann B.](#) [Related Articles, Links](#)




CC chemokine receptor 2 regulates leukocyte recruitment and IL-10 production during acute polymicrobial sepsis.

Eur J Immunol. 2004 Dec;34(12):3664-73.

PMID: 15517610 [PubMed - indexed for MEDLINE]

- 15: [Maus UA, Wellmann S, Hampl C, Kuziel WA, Srivastava M, Mack M, Everhart MB, Blackwell TS, Christman JW, Schlondorff D, Bohle RM, Seeger W, Lohmeyer J.](#) [Related Articles, Links](#)



CCR2-positive monocytes recruited to inflamed lungs downregulate local CCL2 chemokine levels.

Am J Physiol Lung Cell Mol Physiol. 2005 Feb;288(2):L350-8. Epub 2004 Oct 29.

PMID: 15516494 [PubMed - indexed for MEDLINE]

- 16: [El-Asmar L, Springael JY, Ballet S, Andrieu EU, Vassart G, Parmentier M.](#) [Related Articles, Links](#)



Evidence for negative binding cooperativity within CCR5-CCR2b heterodimers.

Mol Pharmacol. 2005 Feb;67(2):460-9. Epub 2004 Oct 27.

PMID: 15509716 [PubMed - indexed for MEDLINE]

- 17: [Widera D, Holtkamp W, Entschladen F, Niggemann B, Zanker K, Kaltschmidt B, Kaltschmidt C.](#) [Related Articles, Links](#)



MCP-1 induces migration of adult neural stem cells.

Eur J Cell Biol. 2004 Aug;83(8):381-7.

PMID: 15506562 [PubMed - indexed for MEDLINE]

- 18: [Huerta C, Alvarez V, Mata IF, Coto E, Ribacoba R, Martinez C, Blazquez M, Guisasaola LM, Salvador C, Lahoz CH, Pena J.](#) [Related Articles, Links](#)



Chemokines (RANTES and MCP-1) and chemokine-receptors (CCR2 and CCR5) gene polymorphisms in Alzheimer's and Parkinson's disease.

Neurosci Lett. 2004 Nov 11;370(2-3):151-4.

PMID: 15488313 [PubMed - indexed for MEDLINE]

- 19: [Tang G, Charo DN, Wang R, Charo IF, Messina L.](#) [Related Articles, Links](#)



CCR2-/- knockout mice revascularize normally in response to severe hindlimb ischemia.

J Vasc Surg. 2004 Oct;40(4):786-95.

PMID: 15472609 [PubMed - indexed for MEDLINE]

- 20: [Chiu BC, Freeman CM, Stolberg VR, Hu JS, Zeibecoglou K, Lu B, Gerard C, Charo IF, Lira SA, Chensue SW.](#) [Related Articles, Links](#)



Impaired lung dendritic cell activation in CCR2 knockout mice.

Am J Pathol. 2004 Oct;165(4):1199-209.

PMID: 15466386 [PubMed - indexed for MEDLINE]

- 21: [Galimberti D, Fenoglio C, Lovati C, Gatti A, Guidi I, Venturelli E, Cutter GR, Mariani C, Forloni G, Pettenati C, Baron P, Conti G, Bresolin N, Scarpini E.](#) [Related Articles, Links](#)



CCR2-64I polymorphism and CCR5Delta32 deletion in patients with Alzheimer's disease.

J Neurol Sci. 2004 Oct 15;225(1-2):79-83.

PMID: 15465089 [PubMed - indexed for MEDLINE]

- 22: [Vestergaard C, Just H, Baumgartner Nielsen J, Thestrup-Pedersen K, Deleuran M.](#) [Related Articles, Links](#)



Expression of CCR2 on monocytes and macrophages in chronically inflamed skin in atopic dermatitis and psoriasis.

Acta Derm Venereol. 2004;84(5):353-8.

PMID: 15370700 [PubMed - indexed for MEDLINE]

[Yoshimoto K, Wada T, Furuichi K, Sakai N, Iwata Y, Yokoyama](#)



23: [H.](#)

[Related Articles](#), [Links](#)



CD68 and MCP-1/CCR2 expression of initial biopsies reflect the outcomes of membranous nephropathy.

Nephron Clin Pract. 2004;98(1):c25-34.

PMID: 15361701 [PubMed - indexed for MEDLINE]

24: [Ishibashi M](#), [Egashira K](#), [Zhao Q](#), [Hiasa K](#), [Ohtani K](#), [Ihara Y](#), [Charo IF](#), [Kura S](#), [Tsuzuki T](#), [Takeshita A](#), [Sunagawa K](#).

[Related Articles](#), [Links](#)



Bone marrow-derived monocyte chemoattractant protein-1 receptor CCR2 is critical in angiotensin II-induced acceleration of atherosclerosis and aneurysm formation in hypercholesterolemic mice.

Arterioscler Thromb Vasc Biol. 2004 Nov;24(11):e174-8. Epub 2004 Aug 26.

PMID: 15331433 [PubMed - in process]

25: [Liu H](#), [Hwangbo Y](#), [Holte S](#), [Lee J](#), [Wang C](#), [Kaupp N](#), [Zhu H](#), [Celum C](#), [Corey L](#), [McElrath MJ](#), [Zhu T](#).

[Related Articles](#), [Links](#)



Analysis of genetic polymorphisms in CCR5, CCR2, stromal cell-derived factor-1, RANTES, and dendritic cell-specific intercellular adhesion molecule-3-grabbing nonintegrin in seronegative individuals repeatedly exposed to HIV-1.

J Infect Dis. 2004 Sep 15;190(6):1055-8. Epub 2004 Aug 2.

PMID: 15319853 [PubMed - indexed for MEDLINE]

26: [Connor SJ](#), [Paraskevopoulos N](#), [Newman R](#), [Cuan N](#), [Hampartzoumian T](#), [Lloyd AR](#), [Grimm MC](#).

[Related Articles](#), [Links](#)



CCR2 expressing CD4+ T lymphocytes are preferentially recruited to the ileum in Crohn's disease.

Gut. 2004 Sep;53(9):1287-94. Erratum in: Gut. 2004 Nov;53(11):1722.

PMID: 15306587 [PubMed - indexed for MEDLINE]

27: [Saiura A](#), [Sata M](#), [Hiasa K](#), [Kitamoto S](#), [Washida M](#), [Egashira K](#), [Nagai R](#), [Makuuchi M](#).

[Related Articles](#), [Links](#)



Antimonocyte chemoattractant protein-1 gene therapy attenuates graft vasculopathy.

Arterioscler Thromb Vasc Biol. 2004 Oct;24(10):1886-90. Epub 2004 Jul 29.

PMID: 15284091 [PubMed - indexed for MEDLINE]

28: [Kaikita K](#), [Hayasaki T](#), [Okuma T](#), [Kuziel WA](#), [Ogawa H](#), [Takeya M](#).

[Related Articles](#), [Links](#)



Targeted deletion of CC chemokine receptor 2 attenuates left ventricular remodeling after experimental myocardial infarction.

Am J Pathol. 2004 Aug;165(2):439-47.

PMID: 15277218 [PubMed - indexed for MEDLINE]

29: [Kim IS](#), [Kim YS](#), [Jang SW](#), [Sung HJ](#), [Han KH](#), [Na DS](#), [Ko J](#).

[Related Articles](#), [Links](#)



Differential effects of 9-cis retinoic acid on expression of CC chemokine receptors in human monocytes.










Biochem Pharmacol. 2004 Aug 15;68(4):611-20.









PMID: 15276068 [PubMed - indexed for MEDLINE]










30: [Fang G](#), [Kuiken C](#), [Weiser B](#), [Rowland-Jones S](#), [Plummer F](#), [Chen CH](#), [Kaul R](#), [Anzala AO](#), [Bwayo J](#), [Kimani J](#), [Philpott SM](#), [Kitchen C](#), [Sinsheimer JS](#), [Gaschen B](#), [Lang D](#), [Shi B](#), [Kemal KS](#), [Rostron T](#), [Brunner C](#), [Beddows S](#), [Sattenau Q](#), [Paxinos E](#), [Oyugi J](#), [Burger H](#).

[Related Articles](#), [Links](#)

Long-term survivors in Nairobi: complete HIV-1 RNA sequences and

-  immunogenetic associations.  
J Infect Dis. 2004 Aug 15;190(4):697-701. Epub 2004 Jul 13.  
PMID: 15272396 [PubMed - indexed for MEDLINE]
- ☐ 31: [Zhao Q, Ishibashi M, Hiasa K, Tan C, Takeshita A, Egashira K.](#) Related Articles, Links
-  Essential role of vascular endothelial growth factor in angiotensin II-induced vascular inflammation and remodeling.  
Hypertension. 2004 Sep;44(3):264-70. Epub 2004 Jul 19.  
PMID: 15262905 [PubMed - indexed for MEDLINE]
- ☐ 32: [Sorensen TL, Ransohoff RM, Strieter RM, Sellebjerg F.](#) Related Articles, Links
-  Chemokine CCL2 and chemokine receptor CCR2 in early active multiple sclerosis.  
Eur J Neurol. 2004 Jul;11(7):445-9.  
PMID: 15257681 [PubMed - indexed for MEDLINE]
- ☐ 33: [Eis V, Vielhauer V, Anders HJ.](#) Related Articles, Links
-  Targeting the chemokine network in renal inflammation.  
Arch Immunol Ther Exp (Warsz). 2004 May-Jun;52(3):164-72. Review.  
PMID: 15247883 [PubMed - indexed for MEDLINE]
- ☐ 34: [Yopp AC, Fu S, Honig SM, Randolph GJ, Ding Y, Krieger NR, Bromberg JS.](#) Related Articles, Links
-  FTY720-enhanced T cell homing is dependent on CCR2, CCR5, CCR7, and CXCR4: evidence for distinct chemokine compartments.  
J Immunol. 2004 Jul 15;173(2):855-65.  
PMID: 15240672 [PubMed - indexed for MEDLINE]
- ☐ 35: [Bogner JR, Lutz B, Klein HG, Pollerer C, Troendle U, Goebel FD.](#) Related Articles, Links
-  Association of highly active antiretroviral therapy failure with chemokine receptor 5 wild type.  
HIV Med. 2004 Jul;5(4):264-72.  
PMID: 15236615 [PubMed - indexed for MEDLINE]
- ☐ 36: [Hiraoka M, Nitta N, Nagai M, Shimokado K, Yoshida M.](#) Related Articles, Links
-  MCP-1-induced enhancement of THP-1 adhesion to vascular endothelium was modulated by HMG-CoA reductase inhibitor through RhoA GTPase-, but not ERK1/2-dependent pathway.  
Life Sci. 2004 Jul 30;75(11):1333-41.  
PMID: 15234191 [PubMed - indexed for MEDLINE]
- ☐ 37: [Ruiz-Ferrer M, Barroso N, Antinolo G, Aguilar-Reina J.](#) Related Articles, Links
-  Analysis of CCR5-Delta 32 and CCR2-V64I polymorphisms in a cohort of Spanish HCV patients using real-time polymerase chain reaction and fluorescence resonance energy transfer technologies.  
J Viral Hepat. 2004 Jul;11(4):319-23.  
PMID: 15230854 [PubMed - indexed for MEDLINE]
- ☐ 38: [Sengupta N, Caballero S.](#) Related Articles, Links
-  Mouse models of visual deficits.  
Nat Med. 2004 Jul;10(7):663; author reply 663. No abstract available.  
PMID: 15229502 [PubMed - indexed for MEDLINE]
- ☐ 39: [Kitagawa K, Wada T, Furuichi K, Hashimoto H, Ishiwata Y.](#) Related Articles, Links

- Asano M, Takeya M, Kuziel WA, Matsushima K, Mukaida N, Yokoyama H.  
 Blockade of CCR2 ameliorates progressive fibrosis in kidney.  
Am J Pathol. 2004 Jul;165(1):237-46.  
PMID: 15215179 [PubMed - indexed for MEDLINE]
- ☐ 40: Shimizu S, Nakashima H, Masutani K, Inoue Y, Miyake K, Akahoshi M, Tanaka Y, Egashira K, Hirakata H, Otsuka T, Harada M. Related Articles, Links  
 Anti-monocyte chemoattractant protein-1 gene therapy attenuates nephritis in MRL/lpr mice.  
Rheumatology (Oxford). 2004 Sep;43(9):1121-8. Epub 2004 Jun 22.  
PMID: 15213333 [PubMed - indexed for MEDLINE]
- ☐ 41: Schroppel B, Zhang N, Chen P, Zang W, Chen D, Hudkins KL, Kuziel WA, Sung R, Bromberg JS, Murphy B. Related Articles, Links  
 Differential expression of chemokines and chemokine receptors in murine islet allografts: the role of CCR2 and CCR5 signaling pathways.  
J Am Soc Nephrol. 2004 Jul;15(7):1853-61.  
PMID: 15213273 [PubMed - indexed for MEDLINE]
- ☐ 42: Tam MA, Wick MJ. Related Articles, Links  
 Dendritic cells and immunity to Listeria: TipDCs are a new recruit.  
Trends Immunol. 2004 Jul;25(7):335-9. Review. No abstract available.  
PMID: 15207498 [PubMed - indexed for MEDLINE]
- ☐ 43: Parody TR, Stone MJ. Related Articles, Links  
 High level expression, activation, and antagonism of CC chemokine receptors CCR2 and CCR3 in Chinese hamster ovary cells.  
Cytokine. 2004 Jul 7;27(1):38-46.  
PMID: 15207250 [PubMed - indexed for MEDLINE]
- ☐ 44: Konishi I, Horiike N, Hiasa Y, Michitaka K, Onji M. Related Articles, Links  
 CCR5 promoter polymorphism influences the interferon response of patients with chronic hepatitis C in Japan.  
Intervirology. 2004;47(2):114-20.  
PMID: 15192276 [PubMed - indexed for MEDLINE]
- ☐ 45: Kimura S, Wang KY, Tanimoto A, Murata Y, Nakashima Y, Sasaguri Y. Related Articles, Links  
 Acute inflammatory reactions caused by histamine via monocytes/macrophages chronically participate in the initiation and progression of atherosclerosis.  
Pathol Int. 2004 Jul;54(7):465-74.  
PMID: 15189499 [PubMed - indexed for MEDLINE]
- ☐ 46: Peters W, Cyster JG, Mack M, Schlondorff D, Wolf AJ, Ernst JD, Charo IF. Related Articles, Links  
 CCR2-dependent trafficking of F4/80dim macrophages and CD11cdim/intermediate dendritic cells is crucial for T cell recruitment to lungs infected with Mycobacterium tuberculosis.  
J Immunol. 2004 Jun 15;172(12):7647-53.  
PMID: 15187146 [PubMed - indexed for MEDLINE]
- ☐ 47: Spinetti G, Wang M, Monticone R, Zhang J, Zhao D, Lakatta EG. Related Articles, Links

-  Rat aortic MCP-1 and its receptor CCR2 increase with age and alter vascular smooth muscle cell function.  
Arterioscler Thromb Vasc Biol. 2004 Aug;24(8):1397-402. Epub 2004 Jun 3.  
PMID: 15178559 [PubMed - indexed for MEDLINE]
- ☐ **48:** [Nakajima H, Sugino M, Kimura F, Hanafusa T, Ikemoto T, Shimizu A.](#) [Related Articles, Links](#)
-  Decreased CD14+CCR2+ monocytes in active multiple sclerosis.  
Neurosci Lett. 2004 Jun 10;363(2):187-9.  
PMID: 15172112 [PubMed - indexed for MEDLINE]
- ☐ **49:** [Peterson KE, Errett JS, Wei T, Dimcheff DE, Ransohoff R, Kuziel WA, Evans L, Chesebro B.](#) [Related Articles, Links](#)
-  MCP-1 and CCR2 contribute to non-lymphocyte-mediated brain disease induced by Fr98 polytropic retrovirus infection in mice: role for astrocytes in retroviral neuropathogenesis.  
J Virol. 2004 Jun;78(12):6449-58.  
PMID: 15163738 [PubMed - indexed for MEDLINE]
- ☐ **50:** [Ogilvie P, Thelen S, Moepps B, Gierschik P, da Silva Campos AC, Baggiolini M, Thelen M.](#) [Related Articles, Links](#)
-  Unusual chemokine receptor antagonism involving a mitogen-activated protein kinase pathway.  
J Immunol. 2004 Jun 1;172(11):6715-22.  
PMID: 15153488 [PubMed - indexed for MEDLINE]
- ☐ **51:** [Ryabov GS, Kazennova EV, Bobkova MR, Bobkov AF.](#) [Related Articles, Links](#)
-  Prevalence of alleles associated with HIV resistance in Russia.  
Genet Test. 2004 Spring;8(1):73-6.  
PMID: 15140377 [PubMed - indexed for MEDLINE]
- ☐ **52:** [Han KH, Hong KH, Park JH, Ko J, Kang DH, Choi KJ, Hong MK, Park SW, Park SJ.](#) [Related Articles, Links](#)
-  C-reactive protein promotes monocyte chemoattractant protein-1--mediated chemotaxis through upregulating CC chemokine receptor 2 expression in human monocytes.  
Circulation. 2004 Jun 1;109(21):2566-71. Epub 2004 May 10.  
PMID: 15136507 [PubMed - indexed for MEDLINE]
- ☐ **53:** [Yang B, Houlberg K, Millward A, Demaine A.](#) [Related Articles, Links](#)
-  Polymorphisms of chemokine and chemokine receptor genes in Type 1 diabetes mellitus and its complications.  
Cytokine. 2004 May 7;26(3):114-21.  
PMID: 15135805 [PubMed - indexed for MEDLINE]
- ☐ **54:** [Flaishon L, Becker-Herman S, Hart G, Levo Y, Kuziel WA, Shachar I.](#) [Related Articles, Links](#)
-  Expression of the chemokine receptor CCR2 on immature B cells negatively regulates their cytoskeletal rearrangement and migration.  
Blood. 2004 Aug 15;104(4):933-41. Epub 2004 May 4.  
PMID: 15126315 [PubMed - indexed for MEDLINE]
- ☐ **55:** [Zafiropoulos A, Crikas N, Passam AM, Spandidos DA.](#) [Related Articles, Links](#)
-  Significant involvement of CCR2-64I and CXCL12-3a in the development of sporadic breast cancer.  
J Med Genet. 2004 May;41(5):e59. No abstract available.

PMID: 15121787 [PubMed - indexed for MEDLINE]

- 56: [Merad M, Hoffmann P, Ranheim E, Slaymaker S, Manz MG, Lira SA, Charo I, Cook DN, Weissman IL, Strober S, Engleman EG.](#) [Related Articles, Links](#)



Depletion of host Langerhans cells before transplantation of donor alloreactive T cells prevents skin graft-versus-host disease.

Nat Med. 2004 May;10(5):510-7. Epub 2004 Apr 18. Erratum in: Nat Med. 2004 Jun;10(6):649.

PMID: 15098028 [PubMed - indexed for MEDLINE]

- 57: [Mascheretti S, Hinrichsen H, Ross S, Buggisch P, Hampe J, Foelsch UR, Schreiber S.](#) [Related Articles, Links](#)



Genetic variants in the CCR gene cluster and spontaneous viral elimination in hepatitis C-infected patients.

Clin Exp Immunol. 2004 May;136(2):328-33.

PMID: 15086398 [PubMed - indexed for MEDLINE]

- 58: [Gambelunghe G, Ghaderi M, Gharizadeh B, Brozzetti A, Tortoioli C, Del Sindaco P, Sanjeevi CB, Hjelmstrom P, Sirsjo A, Nyren P, Santeusano F, Falorni A.](#) [Related Articles, Links](#)



Lack of association of human chemokine receptor gene polymorphisms CCR2-64I and CCR5-Delta32 with autoimmune Addison's disease.

Eur J Immunogenet. 2004 Apr;31(2):73-6.

PMID: 15086346 [PubMed - indexed for MEDLINE]

- 59: [Nakayama EE, Tanaka Y, Nagai Y, Iwamoto A, Shioda T.](#) [Related Articles, Links](#)



A CCR2-V64I polymorphism affects stability of CCR2A isoform.

AIDS. 2004 Mar 26;18(5):729-38.

PMID: 15075507 [PubMed - indexed for MEDLINE]

- 60: [Warren GL, O'Farrell L, Summan M, Hulderman T, Mishra D, Luster MI, Kuziel WA, Simeonova PP.](#) [Related Articles, Links](#)



Role of CC chemokines in skeletal muscle functional restoration after injury.

Am J Physiol Cell Physiol. 2004 May;286(5):C1031-6. Epub 2004 Jan 14.

PMID: 15075201 [PubMed - indexed for MEDLINE]

- 61: [Quinones MP, Ahuja SK, Jimenez F, Schaefer J, Garavito E, Rao A, Chenuaux G, Reddick RL, Kuziel WA, Ahuja SS.](#) [Related Articles, Links](#)



Experimental arthritis in CC chemokine receptor 2-null mice closely mimics severe human rheumatoid arthritis.

J Clin Invest. 2004 Mar;113(6):856-66.

PMID: 15067318 [PubMed - indexed for MEDLINE]

- 62: [Parker LC, Whyte MK, Vogel SN, Dower SK, Sabroe I.](#) [Related Articles, Links](#)



Toll-like receptor (TLR)2 and TLR4 agonists regulate CCR expression in human monocytic cells.

J Immunol. 2004 Apr 15;172(8):4977-86.

PMID: 15067079 [PubMed - indexed for MEDLINE]

- 63: [Ishibashi M, Hiasa K, Zhao Q, Inoue S, Ohtani K, Kitamoto S, Tsuchihashi M, Sugaya T, Charo IF, Kura S, Tsuzuki T, Ishibashi T, Takeshita A, Egashira K.](#) [Related Articles, Links](#)



Critical role of monocyte chemoattractant protein-1 receptor CCR2 on monocytes in hypertension-induced vascular inflammation and remodeling.

Circ Res. 2004 May 14;94(9):1203-10. Epub 2004 Apr 1.  
PMID: 15059935 [PubMed - indexed for MEDLINE]

- 64: [Wada T, Furuichi K, Sakai N, Iwata Y, Kitagawa K, Ishida Y, Kondo T, Hashimoto H, Ishiwata Y, Mukaida N, Tomosugi N, Matsushima K, Egashira K, Yokoyama H.](#) Related Articles, Links



Gene therapy via blockade of monocyte chemoattractant protein-1 for renal fibrosis.

J Am Soc Nephrol. 2004 Apr;15(4):940-8.  
PMID: 15034096 [PubMed - indexed for MEDLINE]

- 65: [Hirata Terra J, Montano I, Schilb A, Millward TA.](#) Related Articles, Links



Development of a microplate bioassay for monocyte chemoattractant protein-1 based on activation of p44/42 mitogen-activated protein kinase.

Anal Biochem. 2004 Apr 1;327(1):119-25.  
PMID: 15033519 [PubMed - indexed for MEDLINE]

- 66: [Schecter AD, Berman AB, Yi L, Ma H, Daly CM, Soejima K, Rollins BJ, Charo IF, Taubman MB.](#) Related Articles, Links



MCP-1-dependent signaling in CCR2(-/-) aortic smooth muscle cells.

J Leukoc Biol. 2004 Jun;75(6):1079-85. Epub 2004 Mar 12.  
PMID: 15020650 [PubMed - indexed for MEDLINE]

- 67: [Ryu JW, Hong KH, Maeng JH, Kim JB, Ko J, Park JY, Lee KU, Hong MK, Park SW, Kim YH, Han KH.](#) Related Articles, Links



Overexpression of uncoupling protein 2 in THP1 monocytes inhibits beta2 integrin-mediated firm adhesion and transendothelial migration.

Arterioscler Thromb Vasc Biol. 2004 May;24(5):864-70. Epub 2004 Mar 11.  
PMID: 15016641 [PubMed - indexed for MEDLINE]

- 68: [Oostendorp J, Hylkema MN, Luinge M, Geerlings M, Meurs H, Timens W, Zaagsma J, Postma DS, Boddeke HW, Biber K.](#) Related Articles, Links



Localization and enhanced mRNA expression of the orphan chemokine receptor L-CCR in the lung in a murine model of ovalbumin-induced airway inflammation.

J Histochem Cytochem. 2004 Mar;52(3):401-10.  
PMID: 14966207 [PubMed - indexed for MEDLINE]

- 69: [Ruster M, Sperschneider H, Funfstuck R, Stein G, Grone HJ.](#) Related Articles, Links



Differential expression of beta-chemokines MCP-1 and RANTES and their receptors CCR1, CCR2, CCR5 in acute rejection and chronic allograft nephropathy of human renal allografts.

Clin Nephrol. 2004 Jan;61(1):30-9.  
PMID: 14964455 [PubMed - indexed for MEDLINE]

- 70: [Heil M, Ziegelhoeffer T, Wagner S, Fernandez B, Helisch A, Martin S, Tribulova S, Kuziel WA, Bachmann G, Schaper W.](#) Related Articles, Links



Collateral artery growth (arteriogenesis) after experimental arterial occlusion is impaired in mice lacking CC-chemokine receptor-2.

Circ Res. 2004 Mar 19;94(5):671-7. Epub 2004 Feb 12.  
PMID: 14963007 [PubMed - indexed for MEDLINE]

- 71: [Doherty TM, Fitzpatrick LA, Shaheen A, Rajavashisth TB, Detrano RC.](#) Related Articles, Links



Genetic determinants of arterial calcification associated with atherosclerosis.

Mayo Clin Proc. 2004 Feb;79(2):197-210. Review.  
PMID: 14959915 [PubMed - indexed for MEDLINE]

- ☐ 72: [Blomqvist HM, Olsson AG.](#) Related Articles, Links



Monocyte chemoattractant protein-1 and CC-chemokine receptor-2 in severe hypercholesterolaemia.

Scand J Clin Lab Invest. 2003;63(7-8):513-9.  
PMID: 14743961 [PubMed - indexed for MEDLINE]

- ☐ 73: [Megjugorac NJ, Young HA, Amrute SB, Olshalsky SL, Fitzgerald-Bocarsly P.](#) Related Articles, Links



Virally stimulated plasmacytoid dendritic cells produce chemokines and induce migration of T and NK cells.

J Leukoc Biol. 2004 Mar;75(3):504-14. Epub 2004 Jan 23.  
PMID: 14742635 [PubMed - indexed for MEDLINE]

- ☐ 74: [Chung IY, Kim YH, Choi MK, Noh YJ, Park CS, Kwon do Y, Lee DY, Lee YS, Chang HS, Kim KS.](#) Related Articles, Links



Eotaxin and monocyte chemotactic protein-3 use different modes of action.

Biochem Biophys Res Commun. 2004 Feb 6;314(2):646-53.  
PMID: 14733956 [PubMed - indexed for MEDLINE]

- ☐ 75: [Ji JF, He BP, Dheen ST, Tay SS.](#) Related Articles, Links



Expression of chemokine receptors CXCR4, CCR2, CCR5 and CX3CR1 in neural progenitor cells isolated from the subventricular zone of the adult rat brain.

Neurosci Lett. 2004 Jan 30;355(3):236-40.  
PMID: 14732474 [PubMed - indexed for MEDLINE]

- ☐ 76: [Janis K, Hoeltke J, Nazareth M, Fanti P, Poppenberg K, Aronica SM.](#) Related Articles, Links



Estrogen decreases expression of chemokine receptors, and suppresses chemokine bioactivity in murine monocytes.

Am J Reprod Immunol. 2004 Jan;51(1):22-31.  
PMID: 14725563 [PubMed - indexed for MEDLINE]

- ☐ 77: [Talvani A, Rocha MO, Ribeiro AL, Correa-Oliveira R, Teixeira MM.](#) Related Articles, Links



Chemokine receptor expression on the surface of peripheral blood mononuclear cells in Chagas disease.

J Infect Dis. 2004 Jan 15;189(2):214-20. Epub 2004 Jan 8.  
PMID: 14722885 [PubMed - indexed for MEDLINE]

- ☐ 78: [Bruhl H, Cihak J, Schneider MA, Plachy J, Rupp T, Wenzel I, Shakarami M, Milz S, Ellwart JW, Stangassinger M, Schlondorff D, Mack M.](#) Related Articles, Links



Dual role of CCR2 during initiation and progression of collagen-induced arthritis: evidence for regulatory activity of CCR2+ T cells.

J Immunol. 2004 Jan 15;172(2):890-8.  
PMID: 14707060 [PubMed - indexed for MEDLINE]

- ☐ 79: [Abdi R, Means TK, Ito T, Smith RN, Najafian N, Jurewicz M, Tchipachvili V, Charo I, Auchincloss H Jr, Sayegh MH, Luster AD.](#) Related Articles, Links



Differential role of CCR2 in islet and heart allograft rejection: tissue

specificity of chemokine/chemokine receptor function in vivo.

J Immunol. 2004 Jan 15;172(2):767-75.

PMID: 14707046 [PubMed - indexed for MEDLINE]

- 80: [Kettle JG, Faull AW, Barker AJ, Davies DH, Stone MA.](#) Related Articles, Links



N-Benzylindole-2-carboxylic acids: potent functional antagonists of the CCR2b chemokine receptor.

Bioorg Med Chem Lett. 2004 Jan 19;14(2):405-8.

PMID: 14698169 [PubMed - indexed for MEDLINE]

- 81: [Amano H, Morimoto K, Senba M, Wang H, Ishida Y, Kumatori A, Yoshimine H, Oishi K, Mukaida N, Nagatake T.](#) Related Articles, Links



Essential contribution of monocyte chemoattractant protein-1/C-C chemokine ligand-2 to resolution and repair processes in acute bacterial pneumonia.

J Immunol. 2004 Jan 1;172(1):398-409.

PMID: 14688348 [PubMed - indexed for MEDLINE]

- 82: [Fu S, Yopp AC, Mao X, Chen D, Zhang N, Chen D, Mao M, Ding Y, Bromberg JS.](#) Related Articles, Links



CD4+ CD25+ CD62+ T-regulatory cell subset has optimal suppressive and proliferative potential.

Am J Transplant. 2004 Jan;4(1):65-78.

PMID: 14678036 [PubMed - indexed for MEDLINE]

- 83: [Shahrara S, Amin MA, Woods JM, Haines GK, Koch AE.](#) Related Articles, Links



Chemokine receptor expression and in vivo signaling pathways in the joints of rats with adjuvant-induced arthritis.

Arthritis Rheum. 2003 Dec;48(12):3568-83.

PMID: 14674010 [PubMed - indexed for MEDLINE]

- 84: [Amoura Z, Combadiere C, Faure S, Parizot C, Miyara M, Raphael D, Ghillani P, Debre P, Piette JC, Gorochov G.](#) Related Articles, Links



Roles of CCR2 and CXCR3 in the T cell-mediated response occurring during lupus flares.

Arthritis Rheum. 2003 Dec;48(12):3487-96.

PMID: 14673999 [PubMed - indexed for MEDLINE]

- 85: [Lee I, Wang L, Wells AD, Ye Q, Han R, Dorf ME, Kuziel WA, Rollins BJ, Chen L, Hancock WW.](#) Related Articles, Links



Blocking the monocyte chemoattractant protein-1/CCR2 chemokine pathway induces permanent survival of islet allografts through a programmed death-1 ligand-1-dependent mechanism.

J Immunol. 2003 Dec 15;171(12):6929-35.

PMID: 14662900 [PubMed - indexed for MEDLINE]

- 86: [Penido C, Vieira-de-Abreu A, Bozza MT, Castro-Faria-Neto HC, Bozza PT.](#) Related Articles, Links











Role of monocyte chemotactic protein-1/CC chemokine ligand 2 on gamma delta T lymphocyte trafficking during inflammation induced by lipopolysaccharide or Mycobacterium bovis bacille Calmette-Guerin.

J Immunol. 2003 Dec 15;171(12):6788-94.

PMID: 14662884 [PubMed - indexed for MEDLINE]

- 87: [Pichavant M, Delneste Y, Jeannin P, Fourneau C, Brichet A, Tonnel AB, Gosset P.](#) Related Articles, Links



-  Outer membrane protein A from *Klebsiella pneumoniae* activates bronchial epithelial cells: implication in neutrophil recruitment.  
*J Immunol.* 2003 Dec 15;171(12):6697-705.  
PMID: 14662873 [PubMed - indexed for MEDLINE]
- ☐ 88: [Veillard NR, Kwak B, Pelli G, Mulhaupt F, James RW, Proudfoot AE, Mach F.](#) [Related Articles, Links](#)
-  Antagonism of RANTES receptors reduces atherosclerotic plaque formation in mice.  
*Circ Res.* 2004 Feb 6;94(2):253-61. Epub 2003 Dec 1.  
PMID: 14656931 [PubMed - indexed for MEDLINE]
- ☐ 89: [Christensen PJ, Du M, Moore B, Morris S, Toews GB, Paine R 3rd.](#) [Related Articles, Links](#)
-  Expression and functional implications of CCR2 expression on murine alveolar epithelial cells.  
*Am J Physiol Lung Cell Mol Physiol.* 2004 Jan;286(1):L68-72.  
PMID: 14656700 [PubMed - indexed for MEDLINE]
- ☐ 90: [Miyagishi R, Niino M, Fukazawa T, Yabe I, Kikuchi S, Tashiro K.](#) [Related Articles, Links](#)
-  C-C chemokine receptor 2 gene polymorphism in Japanese patients with multiple sclerosis.  
*J Neuroimmunol.* 2003 Dec;145(1-2):135-8.  
PMID: 14644039 [PubMed - indexed for MEDLINE]
- ☐ 91: [Guazzone VA, Rival C, Denduchis B, Lustig L.](#) [Related Articles, Links](#)
-  Monocyte chemoattractant protein-1 (MCP-1/CCL2) in experimental autoimmune orchitis.  
*J Reprod Immunol.* 2003 Dec;60(2):143-57.  
PMID: 14638441 [PubMed - indexed for MEDLINE]
- ☐ 92: [Kirkaldy AA, Musonda AC, Khanolkhar-Young S, Suneetha S, Lockwood DN.](#) [Related Articles, Links](#)
-  Expression of CC and CXC chemokines and chemokine receptors in human leprosy skin lesions.  
*Clin Exp Immunol.* 2003 Dec;134(3):447-53.  
PMID: 14632750 [PubMed - indexed for MEDLINE]
- ☐ 93: [Singh KK, Barroga CF, Hughes MD, Chen J, Raskino C, McKinney RE, Spector SA.](#) [Related Articles, Links](#)
-  Genetic influence of CCR5, CCR2, and SDF1 variants on human immunodeficiency virus 1 (HIV-1)-related disease progression and neurological impairment, in children with symptomatic HIV-1 infection.  
*J Infect Dis.* 2003 Nov 15;188(10):1461-72. Epub 2003 Nov 18.  
PMID: 14624371 [PubMed - indexed for MEDLINE]
- ☐ 94: [Hildebrandt GC, Duffner UA, Olkiewicz KM, Corrion LA, Willmarth NE, Williams DL, Clouthier SG, Hogaboam CM, Reddy PR, Moore BB, Kuziel WA, Liu C, Yanik G, Cooke KR.](#) [Related Articles, Links](#)
-  A critical role for CCR2/MCP-1 interactions in the development of idiopathic pneumonia syndrome after allogeneic bone marrow transplantation.  
*Blood.* 2004 Mar 15;103(6):2417-26. Epub 2003 Nov 13.  
PMID: 14615370 [PubMed - indexed for MEDLINE]
- [Gharaee-Kermani M, McCullumsmith RE, Charo IF, Kunkel SL.](#) [Related Articles, Links](#)

☐ 95: Phan SH.

CC-chemokine receptor 2 required for bleomycin-induced pulmonary fibrosis.

Cytokine. 2003 Dec 21;24(6):266-76.

PMID: 14609568 [PubMed - indexed for MEDLINE]

☐ 96: Bruemmer D, Collins AR, Noh G, Wang W, Territo M, Arias-Magallona S, Fishbein MC, Blaschke F, Kintscher U, Graf K, Law RE, Hsueh WA.

Related Articles, Links



Angiotensin II-accelerated atherosclerosis and aneurysm formation is attenuated in osteopontin-deficient mice.

J Clin Invest. 2003 Nov;112(9):1318-31.

PMID: 14597759 [PubMed - indexed for MEDLINE]

☐ 97: Forrester JV.

Related Articles, Links



Macrophages eyed in macular degeneration.

Nat Med. 2003 Nov;9(11):1350-1. No abstract available.

PMID: 14595424 [PubMed - indexed for MEDLINE]

☐ 98: Schjetne KW, Gundersen HT, Iversen JG, Thompson KM, Bogen B.

Related Articles, Links



Antibody-mediated delivery of antigen to chemokine receptors on antigen-presenting cells results in enhanced CD4+ T cell responses.

Eur J Immunol. 2003 Nov;33(11):3101-8.

PMID: 14579278 [PubMed - indexed for MEDLINE]

☐ 99: Stamatovic SM, Keep RF, Kunkel SL, Andjelkovic AV.

Related Articles, Links



Potential role of MCP-1 in endothelial cell tight junction 'opening': signaling via Rho and Rho kinase.

J Cell Sci. 2003 Nov 15;116(Pt 22):4615-28.

PMID: 14576355 [PubMed - indexed for MEDLINE]

☐ 100: Rao AR, Quinones MP, Garavito E, Kalkonde Y, Jimenez F, Gibbons C, Perez J, Melby P, Kuziel W, Reddick RL, Ahuja SK, Ahuja SS.

Related Articles, Links



CC chemokine receptor 2 expression in donor cells serves an essential role in graft-versus-host-disease.

J Immunol. 2003 Nov 1;171(9):4875-85.

PMID: 14568968 [PubMed - indexed for MEDLINE]

☐ 101: Ambati J, Anand A, Fernandez S, Sakurai E, Lynn BC, Kuziel WA, Rollins BJ, Ambati BK.

Related Articles, Links



An animal model of age-related macular degeneration in senescent Ccl-2- or Ccr-2-deficient mice.

Nat Med. 2003 Nov;9(11):1390-7. Epub 2003 Oct 19.

PMID: 14566334 [PubMed - indexed for MEDLINE]

☐ 102: Kim WJ, Chereshev I, Gazdaru M, Fallon JT, Rollins BJ, Taubman MB.

Related Articles, Links












MCP-1 deficiency is associated with reduced intimal hyperplasia after arterial injury.

Biochem Biophys Res Commun. 2003 Oct 24;310(3):936-42.









PMID: 14550294 [PubMed - indexed for MEDLINE]










☐ 103: Munerato P, Azevedo ML, Sucupira MC, Pardini R, Pinto GH, Catroxo M, Souza IE, Diaz RS.

Related Articles, Links

-  Frequency of polymorphisms of genes coding for HIV-1 co-receptors CCR5 and CCR2 in a Brazilian population.  
Braz J Infect Dis. 2003 Aug;7(4):236-40.  
PMID: 14533983 [PubMed - indexed for MEDLINE]
- ☐ **104:** [Zhao X, Gharizadeh B, Hjelmstrom P, Pirskanen R, Nyren P, Lefvert AK, Ghaderi M.](#) Related Articles, Links  
Genotypes of CCR2 and CCR5 chemokine receptors in human myasthenia gravis.  
Int J Mol Med. 2003 Nov;12(5):749-53.  
PMID: 14533004 [PubMed - indexed for MEDLINE]
- 
- ☐ **105:** [Schuyler M, Gott K, Cherne A.](#) Related Articles, Links  
Experimental hypersensitivity pneumonitis: role of MCP-1.  
J Lab Clin Med. 2003 Sep;142(3):187-95.  
PMID: 14532907 [PubMed - indexed for MEDLINE]
- 
- ☐ **106:** [Panoskaltsis-Mortari A, Hermanson JR, Taras E, Wangenstein OD, Charo IF, Rollins BJ, Blazar BR.](#) Related Articles, Links  
Post-BMT lung injury occurs independently of the expression of CCL2 or its receptor, CCR2, on host cells.  
Am J Physiol Lung Cell Mol Physiol. 2004 Feb;286(2):L284-92. Epub 2003 Oct 3.  
PMID: 14527928 [PubMed - indexed for MEDLINE]
- 
- ☐ **107:** [Furuichi K, Wada T, Iwata Y, Kitagawa K, Kobayashi K, Hashimoto H, Ishiwata Y, Asano M, Wang H, Matsushima K, Takeya M, Kuziel WA, Mukaida N, Yokoyama H.](#) Related Articles, Links  
CCR2 signaling contributes to ischemia-reperfusion injury in kidney.  
J Am Soc Nephrol. 2003 Oct;14(10):2503-15.  
PMID: 14514728 [PubMed - indexed for MEDLINE]
- 
- ☐ **108:** [Zhang N, Schroppel B, Chen D, Fu S, Hudkins KL, Zhang H, Murphy BM, Sung RS, Bromberg JS.](#) Related Articles, Links  
Adenovirus transduction induces expression of multiple chemokines and chemokine receptors in murine beta cells and pancreatic islets.  
Am J Transplant. 2003 Oct;3(10):1230-41.  
PMID: 14510696 [PubMed - indexed for MEDLINE]
- 
- ☐ **109:** [DePaolo RW, Rollins BJ, Kuziel W, Karpus WJ.](#) Related Articles, Links  
CC chemokine ligand 2 and its receptor regulate mucosal production of IL-12 and TGF-beta in high dose oral tolerance.  
J Immunol. 2003 Oct 1;171(7):3560-7.  
PMID: 14500652 [PubMed - indexed for MEDLINE]
- 
- ☐ **110:** [Segal S, Hill AV.](#) Related Articles, Links  
Genetic susceptibility to infectious disease.  
Trends Microbiol. 2003 Sep;11(9):445-8. Review.  
PMID: 13678861 [PubMed - indexed for MEDLINE]
- 
- ☐ **111:** [Morita T, Imai T, Yamaguchi T, Sugiyama T, Katayama S, Yoshino G.](#) Related Articles, Links  
Induction of heme oxygenase-1 in monocytes suppresses angiotensin II-elicited chemotactic activity through inhibition of CCR2: role of bilirubin and carbon monoxide generated by the enzyme.  
Antioxid Redox Signal. 2003 Aug;5(4):439-47.  
PMID: 13678532 [PubMed - indexed for MEDLINE]
- 


- 112: [Glabinski AR, Bielecki B, Kolodziejewski P, Han Y, Selmaj K, Ransohoff RM.](#) [Related Articles, Links](#)  
TNF-alpha microinjection upregulates chemokines and chemokine receptors in the central nervous system without inducing leukocyte infiltration.  
J Interferon Cytokine Res. 2003 Aug;23(8):457-66.  
PMID: 13678434 [PubMed - indexed for MEDLINE]
- 113: [Strasly M, Doronzo G, Capello P, Valdembri D, Arese M, Mitola S, Moore P, Alessandri G, Giovarelli M, Bussolino F.](#) [Related Articles, Links](#)  
CCL16 activates an angiogenic program in vascular endothelial cells.  
Blood. 2004 Jan 1;103(1):40-9. Epub 2003 Sep 4.  
PMID: 12958070 [PubMed - indexed for MEDLINE]
- 114: [Berkhout TA, Blaney FE, Bridges AM, Cooper DG, Forbes IT, Gribble AD, Groot PH, Hardy A, Ife RJ, Kaur R, Moores KE, Shillito H, Willetts J, Witherington J.](#) [Related Articles, Links](#)  
CCR2: characterization of the antagonist binding site from a combined receptor modeling/mutagenesis approach.  
J Med Chem. 2003 Sep 11;46(19):4070-86.  
PMID: 12954060 [PubMed - indexed for MEDLINE]
- 115: [Babcock AA, Kuziel WA, Rivest S, Owens T.](#) [Related Articles, Links](#)  
Chemokine expression by glial cells directs leukocytes to sites of axonal injury in the CNS.  
J Neurosci. 2003 Aug 27;23(21):7922-30.  
PMID: 12944523 [PubMed - indexed for MEDLINE]
- 116: [Yamamoto T, Nishioka K.](#) [Related Articles, Links](#)  
Role of monocyte chemoattractant protein-1 and its receptor, CCR-2, in the pathogenesis of bleomycin-induced scleroderma.  
J Invest Dermatol. 2003 Sep;121(3):510-6.  
PMID: 12925209 [PubMed - indexed for MEDLINE]
- 117: [Aguilar F, Nunez-Roldan A, Torres B, Wichmann I, Sanchez-Roman J, Gonzalez-Escribano MF.](#) [Related Articles, Links](#)  
Chemokine receptor CCR2/CCR5 polymorphism in Spanish patients with systemic lupus erythematosus.  
J Rheumatol. 2003 Aug;30(8):1770-4.  
PMID: 12913933 [PubMed - indexed for MEDLINE]
- 118: [Niiya M, Niiya K, Kiguchi T, Shibakura M, Asaumi N, Shinagawa K, Ishimaru F, Kiura K, Ikeda K, Ueoka H, Tanimoto M.](#) [Related Articles, Links](#)  
Induction of TNF-alpha, uPA, IL-8 and MCP-1 by doxorubicin in human lung carcinoma cells.  
Cancer Chemother Pharmacol. 2003 Nov;52(5):391-8. Epub 2003 Aug 8.  
PMID: 12908082 [PubMed - indexed for MEDLINE]
- 119: [Bayley JP, Baggen JM, van der Pouw-Kraan T, Crusius JB, Huizinga TW, Verweij CL.](#) [Related Articles, Links](#)  
Association between polymorphisms in the human chemokine receptor genes CCR2 and CX3CR1 and rheumatoid arthritis.  
Tissue Antigens. 2003 Aug;62(2):170-4.  
PMID: 12889997 [PubMed - indexed for MEDLINE]


- ☐ **120:** [Salentin R, Gerns D, Sprenger H, Kaufmann A.](#) Related Articles, Links  
 Chemokine receptor expression and chemotactic responsiveness of human monocytes after influenza A virus infection. J Leukoc Biol. 2003 Aug;74(2):252-9. PMID: 12885942 [PubMed - indexed for MEDLINE]
- ☐ **121:** [Lewandowska M, Trzeciak WH, Jagodzinski PP.](#) Related Articles, Links  
 Determination of the CCR2-64I/CCR5-59653T haplotype linkage disequilibrium in a sample of Polish population. Genetika. 2003 Jun;39(6):831-3. PMID: 12884524 [PubMed - indexed for MEDLINE]
- ☐ **122:** [Spagnolo P, Renzoni EA, Wells AU, Sato H, Grutters JC, Sestini P, Abdallah A, Gramiccioni E, Ruven HJ, du Bois RM, Welsh KI.](#) Related Articles, Links  
 C-C chemokine receptor 2 and sarcoidosis: association with Lofgren's syndrome. Am J Respir Crit Care Med. 2003 Nov 15;168(10):1162-6. Epub 2003 Jul 25. PMID: 12882757 [PubMed - indexed for MEDLINE]
- ☐ **123:** [Puissant B, Abbal M, Blancher A.](#) Related Articles, Links  
 Polymorphism of human and primate RANTES, CX3CR1, CCR2 and CXCR4 genes with regard to HIV/SIV infection. Immunogenetics. 2003 Aug;55(5):275-83. Epub 2003 Jul 23. PMID: 12879309 [PubMed - indexed for MEDLINE]
- ☐ **124:** [Geissmann F, Jung S, Littman DR.](#) Related Articles, Links  
 Blood monocytes consist of two principal subsets with distinct migratory properties. Immunity. 2003 Jul;19(1):71-82. PMID: 12871640 [PubMed - indexed for MEDLINE]
- ☐ **125:** [Serbina NV, Salazar-Mather TP, Biron CA, Kuziel WA, Pamer EG.](#) Related Articles, Links  
 TNF/iNOS-producing dendritic cells mediate innate immune defense against bacterial infection. Immunity. 2003 Jul;19(1):59-70. PMID: 12871639 [PubMed - indexed for MEDLINE]
- ☐ **126:** [Taylor PR, Gordon S.](#) Related Articles, Links  
 Monocyte heterogeneity and innate immunity. Immunity. 2003 Jul;19(1):2-4. PMID: 12871633 [PubMed - indexed for MEDLINE]
- ☐ **127:** [Luft FC.](#) Related Articles, Links  
 Freely associating with chemokine receptor 2 polymorphisms and atherosclerosis. J Mol Med. 2003 Jun;81(6):333-5. No abstract available. PMID: 12870487 [PubMed - indexed for MEDLINE]
- ☐ **128:** [Ioannidis JP, Contopoulos-Ioannidis DG, Rosenberg PS, Goedert JJ, De Rossi A, Espanol T, Frenkel L, Mayaux MJ, Newell ML, Pahwa SG, Rousseau C, Scarlatti G, Sei S, Sen L, O'Brien TR; HIV Host Genetics International Meta-Analysis Group.](#) Related Articles, Links

-  Effects of CCR5-delta32 and CCR2-64I alleles on disease progression of perinatally HIV-1-infected children: an international meta-analysis. *AIDS*. 2003 Jul 25;17(11):1631-8. PMID: 12853745 [PubMed - indexed for MEDLINE]
- ☐ **129:** Petrkova J, Cermakova Z, Drabek J, Lukl J, Petrek M. [Related Articles](#), [Links](#)
-  CC chemokine receptor (CCR)2 polymorphism in Czech patients with myocardial infarction. *Immunol Lett*. 2003 Jul 3;88(1):53-5. PMID: 12853162 [PubMed - indexed for MEDLINE]
- ☐ **130:** Schechter AD, Berman AB, Taubman MB. [Related Articles](#), [Links](#)
-  Chemokine receptors in vascular smooth muscle. *Microcirculation*. 2003 Jun;10(3-4):265-72. Review. PMID: 12851644 [PubMed - indexed for MEDLINE]
- ☐ **131:** Charo IF, Peters W. [Related Articles](#), [Links](#)
-  Chemokine receptor 2 (CCR2) in atherosclerosis, infectious diseases, and regulation of T-cell polarization. *Microcirculation*. 2003 Jun;10(3-4):259-64. Review. PMID: 12851643 [PubMed - indexed for MEDLINE]
- ☐ **132:** Brown CR, Blaho VA, Loiacono CM. [Related Articles](#), [Links](#)
-  Susceptibility to experimental Lyme arthritis correlates with KC and monocyte chemoattractant protein-1 production in joints and requires neutrophil recruitment via CXCR2. *J Immunol*. 2003 Jul 15;171(2):893-901. PMID: 12847259 [PubMed - indexed for MEDLINE]
- ☐ **133:** Jinnouchi K, Terasaki Y, Fujiyama S, Tomita K, Kuziel WA, Maeda N, Takahashi K, Takeya M. [Related Articles](#), [Links](#)
-  Impaired hepatic granuloma formation in mice deficient in C-C chemokine receptor 2. *J Pathol*. 2003 Jul;200(3):406-16. PMID: 12845637 [PubMed - indexed for MEDLINE]
- ☐ **134:** Arias DA, Navenot JM, Zhang WB, Broach J, Peiper SC. [Related Articles](#), [Links](#)
-  Constitutive activation of CCR5 and CCR2 induced by conformational changes in the conserved TXP motif in transmembrane helix 2. *J Biol Chem*. 2003 Sep 19;278(38):36513-21. Epub 2003 Jul 1. PMID: 12837756 [PubMed - indexed for MEDLINE]
- ☐ **135:** Tsutsumi C, Sonoda KH, Egashira K, Qiao H, Hisatomi T, Nakao S, Ishibashi M, Charo IF, Sakamoto T, Murata T, Ishibashi T. [Related Articles](#), [Links](#)
-  The critical role of ocular-infiltrating macrophages in the development of choroidal neovascularization. *J Leukoc Biol*. 2003 Jul;74(1):25-32. PMID: 12832439 [PubMed - indexed for MEDLINE]
- ☐ **136:** Ambati BK, Joussen AM, Kuziel WA, Adamis AP, Ambati J. [Related Articles](#), [Links](#)
-  Inhibition of corneal neovascularization by genetic ablation of CCR2. *Cornea*. 2003 Jul;22(5):465-7. PMID: 12827053 [PubMed - indexed for MEDLINE]


- 137: [Jin H, Vicario PP, Zweerink H, Goyal S, Hanlon WA, Dorn CP, Mills SG, DeMartino JA, Cascieri MA, Struthers M.](#) [Related Articles](#), [Links](#)  
Expression and characterization of the chemokine receptor CCR2B from rhesus monkey.  
Biochem Pharmacol. 2003 Jul 15;66(2):321-30.  
PMID: 12826275 [PubMed - indexed for MEDLINE]
- 138: [Abbadie C, Lindia JA, Cumiskey AM, Peterson LB, Mudgett JS, Bayne EK, DeMartino JA, MacIntyre DE, Forrest MJ.](#) [Related Articles](#), [Links](#)  
Impaired neuropathic pain responses in mice lacking the chemokine receptor CCR2.  
Proc Natl Acad Sci U S A. 2003 Jun 24;100(13):7947-52. Epub 2003 Jun 13.  
PMID: 12808141 [PubMed - indexed for MEDLINE]
- 139: [Chen Z, Yu S, Bakhiet M, Winblad B, Zhu J.](#) [Related Articles](#), [Links](#)  
The chemokine receptor CCR5 is not a necessary inflammatory mediator in kainic acid-induced hippocampal injury: evidence for a compensatory effect by increased CCR2 and CCR3.  
J Neurochem. 2003 Jul;86(1):61-8.  
PMID: 12807425 [PubMed - indexed for MEDLINE]
- 140: [Kivisakk P, Trebst C, Lee JC, Tucky BH, Rudick RA, Campbell JJ, Ransohoff RM.](#) [Related Articles](#), [Links](#)  
Expression of CCR2, CCR5, and CXCR3 by CD4+ T cells is stable during a 2-year longitudinal study but varies widely between individuals.  
J Neurovirol. 2003 Jun;9(3):291-9.  
PMID: 12775413 [PubMed - indexed for MEDLINE]
- 141: [Gambelunghe G, Ghaderi M, Brozzetti A, Del Sindaco P, Gharizadeh B, Nyren P, Hjelmstrom P, Nikitina-Zake L, Sanjeevi CB, Falorni A; Umbria Type 1 Diabetes Registry.](#) [Related Articles](#), [Links](#)  
Lack of association of CCR2-64I and CCR5-Delta 32 with type 1 diabetes and latent autoimmune diabetes in adults.  
Hum Immunol. 2003 Jun;64(6):629-32.  
PMID: 12770795 [PubMed - indexed for MEDLINE]
- 142: [Belnoue E, Costa FT, Vigario AM, Voza T, Gonnet F, Landau I, Van Rooijen N, Mack M, Kuziel WA, Renia L.](#) [Related Articles](#), [Links](#)  
Chemokine receptor CCR2 is not essential for the development of experimental cerebral malaria.  
Infect Immun. 2003 Jun;71(6):3648-51.  
PMID: 12761155 [PubMed - indexed for MEDLINE]
- 143: [Ajuebor MN, Hogaboam CM, Le T, Swain MG.](#) [Related Articles](#), [Links](#)  
C-C chemokine ligand 2/monocyte chemoattractant protein-1 directly inhibits NKT cell IL-4 production and is hepatoprotective in T cell-mediated hepatitis in the mouse.  
J Immunol. 2003 May 15;170(10):5252-9.  
PMID: 12734374 [PubMed - indexed for MEDLINE]
- 144: [Han KH, Chen Y, Chang MK, Han YC, Park JH, Green SR, Boullier A, Quehenberger O.](#) [Related Articles](#), [Links](#)  
LDL activates signaling pathways leading to an increase in cytosolic free calcium and stimulation of CD11b expression in monocytes.  
J Lipid Res. 2003 Jul;44(7):1332-40. Epub 2003 May 1.


PMID: 12730301 [PubMed - indexed for MEDLINE]


-  **145:** [Ortlepp JR, Vesper K, Mevissen V, Schmitz F, Janssens U, Franke A, Hanrath P, Weber C, Zerres K, Hoffmann R.](#) [Related Articles, Links](#)


 Chemokine receptor (CCR2) genotype is associated with myocardial infarction and heart failure in patients under 65 years of age.  
J Mol Med. 2003 Jun;81(6):363-7. Epub 2003 Apr 29.  
PMID: 12719858 [PubMed - indexed for MEDLINE]


-  **146:** [Mahad DJ, Lawry J, Howell SJ, Woodroffe MN.](#) [Related Articles, Links](#)

 Longitudinal study of chemokine receptor expression on peripheral lymphocytes in multiple sclerosis: CXCR3 upregulation is associated with relapse.  
Mult Scler. 2003 Mar;9(2):189-98.  
PMID: 12708814 [PubMed - indexed for MEDLINE]


-  **147:** [deSchoolmeester ML, Little MC, Rollins BJ, Else KJ.](#) [Related Articles, Links](#)


 Absence of CC chemokine ligand 2 results in an altered Th1/Th2 cytokine balance and failure to expel Trichuris muris infection.  
J Immunol. 2003 May 1;170(9):4693-700.  
PMID: 12707348 [PubMed - indexed for MEDLINE]


-  **148:** [Alter A, Duddy M, Hebert S, Biernacki K, Prat A, Antel JP, Yong VW, Nuttall RK, Pennington CJ, Edwards DR, Bar-Or A.](#) [Related Articles, Links](#)


 Determinants of human B cell migration across brain endothelial cells.  
J Immunol. 2003 May 1;170(9):4497-505.  
PMID: 12707326 [PubMed - indexed for MEDLINE]


-  **149:** [Ogilvie P, Paoletti S, Clark-Lewis I, Uguccioni M.](#) [Related Articles, Links](#)


 Eotaxin-3 is a natural antagonist for CCR2 and exerts a repulsive effect on human monocytes.  
Blood. 2003 Aug 1;102(3):789-94. Epub 2003 Apr 10.  
PMID: 12689946 [PubMed - indexed for MEDLINE]


-  **150:** [Mettimano M, Specchia ML, Ianni A, Arzani D, Ricciardi G, Savi L, Romano-Spica V.](#) [Related Articles, Links](#)

 CCR5 and CCR2 gene polymorphisms in hypertensive patients.  
Br J Biomed Sci. 2003;60(1):19-21.  
PMID: 12680626 [PubMed - indexed for MEDLINE]

-  **151:** [Furuichi K, Wada T, Iwata Y, Kitagawa K, Kobayashi K, Hashimoto H, Ishiwata Y, Tomosugi N, Mukaida N, Matsushima K, Egashira K, Yokoyama H.](#) [Related Articles, Links](#)

















 Gene therapy expressing amino-terminal truncated monocyte chemoattractant protein-1 prevents renal ischemia-reperfusion injury.  
J Am Soc Nephrol. 2003 Apr;14(4):1066-71.  
PMID: 12660342 [PubMed - indexed for MEDLINE]
















-  **152:** [Dominguez F, Galan A, Martin JJ, Remohi J, Pellicer A, Simon C.](#) [Related Articles, Links](#)

 Hormonal and embryonic regulation of chemokine receptors CXCR1, CXCR4, CCR5 and CCR2B in the human endometrium and the human blastocyst.  
Mol Hum Reprod. 2003 Apr;9(4):189-98.  
PMID: 12651900 [PubMed - indexed for MEDLINE]

[Langenkamp A, Nagata K, Murphy K, Wu L, Lanzavecchia A,](#)



-  **153:** [Sallusto F.](#) Related Articles, Links  
 Kinetics and expression patterns of chemokine receptors in human CD4+ T lymphocytes primed by myeloid or plasmacytoid dendritic cells.  
Eur J Immunol. 2003 Feb;33(2):474-82.  
PMID: 12645946 [PubMed - indexed for MEDLINE]
-  **154:** [Vande Broek I, Asosingh K, Vanderkerken K, Straetmans N, Van Camp B, Van Riet I.](#) Related Articles, Links  
 Chemokine receptor CCR2 is expressed by human multiple myeloma cells and mediates migration to bone marrow stromal cell-produced monocyte chemotactic proteins MCP-1, -2 and -3.  
Br J Cancer. 2003 Mar 24;88(6):855-62.  
PMID: 12644822 [PubMed - indexed for MEDLINE]
-  **155:** [Vielhauer V, Anders HJ, Perez de Lema G, Luckow B, Schlondorff D, Mack M.](#) Related Articles, Links  
 Phenotyping renal leukocyte subsets by four-color flow cytometry: characterization of chemokine receptor expression.  
Nephron Exp Nephrol. 2003;93(2):e63.  
PMID: 12629274 [PubMed - indexed for MEDLINE]
-  **156:** [Maus UA, Waelsch K, Kuziel WA, Delbeck T, Mack M, Blackwell TS, Christman JW, Schlondorff D, Seeger W, Lohmeyer J.](#) Related Articles, Links  
 Monocytes are potent facilitators of alveolar neutrophil emigration during lung inflammation: role of the CCL2-CCR2 axis.  
J Immunol. 2003 Mar 15;170(6):3273-8.  
PMID: 12626586 [PubMed - indexed for MEDLINE]
-  **157:** [Skundric DS, Zakarian V, Dai R, Lisak RP, Tse HY, James J.](#) Related Articles, Links  
 Distinct immune regulation of the response to H-2b restricted epitope of MOG causes relapsing-remitting EAE in H-2b/s mice.  
J Neuroimmunol. 2003 Mar;136(1-2):34-45.  
PMID: 12620641 [PubMed - indexed for MEDLINE]
-  **158:** [Guo J, Van Eck M, Twisk J, Maeda N, Benson GM, Groot PH, Van Berkel TJ.](#) Related Articles, Links  
 Transplantation of monocyte CC-chemokine receptor 2-deficient bone marrow into ApoE3-Leiden mice inhibits atherogenesis.  
Arterioscler Thromb Vasc Biol. 2003 Mar 1;23(3):447-53. Epub 2003 Jan 30.  
PMID: 12615695 [PubMed - indexed for MEDLINE]
-  **159:** [Gonnella PA, Kodali D, Weiner HL.](#) Related Articles, Links  
 Induction of low dose oral tolerance in monocyte chemoattractant protein-1- and CCR2-deficient mice.  
J Immunol. 2003 Mar 1;170(5):2316-22.  
PMID: 12594253 [PubMed - indexed for MEDLINE]
-  **160:** [Solomon MF, Kuziel WA, Mann DA, Simeonovic CJ.](#) Related Articles, Links  
 The role of chemokines and their receptors in the rejection of pig islet tissue xenografts.  
Xenotransplantation. 2003 Mar;10(2):164-77.  
PMID: 12588649 [PubMed - indexed for MEDLINE]

-  **161:** [Wada T, Yokoyama H, Matsushima K, Kobayashi K.](#) [Related Articles, Links](#)  
 **Monocyte chemoattractant protein-1: does it play a role in diabetic nephropathy?**  
Nephrol Dial Transplant. 2003 Mar;18(3):457-9. No abstract available.  
PMID: 12584260 [PubMed - indexed for MEDLINE]
-  **162:** [Clegg A, Williamson P, Biti R, Cooper D, Emery S, Carr A, Stewart G.](#) [Related Articles, Links](#)  
 **Chemokine receptor genotype and response to interleukin-2 therapy in HIV-1-infected individuals.**  
Clin Immunol. 2003 Jan;106(1):36-40.  
PMID: 12584049 [PubMed - indexed for MEDLINE]
-  **163:** [Wang FS, Hong WG, Cao Y, Liu MX, Jin L, Hu LP, Wang Z, Feng TJ, Hou J, Zhang B, Shi M, Xu DP, Lei ZY, Wang B, Liu ZD, Ye JJ, Peng L, Qiu Y, Winkler C.](#) [Related Articles, Links](#)  
 **Population survey of CCR5 delta32, CCR5 m303, CCR2b 64I, and SDF1 3'A allele frequencies in indigenous Chinese healthy individuals, and in HIV-1-infected and HIV-1-uninfected individuals in HIV-1 risk groups.**  
J Acquir Immune Defic Syndr. 2003 Feb 1;32(2):124-30.  
PMID: 12571520 [PubMed - indexed for MEDLINE]
-  **164:** [Promrat K, McDermott DH, Gonzalez CM, Kleiner DE, Koziol DE, Lessie M, Merrell M, Soza A, Heller T, Ghany M, Park Y, Alter HJ, Hoofnagle JH, Murphy PM, Liang TJ.](#) [Related Articles, Links](#)  
 **Associations of chemokine system polymorphisms with clinical outcomes and treatment responses of chronic hepatitis C.**  
Gastroenterology. 2003 Feb;124(2):352-60. Erratum in: Gastroenterology. 2003 Apr;124(4):1168.  
PMID: 12557141 [PubMed - indexed for MEDLINE]
-  **165:** [Mulherin SA, O'Brien TR, Ioannidis JP, Goedert JJ, Buchbinder SP, Coutinho RA, Jamieson BD, Meyer L, Michael NL, Pantaleo G, Rizzardi GP, Schuitemaker H, Sheppard HW, Theodorou ID, Vlahov D, Rosenberg PS; International Meta-Analysis of HIV Host Genetics.](#) [Related Articles, Links](#)  
 **Effects of CCR5-Delta32 and CCR2-64I alleles on HIV-1 disease progression: the protection varies with duration of infection.**  
AIDS. 2003 Feb 14;17(3):377-87.  
PMID: 12556692 [PubMed - indexed for MEDLINE]
-  **166:** [Luttichau HR, Clark-Lewis I, Jensen PO, Moser C, Gerstoft J, Schwartz TW.](#) [Related Articles, Links](#)  
 **A highly selective CCR2 chemokine agonist encoded by human herpesvirus 6.**  
J Biol Chem. 2003 Mar 28;278(13):10928-33. Epub 2003 Jan 27.  
PMID: 12554737 [PubMed - indexed for MEDLINE]
-  **167:** [Eto Y, Shimokawa H, Tanaka E, Morishige K, Fuchigami M, Ishiwata Y, Matsushima K, Takeshita A.](#) [Related Articles, Links](#)  
 **Long-term treatment with propagermanium suppresses atherosclerosis in WHHL rabbits.**  
J Cardiovasc Pharmacol. 2003 Feb;41(2):171-7.  
PMID: 12548076 [PubMed - indexed for MEDLINE]
-  **168:** [Zhang T, Koide N, Wada Y, Tsukioka K, Takayama K, Kono](#) [Related Articles, Links](#)

T. Kitahara H, Amano J.



Significance of monocyte chemotactic protein-1 and thymidine phosphorylase in angiogenesis of human cardiac myxoma.

Circ J. 2003 Jan;67(1):54-60.

PMID: 12520153 [PubMed - indexed for MEDLINE]



- 169: Silvestri T, Meliconi R, Pulsatelli L, Dolzani P, Zizzi F, Frizziero L, Borzi RM, Facchini A.

[Related Articles](#), [Links](#)



Down-modulation of chemokine receptor cartilage expression in inflammatory arthritis.

Rheumatology (Oxford). 2003 Jan;42(1):14-8.

PMID: 12509607 [PubMed - indexed for MEDLINE]



- 170: Gaupp S, Pitt D, Kuziel WA, Cannella B, Raine CS.

[Related Articles](#), [Links](#)



Experimental autoimmune encephalomyelitis (EAE) in CCR2(-/-) mice: susceptibility in multiple strains.

Am J Pathol. 2003 Jan;162(1):139-50.

PMID: 12507897 [PubMed - indexed for MEDLINE]



- 171: Orlikowski D, Chazaud B, Plonquet A, Poron F, Sharshar T, Maison P, Raphael JC, Gherardi RK, Creange A.

[Related Articles](#), [Links](#)



Monocyte chemoattractant protein 1 and chemokine receptor CCR2 productions in Guillain-Barre syndrome and experimental autoimmune neuritis.

J Neuroimmunol. 2003 Jan;134(1-2):118-27.

PMID: 12507779 [PubMed - indexed for MEDLINE]



- 172: Wang B, Dyer WB, Zaunders JJ, Mikhail M, Sullivan JS, Williams L, Haddad DN, Harris G, Holt JA, Cooper DA, Miranda-Saksena M, Boadle R, Kelleher AD, Saksena NK.

[Related Articles](#), [Links](#)



Comprehensive analyses of a unique HIV-1-infected nonprogressor reveal a complex association of immunobiological mechanisms in the context of replication-incompetent infection.

Virology. 2002 Dec 20;304(2):246-64.

PMID: 12504566 [PubMed - indexed for MEDLINE]



- 173: Stein O, Dabach Y, Ben-Naim M, Halperin G, Charo IF, Stein Y.

[Related Articles](#), [Links](#)



In CCR2-/- mice monocyte recruitment and egress of LDL cholesterol in vivo is impaired.

Biochem Biophys Res Commun. 2003 Jan 10;300(2):477-81.

PMID: 12504109 [PubMed - indexed for MEDLINE]



- 174: Mahad DJ, Ransohoff RM.

[Related Articles](#), [Links](#)



The role of MCP-1 (CCL2) and CCR2 in multiple sclerosis and experimental autoimmune encephalomyelitis (EAE).

Semin Immunol. 2003 Feb;15(1):23-32. Review.

PMID: 12495638 [PubMed - indexed for MEDLINE]



- 175: Wong MM, Fish EN.

[Related Articles](#), [Links](#)



Chemokines: attractive mediators of the immune response.








Semin Immunol. 2003 Feb;15(1):5-14. Review.









PMID: 12495636 [PubMed - indexed for MEDLINE]




























- 176: Huang D, Tani M, Wang J, Han Y, He TT, Weaver J, Charo IF, Tuohy VK, Rollins BJ, Ransohoff RM.

[Related Articles](#), [Links](#)

-  Pertussis toxin-induced reversible encephalopathy dependent on monocyte chemoattractant protein-1 overexpression in mice.  
J Neurosci. 2002 Dec 15;22(24):10633-42.  
PMID: 12486156 [PubMed - indexed for MEDLINE]
- ☐ **177:** Voevoda MI, Ustinov SN, Yudin NS, Dolgikh MM, Kuznetsova TN, Maksimov VN, Kulikov IV, Gromov AA, Shabalin AV, Semaeva EV, Kobzev VF, Baum SR, Gafarov VV, Malyutina SK, Romaschenko AG, Nikitin Y. [Related Articles](#), [Links](#)
-  Association of the CCR2 chemokine receptor gene polymorphism with myocardial infarction.  
Dokl Biol Sci. 2002 Jul-Aug;385:367-70. No abstract available.  
PMID: 12469616 [PubMed - indexed for MEDLINE]
- ☐ **178:** Nair MP, Kandaswami C, Mahajan S, Nair HN, Chawda R, Shanahan T, Schwartz SA. [Related Articles](#), [Links](#)
-  Grape seed extract proanthocyanidins downregulate HIV-1 entry coreceptors, CCR2b, CCR3 and CCR5 gene expression by normal peripheral blood mononuclear cells.  
Biol Res. 2002;35(3-4):421-31.  
PMID: 12462994 [PubMed - indexed for MEDLINE]
- ☐ **179:** Wit FW, van Rij RP, Weverling GJ, Lange JM, Schuitemaker H. [Related Articles](#), [Links](#)
-  CC chemokine receptor 5 delta32 and CC chemokine receptor 2 64I polymorphisms do not influence the virologic and immunologic response to antiretroviral combination therapy in human immunodeficiency virus type 1-infected patients.  
J Infect Dis. 2002 Dec 15;186(12):1726-32. Epub 2002 Nov 22.  
PMID: 12447757 [PubMed - indexed for MEDLINE]
- ☐ **180:** Tang J, Wilson CM, Meleth S, Myracle A, Lobashevsky E, Mulligan MJ, Douglas SD, Korber B, Vermund SH, Kaslow RA; REACH Study Group. Reaching for Excellence in Adolescent Care and Health. [Related Articles](#), [Links](#)
-  Host genetic profiles predict virological and immunological control of HIV-1 infection in adolescents.  
AIDS. 2002 Nov 22;16(17):2275-84.  
PMID: 12441799 [PubMed - indexed for MEDLINE]
- ☐ **181:** Inoue S, Egashira K, Ni W, Kitamoto S, Usui M, Otani K, Ishibashi M, Hiasa K, Nishida K, Takeshita A. [Related Articles](#), [Links](#)
-  Anti-monocyte chemoattractant protein-1 gene therapy limits progression and destabilization of established atherosclerosis in apolipoprotein E-knockout mice.  
Circulation. 2002 Nov 19;106(21):2700-6.  
PMID: 12438296 [PubMed - indexed for MEDLINE]
- ☐ **182:** Lewandowska M, Franciszkiewicz K, Prokop J, Ofori H, Jagodzinski PP. [Related Articles](#), [Links](#)
-  Distribution of two HIV-1-resistant polymorphisms (SDF1-3'A and CCR2-64I alleles) in the Polish population.  
J Hum Genet. 2002;47(11):585-9.  
PMID: 12436194 [PubMed - indexed for MEDLINE]
- ☐ **183:** Valdes AM, Wolfe ML, O'Brien EJ, Spurr NK, Geffer W, Rut A, Groot PH, Rader DJ. [Related Articles](#), [Links](#)

-  Val64Ile polymorphism in the C-C chemokine receptor 2 is associated with reduced coronary artery calcification.  
Arterioscler Thromb Vasc Biol. 2002 Nov 1;22(11):1924-8.  
PMID: 12426226 [PubMed - indexed for MEDLINE]
- ☐ **184:** Merad M, Manz MG, Karsunky H, Wagers A, Peters W, Charo I, Weissman IL, Cyster JG, Engleman EG. Related Articles, Links  
 Langerhans cells renew in the skin throughout life under steady-state conditions.  
Nat Immunol. 2002 Dec;3(12):1135-41. Epub 2002 Nov 4. Erratum in: Nat Immunol 2003 Jan;4(1):92.  
PMID: 12415265 [PubMed - indexed for MEDLINE]
- ☐ **185:** Ishibashi M, Egashira K, Hiasa K, Inoue S, Ni W, Zhao Q, Usui M, Kitamoto S, Ichiki T, Takeshita A. Related Articles, Links  
 Antiinflammatory and antiarteriosclerotic effects of pioglitazone.  
Hypertension. 2002 Nov;40(5):687-93.  
PMID: 12411463 [PubMed - indexed for MEDLINE]
- ☐ **186:** Dorak MT, Folayan GO, Niwas S, van Leeuwen DJ, Yee LJ, Tang J, Kaslow RA. Related Articles, Links  
 C-C chemokine receptor 2 and C-C chemokine receptor 5 genotypes in patients treated for chronic hepatitis C virus infection.  
Immunol Res. 2002;26(1-3):167-75.  
PMID: 12403355 [PubMed - indexed for MEDLINE]
- ☐ **187:** Janssen U, Sowa E, Marchand P, Floege J, Phillips AO, Radeke HH. Related Articles, Links  
 Differential expression of MCP-1 and its receptor CCR2 in glucose primed human mesangial cells.  
Nephron. 2002 Dec;92(4):797-806.  
PMID: 12399623 [PubMed - indexed for MEDLINE]
- ☐ **188:** Horiguchi K, Kitagawa-Sakakida S, Sawa Y, Li ZZ, Fukushima N, Shirakura R, Matsuda H. Related Articles, Links  
 Selective chemokine and receptor gene expressions in allografts that develop transplant vasculopathy.  
J Heart Lung Transplant. 2002 Oct;21(10):1090-100.  
PMID: 12398874 [PubMed - indexed for MEDLINE]
- ☐ **189:** Ohta M, Kitadai Y, Tanaka S, Yoshihara M, Yasui W, Mukaida N, Haruma K, Chayama K. Related Articles, Links  
 Monocyte chemoattractant protein-1 expression correlates with macrophage infiltration and tumor vascularity in human esophageal squamous cell carcinomas.  
Int J Cancer. 2002 Nov 20;102(3):220-4.  
PMID: 12397639 [PubMed - indexed for MEDLINE]
- ☐ **190:** Werle M, Schmal U, Hanna K, Kreuzer J. Related Articles, Links  
 MCP-1 induces activation of MAP-kinases ERK, JNK and p38 MAPK in human endothelial cells.  
Cardiovasc Res. 2002 Nov;56(2):284-92.  
PMID: 12393099 [PubMed - indexed for MEDLINE]
- ☐ **191:** Moore BB, Peters-Golden M, Christensen PJ, Lama V, Kuziel WA, Paine R 3rd, Toews GB. Related Articles, Links  
Alveolar epithelial cell inhibition of fibroblast proliferation is regulated

-  by MCP-1/CCR2 and mediated by PGE2.  
Am J Physiol Lung Cell Mol Physiol. 2003 Feb;284(2):L342-9. Epub 2002 Oct 4.  
PMID: 12388376 [PubMed - indexed for MEDLINE]
- ☐ **192:** Maus U, Henning S, Wenschuh H, Mayer K, Seeger W, Lohmeyer J. [Related Articles](#), [Links](#)
-  Role of endothelial MCP-1 in monocyte adhesion to inflamed human endothelium under physiological flow.  
Am J Physiol Heart Circ Physiol. 2002 Dec;283(6):H2584-91. Epub 2002 Aug 29.  
PMID: 12388329 [PubMed - indexed for MEDLINE]
- ☐ **193:** Scott HM, Flynn JL. [Related Articles](#), [Links](#)
-  Mycobacterium tuberculosis in chemokine receptor 2-deficient mice: influence of dose on disease progression.  
Infect Immun. 2002 Nov;70(11):5946-54.  
PMID: 12379669 [PubMed - indexed for MEDLINE]
- ☐ **194:** Wolf G, Jocks T, Zahner G, Panzer U, Stahl RA. [Related Articles](#), [Links](#)
-  Existence of a regulatory loop between MCP-1 and TGF-beta in glomerular immune injury.  
Am J Physiol Renal Physiol. 2002 Nov;283(5):F1075-84.  
PMID: 12372783 [PubMed - indexed for MEDLINE]
- ☐ **195:** Liu SL, Mittler JE, Nickle DC, Mulvania TM, Shriner D, Rodrigo AG, Kosloff B, He X, Corey L, Mullins JL. [Related Articles](#), [Links](#)
-  Selection for human immunodeficiency virus type 1 recombinants in a patient with rapid progression to AIDS.  
J Virol. 2002 Nov;76(21):10674-84.  
PMID: 12368309 [PubMed - indexed for MEDLINE]
- ☐ **196:** Biswas SK, Sodhi A. [Related Articles](#), [Links](#)
-  Tyrosine phosphorylation-mediated signal transduction in MCP-1-induced macrophage activation: role for receptor dimerization, focal adhesion protein complex and JAK/STAT pathway.  
Int Immunopharmacol. 2002 Jul;2(8):1095-107.  
PMID: 12349947 [PubMed - indexed for MEDLINE]
- ☐ **197:** Petersen DC, Laten A, Zeier MD, Grimwood A, Rensburg EJ, Hayes VM. [Related Articles](#), [Links](#)
-  Novel mutations and SNPs identified in CCR2 using a new comprehensive denaturing gradient gel electrophoresis assay.  
Hum Mutat. 2002 Oct;20(4):253-9.  
PMID: 12325020 [PubMed - indexed for MEDLINE]
- ☐ **198:** Andjelkovic AV, Song L, Dzenko KA, Cong H, Pachter JS. [Related Articles](#), [Links](#)
-  Functional expression of CCR2 by human fetal astrocytes.  
J Neurosci Res. 2002 Oct 15;70(2):219-31.  
PMID: 12271471 [PubMed - indexed for MEDLINE]
- ☐ **199:** Hersberger M, Marti-Jaun J, Hanseler E, Speck RF. [Related Articles](#), [Links](#)
-  Rapid detection of the CCR2-V64I, CCR5-A59029G and SDF1-G801A polymorphisms by tetra-primer PCR.  
Clin Biochem. 2002 Jul;35(5):399-403.  
PMID: 12270771 [PubMed - indexed for MEDLINE]
- Xing N, L Maldonado ML, Bachman LA, McKean DJ, Kumar

-  **200:** [R, Griffin MD.](#) Related Articles, Links  
 Distinctive dendritic cell modulation by vitamin D(3) and glucocorticoid pathways.  
Biochem Biophys Res Commun. 2002 Sep 27;297(3):645-52.  
PMID: 12270143 [PubMed - indexed for MEDLINE]
-  **201:** [Howard OM, Dong HF, Yang D, Raben N, Nagaraju K, Rosen A, Casciola-Rosen L, Hartlein M, Kron M, Yang D, Yiadom K, Dwivedi S, Plotz PH, Oppenheim JJ.](#) Related Articles, Links  
 Histidyl-tRNA synthetase and asparaginyl-tRNA synthetase, autoantigens in myositis, activate chemokine receptors on T lymphocytes and immature dendritic cells.  
J Exp Med. 2002 Sep 16;196(6):781-91.  
PMID: 12235211 [PubMed - indexed for MEDLINE]
-  **202:** [Usui M, Egashira K, Ohtani K, Kataoka C, Ishibashi M, Hiasa K, Katoh M, Zhao Q, Kitamoto S, Takeshita A.](#) Related Articles, Links  
 Anti-monocyte chemoattractant protein-1 gene therapy inhibits restenotic changes (neointimal hyperplasia) after balloon injury in rats and monkeys.  
FASEB J. 2002 Nov;16(13):1838-40. Epub 2002 Sep 5.  
PMID: 12223446 [PubMed - indexed for MEDLINE]
-  **203:** [Woitak RP, Ahlenstiel G, Iwan A, Rockstroh JK, Brackmann HH, Kupfer B, Matz B, Offergeld R, Sauerbruch T, Spengler U.](#) Related Articles, Links  
 [Do polymorphisms of the SDF1 and CCR2b genes modify the course of hepatitis C or HIV/HCV co-infection?]  
Dtsch Med Wochenschr. 2002 Sep 6;127(36):1807-12. German.  
PMID: 12215924 [PubMed - indexed for MEDLINE]
-  **204:** [Maus U, von Grote K, Kuziel WA, Mack M, Miller EJ, Cihak J, Stangassinger M, Maus R, Schlondorff D, Seeger W, Lohmeyer J.](#) Related Articles, Links  
 The role of CC chemokine receptor 2 in alveolar monocyte and neutrophil immigration in intact mice.  
Am J Respir Crit Care Med. 2002 Aug 1;166(3):268-73.  
PMID: 12153956 [PubMed - indexed for MEDLINE]
-  **205:** [Corcione A, Tortolina G, Bonocchi R, Battilana N, Tadorelli G, Malavasi F, Sozzani S, Ottonello L, Dallegri F, Pistoia V.](#) Related Articles, Links  
 Chemotaxis of human tonsil B lymphocytes to CC chemokine receptor (CCR) 1, CCR2 and CCR4 ligands is restricted to non-germinal center cells.  
Int Immunol. 2002 Aug;14(8):883-92.  
PMID: 12147625 [PubMed - indexed for MEDLINE]
-  **206:** [Wang L, Li Y, Chen J, Gautam SC, Zhang Z, Lu M, Chopp M.](#) Related Articles, Links  
 Ischemic cerebral tissue and MCP-1 enhance rat bone marrow stromal cell migration in interface culture.  
Exp Hematol. 2002 Jul;30(7):831-6.  
PMID: 12135683 [PubMed - indexed for MEDLINE]
-  **207:** [Szabo I, Chen XH, Xin L, Adler MW, Howard OM, Oppenheim JJ, Rogers TJ.](#) Related Articles, Links  
 Heterologous desensitization of opioid receptors by chemokines inhibits chemotaxis and enhances the perception of pain.

Proc Natl Acad Sci U S A. 2002 Aug 6;99(16):10276-81. Epub 2002 Jul 18.  
PMID: 12130663 [PubMed - indexed for MEDLINE]

- ☐ **208:** Tylaska LA, Boring L, Weng W, Aiello R, Charo IF, Rollins BJ, Gladue RP. Related Articles, Links



Ccr2 regulates the level of MCP-1/CCL2 in vitro and at inflammatory sites and controls T cell activation in response to alloantigen. Cytokine. 2002 May 21;18(4):184-90.  
PMID: 12126640 [PubMed - indexed for MEDLINE]

- ☐ **209:** Schwarz MK, Wells TN. Related Articles, Links



New therapeutics that modulate chemokine networks. Nat Rev Drug Discov. 2002 May;1(5):347-58. Review.  
PMID: 12120410 [PubMed - indexed for MEDLINE]

- ☐ **210:** Ma M, Wei T, Boring L, Charo IF, Ransohoff RM, Jakeman LB. Related Articles, Links



Monocyte recruitment and myelin removal are delayed following spinal cord injury in mice with CCR2 chemokine receptor deletion. J Neurosci Res. 2002 Jun 15;68(6):691-702.  
PMID: 12111830 [PubMed - indexed for MEDLINE]

- ☐ **211:** Panzer U, Schneider A, Guan Y, Reinking R, Zahner G, Harendza S, Wolf G, Thaiss F, Stahl RA. Related Articles, Links



Effects of different PPARgamma-agonists on MCP-1 expression and monocyte recruitment in experimental glomerulonephritis. Kidney Int. 2002 Aug;62(2):455-64.  
PMID: 12110006 [PubMed - indexed for MEDLINE]

- ☐ **212:** Muessel MJ, Klein RM, Wilson AM, Berman NE. Related Articles, Links



Ablation of the chemokine monocyte chemoattractant protein-1 delays retrograde neuronal degeneration, attenuates microglial activation, and alters expression of cell death molecules. Brain Res Mol Brain Res. 2002 Jun 30;103(1-2):12-27.  
PMID: 12106688 [PubMed - indexed for MEDLINE]

- ☐ **213:** Jee Y, Yoon WK, Okura Y, Tanuma N, Matsumoto Y. Related Articles, Links



Upregulation of monocyte chemotactic protein-1 and CC chemokine receptor 2 in the central nervous system is closely associated with relapse of autoimmune encephalomyelitis in Lewis rats. J Neuroimmunol. 2002 Jul;128(1-2):49-57.  
PMID: 12098510 [PubMed - indexed for MEDLINE]

- ☐ **214:** Yamada Y, Ando F, Niino N, Shimokata H. Related Articles, Links











Association of a polymorphism of the CC chemokine receptor-2 gene with bone mineral density. Genomics. 2002 Jul;80(1):8-12.  
PMID: 12079277 [PubMed - indexed for MEDLINE]









- ☐ **215:** Lundien MC, Mohammed KA, Nasreen N, Tepper RS, Hardwick JA, Sanders KL, Van Horn RD, Antony VB. Related Articles, Links



Induction of MCP-1 expression in airway epithelial cells: role of CCR2 receptor in airway epithelial injury. J Clin Immunol. 2002 May;22(3):144-52.  
PMID: 12078856 [PubMed - indexed for MEDLINE]



- 216: [Viedt C, Vogel J, Athanasiou T, Shen W, Orth SR, Kubler W, Kreuzer J.](#) Related Articles, Links  
 Monocyte chemoattractant protein-1 induces proliferation and interleukin-6 production in human smooth muscle cells by differential activation of nuclear factor-kappaB and activator protein-1. *Arterioscler Thromb Vasc Biol.* 2002 Jun 1;22(6):914-20. PMID: 12067898 [PubMed - indexed for MEDLINE]
- 217: [Egashira K, Zhao Q, Kataoka C, Ohtani K, Usui M, Charo IF, Nishida K, Inoue S, Katoh M, Ichiki T, Takeshita A.](#) Related Articles, Links  
 Importance of monocyte chemoattractant protein-1 pathway in neointimal hyperplasia after periarterial injury in mice and monkeys. *Circ Res.* 2002 Jun 14;90(11):1167-72. PMID: 12065319 [PubMed - indexed for MEDLINE]
- 218: [Banisadr G, Queraud-Lesaux F, Bouterin MC, Pelaprat D, Zalc B, Rostene W, Haour F, Parsadaniantz SM.](#) Related Articles, Links  
 Distribution, cellular localization and functional role of CCR2 chemokine receptors in adult rat brain. *J Neurochem.* 2002 Apr;81(2):257-69. PMID: 12064472 [PubMed - indexed for MEDLINE]
- 219: [Sodhi A, Biswas SK.](#) Related Articles, Links  
 Monocyte chemoattractant protein-1-induced activation of p42/44 MAPK and c-Jun in murine peritoneal macrophages: a potential pathway for macrophage activation. *J Interferon Cytokine Res.* 2002 May;22(5):517-26. PMID: 12060490 [PubMed - indexed for MEDLINE]
- 220: [Viedt C, Dechend R, Fei J, Hansch GM, Kreuzer J, Orth SR.](#) Related Articles, Links  
 MCP-1 induces inflammatory activation of human tubular epithelial cells: involvement of the transcription factors, nuclear factor-kappaB and activating protein-1. *J Am Soc Nephrol.* 2002 Jun;13(6):1534-47. PMID: 12039983 [PubMed - indexed for MEDLINE]
- 221: [Izikson L, Klein RS, Luster AD, Weiner HL.](#) Related Articles, Links  
 Targeting monocyte recruitment in CNS autoimmune disease. *Clin Immunol.* 2002 May;103(2):125-31. Review. PMID: 12027417 [PubMed - indexed for MEDLINE]
- 222: [Ashton LJ, Stewart GJ, Biti R, Law M, Cooper DA, Kaldor JM.](#) Related Articles, Links  
 Heterozygosity for CCR5-Delta32 but not CCR2b-64I protects against certain intracellular pathogens. *HIV Med.* 2002 Apr;3(2):91-6. PMID: 12010355 [PubMed - indexed for MEDLINE]
- 223: [Maus UA, Koay MA, Delbeck T, Mack M, Ermer M, Ermer L, Blackwell TS, Christman JW, Schlondorff D, Seeger W, Lohmeyer J.](#) Related Articles, Links  
 Role of resident alveolar macrophages in leukocyte traffic into the alveolar air space of intact mice. *Am J Physiol Lung Cell Mol Physiol.* 2002 Jun;282(6):L1245-52. PMID: 12003780 [PubMed - indexed for MEDLINE]

- 224: [Hisada M, Lal RB, Masciotra S, Rudolph DL, Martin MP, Carrington M, Wilks RJ, Manns A.](#) Related Articles, Links
-  Chemokine receptor gene polymorphisms and risk of human T lymphotropic virus type I infection in Jamaica.  
J Infect Dis. 2002 May 1;185(9):1351-4. Epub 2002 Apr 16.  
PMID: 12001056 [PubMed - indexed for MEDLINE]
- 225: [Ramaley PA, French N, Kaleebu P, Gilks C, Whitworth J, Hill AV.](#) Related Articles, Links
-  HIV in Africa (Communication arising): chemokine-receptor genes and AIDS risk.  
Nature. 2002 May 9;417(6885):140.  
PMID: 12000952 [PubMed - indexed for MEDLINE]
- 226: [Ramana GV, Vasanthi A, Khaja M, Su B, Govindaiah V, Jin L, Singh L, Chakraborty R.](#) Related Articles, Links
-  Distribution of HIV-1 resistance-conferring polymorphic alleles SDF-1-3'A, CCR2-64I and CCR5-Delta32 in diverse populations of Andhra Pradesh, South India.  
J Genet. 2001 Dec;80(3):137-40.  
PMID: 11988632 [PubMed - indexed for MEDLINE]
- 227: [Schwarz M, Wahl M, Resch K, Radeke HH.](#) Related Articles, Links
-  IFNgamma induces functional chemokine receptor expression in human mesangial cells.  
Clin Exp Immunol. 2002 May;128(2):285-94.  
PMID: 11985519 [PubMed - indexed for MEDLINE]
- 228: [Dambach DM, Watson LM, Gray KR, Durham SK, Laskin DL.](#) Related Articles, Links
-  Role of CCR2 in macrophage migration into the liver during acetaminophen-induced hepatotoxicity in the mouse.  
Hepatology. 2002 May;35(5):1093-103.  
PMID: 11981759 [PubMed - indexed for MEDLINE]
- 229: [Traynor TR, Herring AC, Dorf ME, Kuziel WA, Toews GB, Huffnagle GB.](#) Related Articles, Links
-  Differential roles of CC chemokine ligand 2/monocyte chemoattractant protein-1 and CCR2 in the development of T1 immunity.  
J Immunol. 2002 May 1;168(9):4659-66.  
PMID: 11971015 [PubMed - indexed for MEDLINE]
- 230: [Wain JH, Kirby JA, Ali S.](#) Related Articles, Links
-  Leucocyte chemotaxis: Examination of mitogen-activated protein kinase and phosphoinositide 3-kinase activation by Monocyte Chemoattractant Proteins-1, -2, -3 and -4.  
Clin Exp Immunol. 2002 Mar;127(3):436-44.  
PMID: 11966759 [PubMed - indexed for MEDLINE]
- 231: [Tillmann HL, Stoll M, Manns MP, Schmidt RE, Heiken H.](#) Related Articles, Links
-  Chemokine receptor polymorphisms and GB virus C status in HIV-positive patients.  
AIDS. 2002 Mar 29;16(5):808-9. No abstract available.  
PMID: 11964548 [PubMed - indexed for MEDLINE]
- 232: [Van Vaerenbergh K, Harrer T, Schmit JC, Carbonez A.](#) Related Articles, Links

Fontaine E, Kurowski M, Grunke M, Low P, Rasca A, Schmidt B, Schmitt M, Thoelen I, Walter H, Van Laethem K, Van Ranst M, Desmyter J, De Clercq E, Vandamme AM.



Initiation of HAART in drug-naïve HIV type 1 patients prevents viral breakthrough for a median period of 35.5 months in 60% of the patients. *AIDS Res Hum Retroviruses*. 2002 Apr 10;18(6):419-26. PMID: 11958685 [PubMed - indexed for MEDLINE]

- ☐ **233:** Tang J, Wilson CM, Schaen M, Myracle A, Douglas SD, Kaslow RA; REACH Study Group. [Related Articles](#), [Links](#)



CCR2 and CCR5 genotypes in HIV type 1-infected adolescents: limited contributions to variability in plasma HIV type 1 RNA concentration in the absence of antiretroviral therapy. *AIDS Res Hum Retroviruses*. 2002 Apr 10;18(6):403-12. PMID: 11958683 [PubMed - indexed for MEDLINE]

- ☐ **234:** Roque M, Kim WJ, Gazdoin M, Malik A, Reis ED, Fallon JT, Badimon JJ, Charo IF, Taubman MB. [Related Articles](#), [Links](#)



CCR2 deficiency decreases intimal hyperplasia after arterial injury. *Arterioscler Thromb Vasc Biol*. 2002 Apr 1;22(4):554-9. PMID: 11950690 [PubMed - indexed for MEDLINE]

- ☐ **235:** Gerszten RE. [Related Articles](#), [Links](#)



Pleiotropic effects of chemokines in vascular lesion development. *Arterioscler Thromb Vasc Biol*. 2002 Apr 1;22(4):528-9. No abstract available. PMID: 11950686 [PubMed - indexed for MEDLINE]

- ☐ **236:** Shadidi KR, Thompson KM, Henriksen JE, Natvig JB, Aarvak T. [Related Articles](#), [Links](#)



Association of antigen specificity and migratory capacity of memory T cells in rheumatoid arthritis. *Scand J Immunol*. 2002 Mar;55(3):274-83. PMID: 11940234 [PubMed - indexed for MEDLINE]

- ☐ **237:** Nakayama EE, Meyer L, Iwamoto A, Persoz A, Nagai Y, Rouzioux C, Delfraissy JF, Debre P, McIlroy D, Theodorou I, Shioda T; SEROCO Study Group. [Related Articles](#), [Links](#)



Protective effect of interleukin-4 -589T polymorphism on human immunodeficiency virus type 1 disease progression: relationship with virus load. *J Infect Dis*. 2002 Apr 15;185(8):1183-6. Epub 2002 Mar 20. PMID: 11930331 [PubMed - indexed for MEDLINE]

- ☐ **238:** Vanderkerken K, Vande Broek I, Eizirik DL, Van Valckenborgh E, Asosingh K, Van Riet I, Van Camp B. [Related Articles](#), [Links](#)











Monocyte chemoattractant protein-1 (MCP-1), secreted by bone marrow endothelial cells, induces chemoattraction of 5T multiple myeloma cells. *Clin Exp Metastasis*. 2002;19(1):87-90. PMID: 11918087 [PubMed - indexed for MEDLINE]

- ☐ **239:** Riabov GS, Kazennova EV, Bobkov AF. [Related Articles](#), [Links](#)




























[Frequencies of the CCR2-64I and SDF1-3'A alleles associated with progression of the HIV-1 disease in healthy individuals from Moscow] *Genetika*. 2002 Feb;38(2):278-80. Russian. PMID: 11898620 [PubMed - indexed for MEDLINE]










Zhu Z, Ma B, Zheng T, Homer RJ, Lee CG, Charo IF, Noble P,

- 240: [Elias JA.](#) [Related Articles, Links](#)  
 IL-13-induced chemokine responses in the lung: role of CCR2 in the pathogenesis of IL-13-induced inflammation and remodeling.  
J Immunol. 2002 Mar 15;168(6):2953-62.  
PMID: 11884467 [PubMed - indexed for MEDLINE]
- 241: [Horvath C, Welt FG, Nedelman M, Rao P, Rogers C.](#) [Related Articles, Links](#)  
 Targeting CCR2 or CD18 inhibits experimental in-stent restenosis in primates: inhibitory potential depends on type of injury and leukocytes targeted.  
Circ Res. 2002 Mar 8;90(4):488-94.  
PMID: 11884380 [PubMed - indexed for MEDLINE]
- 242: [Aiello RJ, Bourassa PA, Lindsey S, Weng W, Freeman A, Showell HJ.](#) [Related Articles, Links](#)  
 Leukotriene B4 receptor antagonism reduces monocytic foam cells in mice.  
Arterioscler Thromb Vasc Biol. 2002 Mar 1;22(3):443-9.  
PMID: 11884288 [PubMed - indexed for MEDLINE]
- 243: [Louisirirothanakul S, Liu H, Roongpisuthipong A, Nakayama EE, Takebe Y, Shioda T, Wasi C.](#) [Related Articles, Links](#)  
 Genetic analysis of HIV-1 discordant couples in Thailand: association of CCR2 64I homozygosity with HIV-1-negative status.  
J Acquir Immune Defic Syndr. 2002 Mar 1;29(3):314-5. No abstract available.  
PMID: 11873083 [PubMed - indexed for MEDLINE]
- 244: [Du Q, Wang F, Hong W, Liu M, Jin L, Shi H, Lei Z, E E.](#) [Related Articles, Links](#)  
 [Polymorphisms of chemokine receptor alleles influencing genetic susceptibility to HIV-1 infection in Mongolia population in China]  
Zhonghua Liu Xing Bing Xue Za Zhi. 2000 Dec;21(6):413-6. Chinese.  
PMID: 11860823 [PubMed - indexed for MEDLINE]
- 245: [Wang F, Jin L, Lei Z, Shi H, Hong W, Xu D, Shi M, Jiang J, Wang Y, Zhang B, Liu M, Li Y.](#) [Related Articles, Links](#)  
 [Distribution of HIV resistance CCR5-delta 32, CCR2-64 I and SDF1-3'A alleles and their polymorphisms in the Han population in China]  
Zhonghua Liu Xing Bing Xue Za Zhi. 2000 Aug;21(4):256-60. Chinese.  
PMID: 11860793 [PubMed - indexed for MEDLINE]
- 246: [Abdi R, Tran TB, Sahagun-Ruiz A, Murphy PM, Brenner BM, Milford EL, McDermott DH.](#) [Related Articles, Links](#)  
 Chemokine receptor polymorphism and risk of acute rejection in human renal transplantation.  
J Am Soc Nephrol. 2002 Mar;13(3):754-8.  
PMID: 11856781 [PubMed - indexed for MEDLINE]
- 247: [Utaipat U, Duerr A, Rudolph DL, Yang C, Butera ST, Lupo D, Pisell T, Tangmunkongvorakul A, Kamtorn N, Nantachit N, Nagachinta T, Suriyanon V, Robison V, Nelson KE, Sittisombut N, Lal RB.](#) [Related Articles, Links](#)  
 Coreceptor utilization of HIV type 1 subtype E viral isolates from Thai men with HIV type 1-infected and uninfected wives.  
AIDS Res Hum Retroviruses. 2002 Jan 1;18(1):1-11.  
PMID: 11804551 [PubMed - indexed for MEDLINE]

- 248: [Vanbervliet B, Homey B, Durand I, Massacrier C, Ait-Yahia S, de Bouteiller O, Vicari A, Caux C.](#) Related Articles, Links  
Sequential involvement of CCR2 and CCR6 ligands for immature dendritic cell recruitment: possible role at inflamed epithelial surfaces. *Eur J Immunol.* 2002 Jan;32(1):231-42. PMID: 11782014 [PubMed - indexed for MEDLINE]
- 249: [Tanaka S, Green SR, Quehenberger O.](#) Related Articles, Links  
Differential expression of the isoforms for the monocyte chemoattractant protein-1 receptor, CCR2, in monocytes. *Biochem Biophys Res Commun.* 2002 Jan 11;290(1):73-80. PMID: 11779135 [PubMed - indexed for MEDLINE]
- 250: [Zhu K, Shen Q, Ulrich M, Zheng M.](#) Related Articles, Links  
Human monocyte-derived dendritic cells expressing both chemotactic cytokines IL-8, MCP-1, RANTES and their receptors, and their selective migration to these chemokines. *Chin Med J (Engl).* 2000 Dec;113(12):1124-8. PMID: 11776150 [PubMed - indexed for MEDLINE]
- 251: [\[No authors listed\]](#) Related Articles, Links  
Summaries for patients. Genes and HIV progression. *Ann Intern Med.* 2001 Nov 6;135(9):1. No abstract available. PMID: 11759637 [PubMed - indexed for MEDLINE]
- 252: [Nakajima K, Tanaka Y, Nomiya T, Ogihara T, Piao L, Sakai K, Onuma T, Kawamori R.](#) Related Articles, Links  
Chemokine receptor genotype is associated with diabetic nephropathy in Japanese with type 2 diabetes. *Diabetes.* 2002 Jan;51(1):238-42. PMID: 11756347 [PubMed - indexed for MEDLINE]
- 253: [Stein O, Thiery J, Stein Y.](#) Related Articles, Links  
Is there a genetic basis for resistance to atherosclerosis? *Atherosclerosis.* 2002 Jan;160(1):1-10. Review. PMID: 11755917 [PubMed - indexed for MEDLINE]
- 254: [Tang J, Shelton B, Makhatadze NJ, Zhang Y, Schaen M, Louie LG, Goedert JJ, Seaberg EC, Margolick JB, Mellors J, Kaslow RA.](#) Related Articles, Links  
Distribution of chemokine receptor CCR2 and CCR5 genotypes and their relative contribution to human immunodeficiency virus type 1 (HIV-1) seroconversion, early HIV-1 RNA concentration in plasma, and later disease progression. *J Virol.* 2002 Jan;76(2):662-72. PMID: 11752157 [PubMed - indexed for MEDLINE]
- 255: [Lathey JL, Tierney C, Chang SY, D'Aquila RT, Bettendorf DM, Alexander HC, Santini CD, Hughes AM, Barroga CF, Spector SA, Landes JE, Hammer SM, Katzenstein DA.](#) Related Articles, Links  
Associations of CCR5, CCR2, and stromal cell-derived factor 1 genotypes with human immunodeficiency virus disease progression in patients receiving nucleoside therapy. *J Infect Dis.* 2001 Dec 1;184(11):1402-11. Epub 2001 Nov 13. PMID: 11709782 [PubMed - indexed for MEDLINE]


-  **256:** [Rezaie P, Trillo-Pazos G, Everall IP, Male DK.](#) [Related Articles, Links](#)  
 Expression of beta-chemokines and chemokine receptors in human fetal astrocyte and microglial co-cultures: potential role of chemokines in the developing CNS.  
Glia. 2002 Jan;37(1):64-75.  
PMID: 11746784 [PubMed - indexed for MEDLINE]
-  **257:** [Fife BT, Paniagua MC, Lukacs NW, Kunkel SL, Karpus WJ.](#) [Related Articles, Links](#)  
 Selective CC chemokine receptor expression by central nervous system-infiltrating encephalitogenic T cells during experimental autoimmune encephalomyelitis.  
J Neurosci Res. 2001 Nov 15;66(4):705-14.  
PMID: 11746391 [PubMed - indexed for MEDLINE]
-  **258:** [Bruhl H, Wagner K, Kellner H, Schattenkirchner M, Schlondorff D, Mack M.](#) [Related Articles, Links](#)  
 Surface expression of CC- and CXC-chemokine receptors on leucocyte subsets in inflammatory joint diseases.  
Clin Exp Immunol. 2001 Dec;126(3):551-9.  
PMID: 11737076 [PubMed - indexed for MEDLINE]
-  **259:** [Husson H, Carideo EG, Cardoso AA, Lugli SM, Neuberg D, Munoz O, de Leval L, Schultze J, Freedman AS.](#) [Related Articles, Links](#)  
 MCP-1 modulates chemotaxis by follicular lymphoma cells.  
Br J Haematol. 2001 Dec;115(3):554-62.  
PMID: 11736935 [PubMed - indexed for MEDLINE]
-  **260:** [Zhu KJ, Shen QY, Zheng M, Mrowietz U.](#) [Related Articles, Links](#)  
 Effects of calcitriol and its analogues on interaction of MCP-1 and monocyte derived dendritic cells in vitro.  
Acta Pharmacol Sin. 2001 Jan;22(1):62-5.  
PMID: 11730564 [PubMed - indexed for MEDLINE]
-  **261:** [Wang F, Jin L, Lei Z, Shi H, Hong W, Xu D, Jiang J, Wang Y, Zhang B, Liu M, Li Y.](#) [Related Articles, Links](#)  
 Genotypes and polymorphisms of mutant CCR5-delta 32, CCR2-64I and SDF1-3' a HIV-1 resistance alleles in indigenous Han Chinese.  
Chin Med J (Engl). 2001 Nov;114(11):1162-6.  
PMID: 11729511 [PubMed - indexed for MEDLINE]
-  **262:** [Dzenko KA, Andjelkovic AV, Kuziel WA, Pachter JS.](#) [Related Articles, Links](#)  
 The chemokine receptor CCR2 mediates the binding and internalization of monocyte chemoattractant protein-1 along brain microvessels.  
J Neurosci. 2001 Dec 1;21(23):9214-23.  
PMID: 11717355 [PubMed - indexed for MEDLINE]
-  **263:** [Rollins BJ.](#) [Related Articles, Links](#)  
 Chemokines and atherosclerosis: what Adam Smith has to say about vascular disease.  
J Clin Invest. 2001 Nov;108(9):1269-71. No abstract available.  
PMID: 11696568 [PubMed - indexed for MEDLINE]
-  **264:** [Mangano A, Theiler G, Sala L, Capucchio M, Fainboim L, Sen L.](#) [Related Articles, Links](#)  
Distribution of CCR5-Delta 32 and CCR2-64I alleles in an Argentine

-  Amerindian population.  
Tissue Antigens. 2001 Aug;58(2):99-102.  
PMID: 11696224 [PubMed - indexed for MEDLINE]
- ☐ **265:** Ioannidis JP, Rosenberg PS, Goedert JJ, Ashton LJ, Benfield TL, Buchbinder SP, Coutinho RA, Eugen-Olsen J, Gallart T, Katzenstein TL, Kostrikis LG, Kuipers H, Louie LG, Mallal SA, Margolick JB, Martinez OP, Meyer L, Michael NL, Operskalski E, Pantaleo G, Rizzardì GP, Schuitemaker H, Sheppard HW, Stewart GJ, Theodorou ID, Ullum H, Vicenzi E, Vlahov D, Wilkinson D, Workman C, Zagury JF, O'Brien TR: International Meta-Analysis of HIV Host Genetics. Related Articles, Links
-  Effects of CCR5-Delta32, CCR2-64I, and SDF-1 3'A alleles on HIV-1 disease progression: An international meta-analysis of individual-patient data.  
Ann Intern Med. 2001 Nov 6;135(9):782-95.  
PMID: 11694103 [PubMed - indexed for MEDLINE]
- ☐ **266:** Mazzucchelli R, Corvasce S, Violin M, Riva C, Bianchi R, Deho L, Velleca R, Cibella J, Bada M, Moroni M, Galli M, Balotta C. Related Articles, Links
-  Role of CCR5, CCR2 and SDF-1 gene polymorphisms in a population of HIV-1 infected individuals.  
J Biol Regul Homeost Agents. 2001 Jul-Sep;15(3):265-71.  
PMID: 11693435 [PubMed - indexed for MEDLINE]
- ☐ **267:** Sorensen TL, Sellebjerg F. Related Articles, Links
-  Distinct chemokine receptor and cytokine expression profile in secondary progressive MS.  
Neurology. 2001 Oct 23;57(8):1371-6.  
PMID: 11673573 [PubMed - indexed for MEDLINE]
- ☐ **268:** Ekekezie II, Thibeault DW, Garola RE, Truog WE. Related Articles, Links
-  Monocyte chemoattractant protein-1 and its receptor CCR-2 in piglet lungs exposed to inhaled nitric oxide and hyperoxia.  
Pediatr Res. 2001 Nov;50(5):633-40.  
PMID: 11641460 [PubMed - indexed for MEDLINE]
- ☐ **269:** Thelen M, Baggiolini M. Related Articles, Links
-  Is dimerization of chemokine receptors functionally relevant?  
Sci STKE. 2001 Oct 16;2001(104):PE34.  
PMID: 11604547 [PubMed - indexed for MEDLINE]
- ☐ **270:** Bartoli C, Civatte M, Pellissier JF, Figarella-Branger D. Related Articles, Links
-  CCR2A and CCR2B, the two isoforms of the monocyte chemoattractant protein-1 receptor are up-regulated and expressed by different cell subsets in idiopathic inflammatory myopathies.  
Acta Neuropathol (Berl). 2001 Oct;102(4):385-92.  
PMID: 11603815 [PubMed - indexed for MEDLINE]
- ☐ **271:** Knudsen TB, Kristiansen TB, Katzenstein TL, Eugen-Olsen J: Copenhagen AIDS Study Group. Related Articles, Links
-  Adverse effect of the CCR5 promoter -2459A allele on HIV-1 disease progression.  
J Med Virol. 2001 Nov;65(3):441-4.  
PMID: 11596075 [PubMed - indexed for MEDLINE]

- 272: [Carrington M, Nelson G, O'Brien SJ.](#) [Related Articles, Links](#)  
 Considering genetic profiles in functional studies of immune responsiveness to HIV-1.  
Immunol Lett. 2001 Nov 1;79(1-2):131-40. Review.  
PMID: 11595300 [PubMed - indexed for MEDLINE]
- 273: [Chen BP, Kuziel WA, Lane TE.](#) [Related Articles, Links](#)  
 Lack of CCR2 results in increased mortality and impaired leukocyte activation and trafficking following infection of the central nervous system with a neurotropic coronavirus.  
J Immunol. 2001 Oct 15;167(8):4585-92.  
PMID: 11591787 [PubMed - indexed for MEDLINE]
- 274: [Moore BB, Paine R 3rd, Christensen PJ, Moore TA, Sitterding S, Ngan R, Wilke CA, Kuziel WA, Toews GB.](#) [Related Articles, Links](#)  
 Protection from pulmonary fibrosis in the absence of CCR2 signaling.  
J Immunol. 2001 Oct 15;167(8):4368-77.  
PMID: 11591761 [PubMed - indexed for MEDLINE]
- 275: [Rhodes A, Smithers N, Chapman T, Parsons S, Rees S.](#) [Related Articles, Links](#)  
 The generation and characterisation of antagonist RNA aptamers to MCP-1.  
FEBS Lett. 2001 Oct 5;506(2):85-90.  
PMID: 11591377 [PubMed - indexed for MEDLINE]
- 276: [Dunzendorfer S, Kaneider NC, Kaser A, Woell E, Frade JM, Mellado M, Martinez-Alonso C, Wiedermann CJ.](#) [Related Articles, Links](#)  
 Functional expression of chemokine receptor 2 by normal human eosinophils.  
J Allergy Clin Immunol. 2001 Oct;108(4):581-7.  
PMID: 11590385 [PubMed - indexed for MEDLINE]
- 277: [Martinelli R, Sabroe I, LaRosa G, Williams TJ, Pease JE.](#) [Related Articles, Links](#)  
 The CC chemokine eotaxin (CCL11) is a partial agonist of CC chemokine receptor 2b.  
J Biol Chem. 2001 Nov 16;276(46):42957-64. Epub 2001 Sep 14.  
PMID: 11559700 [PubMed - indexed for MEDLINE]
- 278: [Beck CG, Studer C, Zuber JF, Demange BJ, Manning U, Urfer R.](#) [Related Articles, Links](#)  
 The viral CC chemokine-binding protein vCCI inhibits monocyte chemoattractant protein-1 activity by masking its CCR2B-binding site.  
J Biol Chem. 2001 Nov 16;276(46):43270-6. Epub 2001 Sep 10.  
PMID: 11551937 [PubMed - indexed for MEDLINE]
- 279: [Ali S, Palmer AC, Fritchley SJ, Maley Y, Kirby JA.](#) [Related Articles, Links](#)  
 Multimerization of monocyte chemoattractant protein-1 is not required for glycosaminoglycan-dependent transendothelial chemotaxis.  
Biochem J. 2001 Sep 15;358(Pt 3):737-45.  
PMID: 11535134 [PubMed - indexed for MEDLINE]
- 280: [Belperio JA, Keane MP, Burdick MD, Lynch JP 3rd, Xue YY, Berlin A, Ross DJ, Kunkel SL, Charo IF, Strieter RM.](#) [Related Articles, Links](#)  
 Critical role for the chemokine MCP-1/CCR2 in the pathogenesis of bronchiolitis obliterans syndrome.



- J Clin Invest. 2001 Aug;108(4):547-56.  
PMID: 11518728 [PubMed - indexed for MEDLINE]
- ☐ **281:** Witherington J, Bordas V, Cooper DG, Forbes IT, Gribble AD, Ife RJ, Berkhout T, Gohil J, Groot PH. Related Articles, Links  
Conformationally restricted indolopiperidine derivatives as potent CCR2B receptor antagonists.  
Bioorg Med Chem Lett. 2001 Aug 20;11(16):2177-80.  
PMID: 11514164 [PubMed - indexed for MEDLINE]
- ☐ **282:** Szalai C, Duba J, Prohaszka Z, Kalina A, Szabo T, Nagy B, Horvath L, Csaszar A. Related Articles, Links  
Involvement of polymorphisms in the chemokine system in the susceptibility for coronary artery disease (CAD). Coincidence of elevated Lp(a) and MCP-1 -2518 G/G genotype in CAD patients.  
Atherosclerosis. 2001 Sep;158(1):233-9.  
PMID: 11500196 [PubMed - indexed for MEDLINE]
- ☐ **283:** Clark VJ, Metheny N, Dean M, Peterson RJ. Related Articles, Links  
Statistical estimation and pedigree analysis of CCR2-CCR5 haplotypes.  
Hum Genet. 2001 Jun;108(6):484-93.  
PMID: 11499673 [PubMed - indexed for MEDLINE]
- ☐ **284:** Gonzalez P, Alvarez R, Batalla A, Reguero JR, Alvarez V, Astudillo A, Cubero GI, Cortina A, Coto E. Related Articles, Links  
Genetic variation at the chemokine receptors CCR5/CCR2 in myocardial infarction.  
Genes Immun. 2001 Jun;2(4):191-5.  
PMID: 11477473 [PubMed - indexed for MEDLINE]
- ☐ **285:** Nomiyama H, Hieshima K, Nakayama T, Sakaguchi T, Fujisawa R, Tanase S, Nishiura H, Matsuno K, Takamori H, Tabira Y, Yamamoto T, Miura R, Yoshie O. Related Articles, Links  
Human CC chemokine liver-expressed chemokine/CCL16 is a functional ligand for CCR1, CCR2 and CCR5, and constitutively expressed by hepatocytes.  
Int Immunol. 2001 Aug;13(8):1021-9.  
PMID: 11470772 [PubMed - indexed for MEDLINE]
- ☐ **286:** Adje CA, Bile CE, Kestens L, Koblavi-Deme S, Ghys PD, Maurice C, Kalou-Badirou M, Kabran N, Ekpini RE, Roels TH, Wiktor SZ, Nkengasong JN. Related Articles, Links  
Lack of effect of chemokine receptor CCR2b gene polymorphism (64I) on HIV-1 plasma RNA viral load and immune activation among HIV-1 seropositive female workers in Abidjan, Cote d'Ivoire.  
J Med Virol. 2001 Aug;64(4):398-401.  
PMID: 11468722 [PubMed - indexed for MEDLINE]
- ☐ **287:** Lazzarino DA, de Diego M, Hirschman SZ, Zhang KY, Shaikh S, Musi E, Liaw L, Alexander RJ. Related Articles, Links  
IL-8 and MCP-1 secretion is enhanced by the peptide-nucleic acid immunomodulator, Product R, in U937 cells and primary human monocytes.  
Cytokine. 2001 May 21;14(4):234-9.  
PMID: 11448124 [PubMed - indexed for MEDLINE]
- ☐ **288:** Ohtsuki K, Hayase M, Akashi K, Kapiwoda S, Strauss HW. Related Articles, Links

-  Detection of monocyte chemoattractant protein-1 receptor expression in experimental atherosclerotic lesions: an autoradiographic study.  
Circulation. 2001 Jul 10;104(2):203-8.  
PMID: 11447087 [PubMed - indexed for MEDLINE]
- ☐ **289:** [Yokochi S, Hashimoto H, Ishiwata Y, Shimokawa H, Haino M, Terashima Y, Matsushima K.](#) Related Articles, Links  
An anti-inflammatory drug, propagermanium, may target GPI-anchored proteins associated with an MCP-1 receptor, CCR2.  
J Interferon Cytokine Res. 2001 Jun;21(6):389-98.  
PMID: 11440636 [PubMed - indexed for MEDLINE]
- ☐ **290:** [Peters W, Scott HM, Chambers HF, Flynn JL, Charo IF, Ernst JD.](#) Related Articles, Links  
Chemokine receptor 2 serves an early and essential role in resistance to Mycobacterium tuberculosis.  
Proc Natl Acad Sci U S A. 2001 Jul 3;98(14):7958-63.  
PMID: 11438742 [PubMed - indexed for MEDLINE]
- ☐ **291:** [Iikura M, Miyamasu M, Yamaguchi M, Kawasaki H, Matsushima K, Kitaura M, Morita Y, Yoshie O, Yamamoto K, Hirai K.](#) Related Articles, Links  
Chemokine receptors in human basophils: inducible expression of functional CXCR4.  
J Leukoc Biol. 2001 Jul;70(1):113-20.  
PMID: 11435493 [PubMed - indexed for MEDLINE]
- ☐ **292:** [Royo JL, Ruiz A, Borrego S, Rubio A, Sanchez B, Nunez-Roldan A, Lissen E, Antinolo G.](#) Related Articles, Links  
Fluorescence resonance energy transfer analysis of CCR-V64I and SDF1-3'a polymorphisms: prevalence in southern Spain hiv type 1+ cohort and noninfected population.  
AIDS Res Hum Retroviruses. 2001 May 20;17(8):663-6.  
PMID: 11429106 [PubMed - indexed for MEDLINE]
- ☐ **293:** [Wang G, O K.](#) Related Articles, Links  
Homocysteine stimulates the expression of monocyte chemoattractant protein-1 receptor (CCR2) in human monocytes: possible involvement of oxygen free radicals.  
Biochem J. 2001 Jul 1;357(Pt 1):233-40.  
PMID: 11415454 [PubMed - indexed for MEDLINE]
- ☐ **294:** [Chakravorty SJ, Howie AJ, Girdlestone J, Gentle D, Savage CO.](#) Related Articles, Links  
Potential role for monocyte chemotactic protein-4 (MCP-4) in monocyte/macrophage recruitment in acute renal inflammation.  
J Pathol. 2001 Jun;194(2):239-46.  
PMID: 11400154 [PubMed - indexed for MEDLINE]
- ☐ **295:** [Ianni A, Majore S, Arzani D, Carboni I, Corbo GM, Romano-Spica V.](#) Related Articles, Links  
CCR2 and CCR5 gene polymorphisms in children with recurrent respiratory infections.  
Respir Med. 2001 May;95(5):430-2. No abstract available.  
PMID: 11392587 [PubMed - indexed for MEDLINE]
- [Iyer RK, Kim PS, Bando JM, Lu KV, Gregg JP, Grody WW.](#) Related Articles, Links

▢ 296:



A multiethnic study of Delta32ccr5 and ccr2b-V64I allele distribution in four Los Angeles populations.  
Diagn Mol Pathol. 2001 Jun;10(2):105-10.  
PMID: 11385319 [PubMed - indexed for MEDLINE]

▢ 297: [Herfarth H](#), [Pollok-Kopp B](#), [Goke M](#), [Press A](#), [Oppermann M](#). [Related Articles](#), [Links](#)

Polymorphism of CC chemokine receptors CCR2 and CCR5 in Crohn's disease.  
Immunol Lett. 2001 Jun 1;77(2):113-7.  
PMID: 11377705 [PubMed - indexed for MEDLINE]

▢ 298: [Yamashita TE](#), [Phair JP](#), [Munoz A](#), [Margolick JB](#), [Detels R](#), [O'Brien SJ](#), [Mellors JW](#), [Wolinsky SM](#), [Jacobson LP](#). [Related Articles](#), [Links](#)

Immunologic and virologic response to highly active antiretroviral therapy in the Multicenter AIDS Cohort Study.  
AIDS. 2001 Apr 13;15(6):735-46.  
PMID: 11371688 [PubMed - indexed for MEDLINE]

▢ 299: [Shao W](#), [Fernandez E](#), [Sachpatzidis A](#), [Wilken J](#), [Thompson DA](#), [Schweitzer BI](#), [Lolis E](#). [Related Articles](#), [Links](#)

CCR2 and CCR5 receptor-binding properties of herpesvirus-8 vMIP-II based on sequence analysis and its solution structure.  
Eur J Biochem. 2001 May;268(10):2948-59.  
PMID: 11358512 [PubMed - indexed for MEDLINE]

▢ 300: [Yuan GH](#), [Masuko-Hongo K](#), [Sakata M](#), [Tsuruha J](#), [Onuma H](#), [Nakamura H](#), [Aoki H](#), [Kato T](#), [Nishioka K](#). [Related Articles](#), [Links](#)

The role of C-C chemokines and their receptors in osteoarthritis.  
Arthritis Rheum. 2001 May;44(5):1056-70.  
PMID: 11352237 [PubMed - indexed for MEDLINE]

▢ 301: [Mellado M](#), [Rodriguez-Frade JM](#), [Vila-Coro AJ](#), [Fernandez S](#), [Martin de Ana A](#), [Jones DR](#), [Toran JL](#), [Martinez-A C](#). [Related Articles](#), [Links](#)

Chemokine receptor homo- or heterodimerization activates distinct signaling pathways.  
EMBO J. 2001 May 15;20(10):2497-507.  
PMID: 11350939 [PubMed - indexed for MEDLINE]

▢ 302: [Kristiansen TB](#), [Knudsen TB](#), [Ohlendorff S](#), [Eugen-Olsen J](#). [Related Articles](#), [Links](#)










A new multiplex PCR strategy for the simultaneous determination of four genetic polymorphisms affecting HIV-1 disease progression.  
J Immunol Methods. 2001 Jun 1;252(1-2):147-51.  
PMID: 11334974 [PubMed - indexed for MEDLINE]

▢ 303: [Zernecke A](#), [Weber KS](#), [Erwig LP](#), [Kluth DC](#), [Schroppel B](#), [Rees AJ](#), [Weber C](#). [Related Articles](#), [Links](#)

Combinatorial model of chemokine involvement in glomerular monocyte recruitment: role of CXC chemokine receptor 2 in infiltration during nephrotoxic nephritis.  
J Immunol. 2001 May 1;166(9):5755-62.  
PMID: 11313419 [PubMed - indexed for MEDLINE]

▢ 304: [Kito K](#), [Morishita K](#), [Nishida K](#). [Related Articles](#), [Links](#)

MCP-1 receptor binding affinity is up-regulated by pre-stimulation with

-  MCP-1 in an actin polymerization-dependent manner.  
J Leukoc Biol. 2001 Apr;69(4):666-74.  
PMID: 11310855 [PubMed - indexed for MEDLINE]
- ☐ **305:** Kim Y, Sung Ss, Kuziel WA, Feldman S, Fu SM, Rose CE Jr. Related Articles, Links  
 Enhanced airway Th2 response after allergen challenge in mice deficient in CC chemokine receptor-2 (CCR2).  
J Immunol. 2001 Apr 15;166(8):5183-92.  
PMID: 11290802 [PubMed - indexed for MEDLINE]
- ☐ **306:** Han KH, Quehenberger O. Related Articles, Links  
 Ligands for peroxisome proliferator-activated receptor inhibit monocyte CCR2 expression stimulated by plasma lipoproteins.  
Trends Cardiovasc Med. 2000 Jul;10(5):209-16. Review.  
PMID: 11282297 [PubMed - indexed for MEDLINE]
- ☐ **307:** Kaji M, Ikari M, Hashiguchi S, Ito Y, Matsumoto R, Yoshimura T, Kuratsu Ji, Sugimura K. Related Articles, Links  
 Peptide mimics of monocyte chemoattractant protein-1 (MCP-1) with an antagonistic activity.  
J Biochem (Tokyo). 2001 Apr;129(4):577-83.  
PMID: 11275557 [PubMed - indexed for MEDLINE]
- ☐ **308:** Luther SA, Cyster JG. Related Articles, Links  
 Chemokines as regulators of T cell differentiation.  
Nat Immunol. 2001 Feb;2(2):102-7. Review.  
PMID: 11175801 [PubMed - indexed for MEDLINE]
- ☐ **309:** Peters W, Charo IF. Related Articles, Links  
 Involvement of chemokine receptor 2 and its ligand, monocyte chemoattractant protein-1, in the development of atherosclerosis: lessons from knockout mice.  
Curr Opin Lipidol. 2001 Apr;12(2):175-80. Review.  
PMID: 11264989 [PubMed - indexed for MEDLINE]
- ☐ **310:** Singer IL, Scott S, Kawka DW, Chin J, Daugherty BL, DeMartino JA, DiSalvo J, Gould SL, Lineberger JE, Malkowitz L, Miller MD, Mitnaul L, Siciliano SJ, Staruch MJ, Williams HR, Zweerink HJ, Springer MS. Related Articles, Links  
 CCR5, CXCR4, and CD4 are clustered and closely apposed on microvilli of human macrophages and T cells.  
J Virol. 2001 Apr;75(8):3779-90.  
PMID: 11264367 [PubMed - indexed for MEDLINE]
- ☐ **311:** Martin J, LaBranche CC, Gonzalez-Scarano F. Related Articles, Links  
 Differential CD4/CCR5 utilization, gp120 conformation, and neutralization sensitivity between envelopes from a microglia-adapted human immunodeficiency virus type 1 and its parental isolate.  
J Virol. 2001 Apr;75(8):3568-80.  
PMID: 11264346 [PubMed - indexed for MEDLINE]
- ☐ **312:** Ogilvie P, Bardi G, Clark-Lewis I, Baggiolini M, Uguccioni M. Related Articles, Links  
 Eotaxin is a natural antagonist for CCR2 and an agonist for CCR5.  
Blood. 2001 Apr 1;97(7):1920-4.  
PMID: 11264152 [PubMed - indexed for MEDLINE]

- 313: [Mack M, Cihak J, Simonis C, Luckow B, Proudfoot AE, Plachy J, Bruhl H, Frink M, Anders HJ, Vielhauer V, Pfisteringer J, Stangassinger M, Schlondorff D.](#) [Related Articles, Links](#)



Expression and characterization of the chemokine receptors CCR2 and CCR5 in mice.

J Immunol. 2001 Apr 1;166(7):4697-704.

PMID: 11254730 [PubMed - indexed for MEDLINE]

- 314: [Barbouche RM, Hong L, Dellagi K, Kostrikis LG.](#) [Related Articles, Links](#)



Contrasting frequencies of CCR5delta32 and CCR2-64I alleles in the Tunisian population.

J Acquir Immune Defic Syndr. 2001 Mar 1;26(3):298-9. No abstract available.

PMID: 11242204 [PubMed - indexed for MEDLINE]

- 315: [Misu T, Onodera H, Fujihara K, Matsushima K, Yoshie O, Okita N, Takase S, Itoyama Y.](#) [Related Articles, Links](#)



Chemokine receptor expression on T cells in blood and cerebrospinal fluid at relapse and remission of multiple sclerosis: imbalance of Th1/Th2-associated chemokine signaling.

J Neuroimmunol. 2001 Mar 1;114(1-2):207-12.

PMID: 11240033 [PubMed - indexed for MEDLINE]

- 316: [Shioda T, Nakayama EE, Tanaka Y, Xin X, Liu H, Kawana-Tachikawa A, Kato A, Sakai Y, Nagai Y, Iwamoto A.](#) [Related Articles, Links](#)



Naturally occurring deletional mutation in the C-terminal cytoplasmic tail of CCR5 affects surface trafficking of CCR5.

J Virol. 2001 Apr;75(7):3462-8.

PMID: 11238872 [PubMed - indexed for MEDLINE]

- 317: [Segerer S, Cui Y, Eitner F, Goodpaster T, Hudkins KL, Mack M, Cartron JP, Colin Y, Schlondorff D, Alpers CE.](#) [Related Articles, Links](#)



Expression of chemokines and chemokine receptors during human renal transplant rejection.

Am J Kidney Dis. 2001 Mar;37(3):518-31.

PMID: 11228176 [PubMed - indexed for MEDLINE]

- 318: [Petersen DC, Kotze MJ, Zeier MD, Grimwood A, Pretorius D, Vardas E, van Rensburg EJ, Hayes VM.](#) [Related Articles, Links](#)



Novel mutations identified using a comprehensive CCR5-denaturing gradient gel electrophoresis assay.

AIDS. 2001 Jan 26;15(2):171-7.

PMID: 11216924 [PubMed - indexed for MEDLINE]

- 319: [Tang J, Rivers C, Karita E, Costello C, Allen S, Fultz PN, Schoenbaum EE, Kaslow RA.](#) [Related Articles, Links](#)



Allelic variants of human beta-chemokine receptor 5 (CCR5) promoter: evolutionary relationships and predictable associations with HIV-1 disease progression.

Genes Immun. 1999 Sep;1(1):20-7.

PMID: 11197301 [PubMed - indexed for MEDLINE]









- 320: [Buates S, Matlashewski G.](#) [Related Articles, Links](#)



General suppression of macrophage gene expression during Leishmania donovani infection.

J Immunol. 2001 Mar 1;166(5):3416-22.

PMID: 11207299 [PubMed - indexed for MEDLINE]

-  **321:** [Su B, Sun G, Lu D, Xiao J, Hu F, Chakraborty R, Deka R, Jin L.](#) [Related Articles, Links](#)  
Distribution of three HIV-1 resistance-conferring polymorphisms (SDF1-3'A, CCR2-641, and CCR5-delta32) in global populations. *Eur J Hum Genet.* 2000 Dec;8(12):975-9. PMID: 11175286 [PubMed - indexed for MEDLINE]
-  **322:** [Tang KF, Tan SY, Chan SH, Chong SM, Loh KS, Tan LK, Hu H.](#) [Related Articles, Links](#)  
A distinct expression of CC chemokines by macrophages in nasopharyngeal carcinoma: implication for the intense tumor infiltration by T lymphocytes and macrophages. *Hum Pathol.* 2001 Jan;32(1):42-9. PMID: 11172294 [PubMed - indexed for MEDLINE]
-  **323:** [Alexander L, Weiskopf E, Greenough TC, Gaddis NC, Auerbach MR, Malim MH, O'Brien SJ, Walker BD, Sullivan JL, Desrosiers RC.](#) [Related Articles, Links](#)  
Unusual polymorphisms in human immunodeficiency virus type 1 associated with nonprogressive infection. *J Virol.* 2000 May;74(9):4361-76. PMID: 10756051 [PubMed - indexed for MEDLINE]
-  **324:** [Chantakru S, Kuziel WA, Maeda N, Croy BA.](#) [Related Articles, Links](#)  
A study on the density and distribution of uterine Natural Killer cells at mid pregnancy in mice genetically-ablated for CCR2, CCR 5 and the CCR5 receptor ligand, MIP-1 alpha. *J Reprod Immunol.* 2001 Jan;49(1):33-47. PMID: 11137111 [PubMed - indexed for MEDLINE]
-  **325:** [Rothstein TL, Fischer GM, Tanguay DA, Pavlovic S, Colarusso TP, Gerstein RM, Clarke SH, Chiles TC.](#) [Related Articles, Links](#)  
STAT3 activation, chemokine receptor expression, and cyclin-Cdk function in B-1 cells. *Curr Top Microbiol Immunol.* 2000;252:121-30. No abstract available. PMID: 11125469 [PubMed - indexed for MEDLINE]
-  **326:** [Heinemann A, Hartnell A, Stubbs VE, Murakami K, Soler D, LaRosa G, Askenase PW, Williams TJ, Sabroe I.](#) [Related Articles, Links](#)  
Basophil responses to chemokines are regulated by both sequential and cooperative receptor signaling. *J Immunol.* 2000 Dec 15;165(12):7224-33. PMID: 11120855 [PubMed - indexed for MEDLINE]
-  **327:** [Peters W, Dupuis M, Charo IF.](#) [Related Articles, Links](#)  
A mechanism for the impaired IFN-gamma production in C-C chemokine receptor 2 (CCR2) knockout mice: role of CCR2 in linking the innate and adaptive immune responses. *J Immunol.* 2000 Dec 15;165(12):7072-7. PMID: 11120836 [PubMed - indexed for MEDLINE]
-  **328:** [van der Meer P, Ulrich AM, Gonzalez-Scarano F, Lavi E.](#) [Related Articles, Links](#)  
Immunohistochemical analysis of CCR2, CCR3, CCR5, and CXCR4 in the human brain: potential mechanisms for HIV dementia. *Exp Mol Pathol.* 2000 Dec;69(3):192-201.

PMID: 11115360 [PubMed - indexed for MEDLINE]

- 329: [Segerer S, Cui Y, Hudkins KL, Goodpaster T, Eitner F, Mack M, Schlondorff D, Alpers CE.](#) [Related Articles, Links](#)



Expression of the chemokine monocyte chemoattractant protein-1 and its receptor chemokine receptor 2 in human crescentic glomerulonephritis.

J Am Soc Nephrol. 2000 Dec;11(12):2231-42.

PMID: 11095646 [PubMed - indexed for MEDLINE]

- 330: [MacLean JA, De Sanctis GT, Ackerman KG, Drazen JM, Sauty A, DeHaan E, Green FH, Charo IF, Luster AD.](#) [Related Articles, Links](#)



CC chemokine receptor-2 is not essential for the development of antigen-induced pulmonary eosinophilia and airway hyperresponsiveness.

J Immunol. 2000 Dec 1;165(11):6568-75.

PMID: 11086100 [PubMed - indexed for MEDLINE]

- 331: [Preobrazhensky AA, Dragan S, Kawano T, Gavrilin MA, Gulina IV, Chakravarty L, Kolattukudy PE.](#) [Related Articles, Links](#)



Monocyte chemotactic protein-1 receptor CCR2B is a glycoprotein that has tyrosine sulfation in a conserved extracellular N-terminal region.

J Immunol. 2000 Nov 1;165(9):5295-303.

PMID: 11046064 [PubMed - indexed for MEDLINE]

- 332: [Sanders SK, Crean SM, Boxer PA, Kellner D, LaRosa GJ, Hunt SW 3rd.](#) [Related Articles, Links](#)



Functional differences between monocyte chemotactic protein-1 receptor A and monocyte chemotactic protein-1 receptor B expressed in a Jurkat T cell.

J Immunol. 2000 Nov 1;165(9):4877-83.

PMID: 11046012 [PubMed - indexed for MEDLINE]

- 333: [Andjelkovic AV, Pachter JS.](#) [Related Articles, Links](#)



Characterization of binding sites for chemokines MCP-1 and MIP-1alpha on human brain microvessels.

J Neurochem. 2000 Nov;75(5):1898-906.

PMID: 11032879 [PubMed - indexed for MEDLINE]

- 334: [Siebert H, Sachse A, Kuziel WA, Maeda N, Bruck W.](#) [Related Articles, Links](#)



The chemokine receptor CCR2 is involved in macrophage recruitment to the injured peripheral nervous system.

J Neuroimmunol. 2000 Oct 2;110(1-2):177-85.

PMID: 11024548 [PubMed - indexed for MEDLINE]

- 335: [Vicenzi E, Ghezzi S, Brambilla A, Sheppard HW, Lazzarin A, Poli G, Michael NL.](#) [Related Articles, Links](#)



CCR2-64I polymorphism, syncytium-inducing human immunodeficiency virus strains, and disease progression.

J Infect Dis. 2000 Nov;182(5):1579-80. No abstract available.

PMID: 11023492 [PubMed - indexed for MEDLINE]


- 336: [Izikson L, Klein RS, Charo IF, Weiner HL, Luster AD.](#) [Related Articles, Links](#)




Resistance to experimental autoimmune encephalomyelitis in mice lacking the CC chemokine receptor (CCR)2.

J Exp Med. 2000 Oct 2;192(7):1075-80.

PMID: 11015448 [PubMed - indexed for MEDLINE]


-  **337:** [Vos CM, Gartner S, Ransohoff RM, McArthur JC, Wahl L, Sjulson L, Hunter E, Conant K.](#) [Related Articles, Links](#)

 Matrix metalloprotease-9 release from monocytes increases as a function of differentiation: implications for neuroinflammation and neurodegeneration.

J Neuroimmunol. 2000 Sep 22;109(2):221-7.

PMID: 10996224 [PubMed - indexed for MEDLINE]


-  **338:** [Han KH, Chang MK, Boullier A, Green SR, Li A, Glass CK, Quehenberger O.](#) [Related Articles, Links](#)

 Oxidized LDL reduces monocyte CCR2 expression through pathways involving peroxisome proliferator-activated receptor gamma.

J Clin Invest. 2000 Sep;106(6):793-802.


PMID: 10995790 [PubMed - indexed for MEDLINE]


-  **339:** [Fife BT, Huffnagle GB, Kuziel WA, Karpus WJ.](#) [Related Articles, Links](#)

 CC chemokine receptor 2 is critical for induction of experimental autoimmune encephalomyelitis.

J Exp Med. 2000 Sep 18;192(6):899-905.


PMID: 10993920 [PubMed - indexed for MEDLINE]


-  **340:** [Galasso JM, Miller MJ, Cowell RM, Harrison JK, Warren JS, Silverstein FS.](#) [Related Articles, Links](#)

 Acute excitotoxic injury induces expression of monocyte chemoattractant protein-1 and its receptor, CCR2, in neonatal rat brain.

Exp Neurol. 2000 Oct;165(2):295-305.


PMID: 10993690 [PubMed - indexed for MEDLINE]


-  **341:** [Petrek M, Drabek J, Kolek V, Zlamal J, Welsh KI, Bunce M, Weigl E, Du Bois R.](#) [Related Articles, Links](#)

 CC chemokine receptor gene polymorphisms in Czech patients with pulmonary sarcoidosis.

Am J Respir Crit Care Med. 2000 Sep;162(3 Pt 1):1000-3.


PMID: 10988120 [PubMed - indexed for MEDLINE]


-  **342:** [Bush E, Maeda N, Kuziel WA, Dawson TC, Wilcox JN, DeLeon H, Taylor WR.](#) [Related Articles, Links](#)

 CC chemokine receptor 2 is required for macrophage infiltration and vascular hypertrophy in angiotensin II-induced hypertension.

Hypertension. 2000 Sep;36(3):360-3.


PMID: 10988265 [PubMed - indexed for MEDLINE]


-  **343:** [Damas JK, Eiken HG, Oie E, Bjerkeli V, Yndestad A, Ueland T, Tonnessen T, Geiran OR, Aass H, Simonsen S, Christensen G, Froland SS, Attramadal H, Gullestad L, Aukrust P.](#) [Related Articles, Links](#)

 Myocardial expression of CC- and CXC-chemokines and their receptors in human end-stage heart failure.

Cardiovasc Res. 2000 Sep;47(4):778-87.

PMID: 10974226 [PubMed - indexed for MEDLINE]


-  **344:** [Forbes IT, Cooper DG, Dodds EK, Hickey DM, Ife RJ, Meeson M, Stockley M, Berkhout TA, Gohil J, Groot PH, Moores K.](#) [Related Articles, Links](#)

 CCR2B receptor antagonists: conversion of a weak HTS hit to a potent lead compound.

Bioorg Med Chem Lett. 2000 Aug 21;10(16):1803-6.



PMID: 10969972 [PubMed - indexed for MEDLINE]


-  **345:** [Shieh B, Liao YE, Hsieh PS, Yan YP, Wang ST, Li C.](#) [Related Articles, Links](#)



Influence of nucleotide polymorphisms in the CCR2 gene and the CCR5 promoter on the expression of cell surface CCR5 and CXCR4.

Int Immunol. 2000 Sep;12(9):1311-8.

PMID: 10967026 [PubMed - indexed for MEDLINE]


-  **346:** [Huffnagle GB, Traynor TR, McDonald RA, Olszewski MA, Lindell DM, Herring AC, Toews GB.](#) [Related Articles, Links](#)



Leukocyte recruitment during pulmonary *Cryptococcus neoformans* infection.

Immunopharmacology. 2000 Jul 25;48(3):231-6. Review.

PMID: 10960662 [PubMed - indexed for MEDLINE]


-  **347:** [Wetzler C, Kampfer H, Stallmeyer B, Pfeilschifter J, Frank S.](#) [Related Articles, Links](#)



Large and sustained induction of chemokines during impaired wound healing in the genetically diabetic mouse: prolonged persistence of neutrophils and macrophages during the late phase of repair.

J Invest Dermatol. 2000 Aug;115(2):245-53.

PMID: 10951242 [PubMed - indexed for MEDLINE]

-  **348:** [Blease K, Mehrad B, Standiford TJ, Lukacs NW, Gosling J, Boring L, Charo IF, Kunkel SL, Hogaboam CM.](#) [Related Articles, Links](#)



Enhanced pulmonary allergic responses to *Aspergillus* in CCR2<sup>-/-</sup> mice.

J Immunol. 2000 Sep 1;165(5):2603-11.

PMID: 10946288 [PubMed - indexed for MEDLINE]

-  **349:** [Nansen A, Marker O, Bartholdy C, Thomsen AR.](#) [Related Articles, Links](#)



CCR2<sup>+</sup> and CCR5<sup>+</sup> CD8<sup>+</sup> T cells increase during viral infection and migrate to sites of infection.

Eur J Immunol. 2000 Jul;30(7):1797-806.

PMID: 10940868 [PubMed - indexed for MEDLINE]

-  **350:** [Nookhai S, Ruxrungtham K, Phanuphak P, Oelrichs R.](#) [Related Articles, Links](#)



Prevalence of CCR2-64I, SDF1-3'A and CCR5-Delta32 alleles in healthy Thais.

Eur J Immunogenet. 2000 Jun;27(3):153-7.

PMID: 10940085 [PubMed - indexed for MEDLINE]


-  **351:** [Wang F, Liu D.](#) [Related Articles, Links](#)



[Polymorphism of human alleles associated with genetic resistance against HIV-1 infection and its implications]

Zhonghua Yi Xue Yi Chuan Xue Za Zhi. 2000 Aug;17(4):285-7. Review. Chinese.

PMID: 10932017 [PubMed - indexed for MEDLINE]


-  **352:** [Simpson J, Rezaie P, Newcombe J, Cuzner ML, Male D, Woodroffe MN.](#) [Related Articles, Links](#)











Expression of the beta-chemokine receptors CCR2, CCR3 and CCR5 in multiple sclerosis central nervous system tissue.

J Neuroimmunol. 2000 Aug 1;108(1-2):192-200.

PMID: 10900353 [PubMed - indexed for MEDLINE]

-  **353:** [Sato N, Ahuja SK, Quinones M, Kosteki V, Reddick RL, Melby PC, Kuziel WA, Ahuja SS.](#) [Related Articles, Links](#)


-  CC chemokine receptor (CCR)2 is required for langerhans cell migration and localization of T helper cell type 1 (Th1)-inducing dendritic cells. Absence of CCR2 shifts the Leishmania major-resistant phenotype to a susceptible state dominated by Th2 cytokines, b cell outgrowth, and sustained neutrophilic inflammation.  
J Exp Med. 2000 Jul 17;192(2):205-18.  
PMID: 10899907 [PubMed - indexed for MEDLINE]
- ☐ **354:** Salcedo R, Ponce ML, Young HA, Wasserman K, Ward JM, Kleinman HK, Oppenheim JJ, Murphy WJ. Related Articles, Links  
 Human endothelial cells express CCR2 and respond to MCP-1: direct role of MCP-1 in angiogenesis and tumor progression.  
Blood. 2000 Jul 1;96(1):34-40.  
PMID: 10891427 [PubMed - indexed for MEDLINE]
- ☐ **355:** Martin WJ. Related Articles, Links  
 Chemokine receptor-related genetic sequences in an african green monkey simian cytomegalovirus-derived stealth virus.  
Exp Mol Pathol. 2000 Aug;69(1):10-6.  
PMID: 10891288 [PubMed - indexed for MEDLINE]
- ☐ **356:** Zhang Y, Lou B, Lal RB, Gettie A, Marx PA, Moore JP. Related Articles, Links  
 Use of inhibitors to evaluate coreceptor usage by simian and simian/human immunodeficiency viruses and human immunodeficiency virus type 2 in primary cells.  
J Virol. 2000 Aug;74(15):6893-910.  
PMID: 10888629 [PubMed - indexed for MEDLINE]
- ☐ **357:** Struyf F, Thoelen I, Charlier N, Keyaerts E, Van der Donck I, Wu J, Van Ranst M. Related Articles, Links  
 Prevalence of CCR5 and CCR2 HIV-coreceptor gene polymorphisms in Belgium.  
Hum Hered. 2000 Sep-Oct;50(5):304-7.  
PMID: 10878474 [PubMed - indexed for MEDLINE]
- ☐ **358:** Dawson TC, Beck MA, Kuziel WA, Henderson F, Maeda N. Related Articles, Links  
 Contrasting effects of CCR5 and CCR2 deficiency in the pulmonary inflammatory response to influenza A virus.  
Am J Pathol. 2000 Jun;156(6):1951-9.  
PMID: 10854218 [PubMed - indexed for MEDLINE]
- ☐ **359:** Andres PG, Beck PL, Mizoguchi E, Mizoguchi A, Bhan AK, Dawson T, Kuziel WA, Maeda N, MacDermott RP, Podolsky DK, Reinecker HC. Related Articles, Links  
 Mice with a selective deletion of the CC chemokine receptors 5 or 2 are protected from dextran sodium sulfate-mediated colitis: lack of CC chemokine receptor 5 expression results in a NK1.1+ lymphocyte-associated Th2-type immune response in the intestine.  
J Immunol. 2000 Jun 15;164(12):6303-12.  
PMID: 10843684 [PubMed - indexed for MEDLINE]
- ☐ **360:** O'Brien TR, McDermott DH, Ioannidis JP, Carrington M, Murphy PM, Havlir DV, Richman DD. Related Articles, Links  
 Effect of chemokine receptor gene polymorphisms on the response to potent antiretroviral therapy.

AIDS. 2000 May 5;14(7):821-6.  
PMID: 10839590 [PubMed - indexed for MEDLINE]

-  **361:** [Smith KM, Crandall KA, Kneissl ML, Navia BA.](#) [Related Articles, Links](#)



PCR detection of host and HIV-1 sequences from archival brain tissue.  
J Neurovirol. 2000 Apr;6(2):164-71.  
PMID: 10822330 [PubMed - indexed for MEDLINE]

-  **362:** [Weber C, Belge KU, von Hundelshausen P, Draude G, Steppich B, Mack M, Frankenberger M, Weber KS, Ziegler-Heitbrock HW.](#) [Related Articles, Links](#)




Differential chemokine receptor expression and function in human monocyte subpopulations.  
J Leukoc Biol. 2000 May;67(5):699-704.  
PMID: 10811011 [PubMed - indexed for MEDLINE]

-  **363:** [Zhang L, Rogers TJ.](#) [Related Articles, Links](#)



Kappa-opioid regulation of thymocyte IL-7 receptor and C-C chemokine receptor 2 expression.  
J Immunol. 2000 May 15;164(10):5088-93.  
PMID: 10799865 [PubMed - indexed for MEDLINE]

-  **364:** [Olszak IT, Poznansky MC, Evans RH, Olson D, Kos C, Pollak MR, Brown EM, Scadden DT.](#) [Related Articles, Links](#)



Extracellular calcium elicits a chemokinetic response from monocytes in vitro and in vivo.  
J Clin Invest. 2000 May;105(9):1299-305.  
PMID: 10792005 [PubMed - indexed for MEDLINE]

-  **365:** [Martinson JJ, Hong L, Karanickolas R, Moore JP, Kostrikis LG.](#) [Related Articles, Links](#)




Global distribution of the CCR2-64I/CCR5-59653T HIV-1 disease-protective haplotype.  
AIDS. 2000 Mar 31;14(5):483-9.  
PMID: 10780710 [PubMed - indexed for MEDLINE]

-  **366:** [Kostrikis LG.](#) [Related Articles, Links](#)




Impact of natural chemokine receptor polymorphisms on perinatal transmission of human immunodeficiency virus type 1.  
Teratology. 2000 May;61(5):387-90. No abstract available.  
PMID: 10777836 [PubMed - indexed for MEDLINE]

-  **367:** [Mirzadegan T, Diehl F, Ebi B, Bhakta S, Polsky I, McCarley D, Mulkins M, Weatherhead GS, Lapierre JM, Dankwardt J, Morgans D Jr, Wilhelm R, Jarnagin K.](#) [Related Articles, Links](#)



Identification of the binding site for a novel class of CCR2b chemokine receptor antagonists: binding to a common chemokine receptor motif within the helical bundle.  
J Biol Chem. 2000 Aug 18;275(33):25562-71.  
PMID: 10770925 [PubMed - indexed for MEDLINE]

-  **368:** [Teglas JP, N'Go N, Burgard M, Mayaux MJ, Rouzioux C, Blanche S, Delfraissy JF, Misrahi M.](#) [Related Articles, Links](#)



CCR2B-64I chemokine receptor allele and mother-to-child HIV-1 transmission or disease progression in children. French pediatric HIV infection study group.  
J Acquir Immune Defic Syndr. 1999 Nov 1;22(3):267-71.

PMID: 10770347 [PubMed - indexed for MEDLINE]

- 369: [Papa A, Papadimitriou E, Adwan G, Clewley JP, Malissiovas N, Ntoutsos I, Alexiou S, Antoniadis A.](#) Related Articles, Links



HIV-1 co-receptor CCR5 and CCR2 mutations among Greeks.  
FEMS Immunol Med Microbiol. 2000 May;28(1):87-9.  
PMID: 10767612 [PubMed - indexed for MEDLINE]

- 370: [Rayner K, Van Eersel S, Groot PH, Reape TJ.](#) Related Articles, Links



Localisation of mRNA for JE/MCP-1 and its receptor CCR2 in atherosclerotic lesions of the ApoE knockout mouse.  
J Vasc Res. 2000 Mar-Apr;37(2):93-102.  
PMID: 10754394 [PubMed - indexed for MEDLINE]

- 371: [McManus CM, Weidenheim K, Woodman SE, Nunez J, Hesselgesser J, Nath A, Berman JW.](#) Related Articles, Links



Chemokine and chemokine-receptor expression in human glial elements: induction by the HIV protein, Tat, and chemokine autoregulation.  
Am J Pathol. 2000 Apr;156(4):1441-53.  
PMID: 10751368 [PubMed - indexed for MEDLINE]

- 372: [Hogaboam CM, Bone-Larson CL, Steinhauser ML, Matsukawa A, Gosling J, Boring L, Charo IF, Simpson KJ, Lukacs NW, Kunkel SL.](#) Related Articles, Links



Exaggerated hepatic injury due to acetaminophen challenge in mice lacking C-C chemokine receptor 2.  
Am J Pathol. 2000 Apr;156(4):1245-52.  
PMID: 10751350 [PubMed - indexed for MEDLINE]

- 373: [Agace WW, Roberts AI, Wu L, Greineder C, Ebert EC, Parker CM.](#) Related Articles, Links



Human intestinal lamina propria and intraepithelial lymphocytes express receptors specific for chemokines induced by inflammation.  
Eur J Immunol. 2000 Mar;30(3):819-26.  
PMID: 10741397 [PubMed - indexed for MEDLINE]

- 374: [Saccani A, Saccani S, Orlando S, Sironi M, Bernasconi S, Ghezzi P, Mantovani A, Sica A.](#) Related Articles, Links



Redox regulation of chemokine receptor expression.  
Proc Natl Acad Sci U S A. 2000 Mar 14;97(6):2761-6.  
PMID: 10716998 [PubMed - indexed for MEDLINE]

- 375: [Nasreen N, Mohammed KA, Galffy G, Ward MJ, Antony VB.](#) Related Articles, Links












MCP-1 in pleural injury: CCR2 mediates haptotaxis of pleural mesothelial cells.  
Am J Physiol Lung Cell Mol Physiol. 2000 Mar;278(3):L591-8.  
PMID: 10710532 [PubMed - indexed for MEDLINE]

- 376: [Clegg AO, Ashton LJ, Biti RA, Badhwar P, Williamson P, Kaldor JM, Stewart GJ.](#) Related Articles, Links




CCR5 promoter polymorphisms, CCR5 59029A and CCR5 59353C, are under represented in HIV-1-infected long-term non-progressors. The Australian Long-Term Non-Progressor Study Group.  
AIDS. 2000 Jan 28;14(2):103-8.  
PMID: 10708279 [PubMed - indexed for MEDLINE]

- 377: [Mangano A, Kopka J, Batalla M, Bologna R, Sen L.](#) Related Articles, Links

-  Protective effect of CCR2-64I and not of CCR5-delta32 and SDF1-3'A in pediatric HIV-1 infection.  
J Acquir Immune Defic Syndr. 2000 Jan 1;23(1):52-7.  
PMID: 10708056 [PubMed - indexed for MEDLINE]
- ☐ **378:** Galasso JM, Stegman LD, Blaivas M, Harrison JK, Ross BD, Silverstein FS. Related Articles, Links
-  Experimental gliosarcoma induces chemokine receptor expression in rat brain.  
Exp Neurol. 2000 Jan;161(1):85-95.  
PMID: 10683275 [PubMed - indexed for MEDLINE]
- ☐ **379:** Berger O, Gan X, Gujuluva C, Burns AR, Sultur G, Stins M, Way D, Witte M, Weinand M, Said J, Kim KS, Taub D, Graves MC, Fiala M. Related Articles, Links
-  CXC and CC chemokine receptors on coronary and brain endothelia.  
Mol Med. 1999 Dec;5(12):795-805.  
PMID: 10666479 [PubMed - indexed for MEDLINE]
- ☐ **380:** Harrington JR. Related Articles, Links
-  The role of MCP-1 in atherosclerosis.  
Stem Cells. 2000;18(1):65-6. No abstract available.  
PMID: 10661575 [PubMed - indexed for MEDLINE]
- ☐ **381:** Romano-Spica V, Ianni A, Arzani D, Cattarini L, Majore S, Dean M. Related Articles, Links
-  Allelic distribution of CCR5 and CCR2 genes in an Italian population sample.  
AIDS Res Hum Retroviruses. 2000 Jan 20;16(2):99-101.  
PMID: 10659048 [PubMed - indexed for MEDLINE]
- ☐ **382:** Traynor TR, Kuziel WA, Toews GB, Huffnagle GB. Related Articles, Links
-  CCR2 expression determines T1 versus T2 polarization during pulmonary *Cryptococcus neoformans* infection.  
J Immunol. 2000 Feb 15;164(4):2021-7.  
PMID: 10657654 [PubMed - indexed for MEDLINE]
- ☐ **383:** Ohagen A, Li L, Rosenzweig A, Gabuzda D. Related Articles, Links
-  Cell-dependent mechanisms restrict the HIV type 1 coreceptor activity of US28, a chemokine receptor homolog encoded by human cytomegalovirus.  
AIDS Res Hum Retroviruses. 2000 Jan 1;16(1):27-35.  
PMID: 10628814 [PubMed - indexed for MEDLINE]
- ☐ **384:** Sica A, Sacconi A, Bottazzi B, Bernasconi S, Allavena P, Gaetano B, Fei F, LaRosa G, Scotton C, Balkwill F, Mantovani A. Related Articles, Links
-  Defective expression of the monocyte chemotactic protein-1 receptor CCR2 in macrophages associated with human ovarian carcinoma.  
J Immunol. 2000 Jan 15;164(2):733-8.  
PMID: 10623817 [PubMed - indexed for MEDLINE]
- ☐ **385:** Yuan CC, Peterson RJ, Wang CD, Goodsaid F, Waters DJ. Related Articles, Links
-  5' Nuclease assays for the loci CCR5-+/Delta32, CCR2-V64I, and SDF1-G801A related to pathogenesis of AIDS.  
Clin Chem. 2000 Jan;46(1):24-30.

PMID: 10620568 [PubMed - indexed for MEDLINE]

-  **386:** [Bird JE, Giancarli MR, Kurihara T, Kowala MC, Valentine MT, Gitlitz PH, Pandya DG, French MH, Durham SK.](#) [Related Articles, Links](#)



Increased severity of glomerulonephritis in C-C chemokine receptor 2 knockout mice.

Kidney Int. 2000 Jan;57(1):129-36.

PMID: 10620194 [PubMed - indexed for MEDLINE]


-  **387:** [Bae YS, Kim Y, Kim Y, Kim JH, Suh PG, Ryu SH.](#) [Related Articles, Links](#)



Trp-Lys-Tyr-Met-Val-D-Met is a chemoattractant for human phagocytic cells.

J Leukoc Biol. 1999 Dec;66(6):915-22.

PMID: 10614772 [PubMed - indexed for MEDLINE]


-  **388:** [Xu L, Khandaker MH, Barlic J, Ran L, Borja ML, Madrenas J, Rahimpour R, Chen K, Mitchell G, Tan CM, DeVries M, Feldman RD, Kelvin DJ.](#) [Related Articles, Links](#)



Identification of a novel mechanism for endotoxin-mediated down-modulation of CC chemokine receptor expression.

Eur J Immunol. 2000 Jan;30(1):227-35.

PMID: 10602045 [PubMed - indexed for MEDLINE]


-  **389:** [Streblow DN, Soderberg-Naucler C, Vieira J, Smith P, Wakabayashi E, Ruchti F, Mattison K, Altschuler Y, Nelson JA.](#) [Related Articles, Links](#)



The human cytomegalovirus chemokine receptor US28 mediates vascular smooth muscle cell migration.

Cell. 1999 Nov 24;99(5):511-20.

PMID: 10589679 [PubMed - indexed for MEDLINE]


-  **390:** [Jarnagin K, Grunberger D, Mulkins M, Wong B, Hemmerich S, Paavola C, Bloom A, Bhakta S, Diehl F, Freedman R, McCarley D, Polsky I, Ping-Tsou A, Kosaka A, Handel TM.](#) [Related Articles, Links](#)



Identification of surface residues of the monocyte chemotactic protein 1 that affect signaling through the receptor CCR2.

Biochemistry. 1999 Dec 7;38(49):16167-77.

PMID: 10587439 [PubMed - indexed for MEDLINE]


-  **391:** [Sabri F, Tresoldi E, Di Stefano M, Polo S, Monaco MC, Verani A, Fiore JR, Lusso P, Major E, Chiodi F, Scarlatti G.](#) [Related Articles, Links](#)



Nonproductive human immunodeficiency virus type 1 infection of human fetal astrocytes: independence from CD4 and major chemokine receptors.

Virology. 1999 Nov 25;264(2):370-84.

PMID: 10562499 [PubMed - indexed for MEDLINE]


-  **392:** [Sato N, Kuziel WA, Melby PC, Reddick RL, Kostecki V, Zhao W, Maeda N, Ahuja SK, Ahuja SS.](#) [Related Articles, Links](#)



Defects in the generation of IFN-gamma are overcome to control infection with Leishmania donovani in CC chemokine receptor (CCR) 5-, macrophage inflammatory protein-1 alpha-, or CCR2-deficient mice.

J Immunol. 1999 Nov 15;163(10):5519-25.

PMID: 10553079 [PubMed - indexed for MEDLINE]

-  **393:** [Kostrikis LG, Neumann AU, Thomson B, Korber BT, McHardy P, Karanikolas R, Deutsch L, Huang Y, Lew JF, McIntosh K.](#) [Related Articles, Links](#)

Pollack H, Borkowsky W, Spiegel HM, Palumbo P, Oleske J, Bardeguet A, Luzuriaga K, Sullivan J, Wolinsky SM, Koup RA, Ho DD, Moore JP.



A polymorphism in the regulatory region of the CC-chemokine receptor 5 gene influences perinatal transmission of human immunodeficiency virus type 1 to African-American infants.  
J Virol. 1999 Dec;73(12):10264-71.  
PMID: 10559343 [PubMed - indexed for MEDLINE]

☐ **394:** Charo IF.

Related Articles, Links



CCR2: from cloning to the creation of knockout mice.  
Chem Immunol. 1999;72:30-41. Review. No abstract available.  
PMID: 10550928 [PubMed - indexed for MEDLINE]

☐ **395:** Han KH, Green SR, Tangirala RK, Tanaka S, Quehenberger O. Related Articles, Links



Role of the first extracellular loop in the functional activation of CCR2. The first extracellular loop contains distinct domains necessary for both agonist binding and transmembrane signaling.  
J Biol Chem. 1999 Nov 5;274(45):32055-62.  
PMID: 10542238 [PubMed - indexed for MEDLINE]

☐ **396:** Hemmerich S, Paavola C, Bloom A, Bhakta S, Freedman R, Grunberger D, Krstenansky J, Lee S, McCarley D, Mulkins M, Wong B, Pease J, Mizoue L, Mirzadegan T, Polsky I, Thompson K, Handel TM, Jarnagin K. Related Articles, Links



Identification of residues in the monocyte chemotactic protein-1 that contact the MCP-1 receptor, CCR2.  
Biochemistry. 1999 Oct 5;38(40):13013-25.  
PMID: 10529171 [PubMed - indexed for MEDLINE]

☐ **397:** Rovin BH.

Related Articles, Links



Chemokines as therapeutic targets in renal inflammation.  
Am J Kidney Dis. 1999 Oct;34(4):761-4; discussion 765-7. Review. No abstract available.  
PMID: 10516362 [PubMed - indexed for MEDLINE]

☐ **398:** Hermanowski-Vosatka A, Mundt SS, Ayala JM, Goyal S, Hanlon WA, Czerwinski RM, Wright SD, Whitman CP. Related Articles, Links



Enzymatically inactive macrophage migration inhibitory factor inhibits monocyte chemotaxis and random migration.  
Biochemistry. 1999 Sep 28;38(39):12841-9.  
PMID: 10504254 [PubMed - indexed for MEDLINE]

☐ **399:** Vecchi A, Massimiliano L, Ramponi S, Luini W, Bernasconi S, Bonocchi R, Allavena P, Parmentier M, Mantovani A, Sozzani S. Related Articles, Links



Differential responsiveness to constitutive vs. inducible chemokines of immature and mature mouse dendritic cells.  
J Leukoc Biol. 1999 Sep;66(3):489-94.  
PMID: 10496320 [PubMed - indexed for MEDLINE]

☐ **400:** Su B, Jin L, Hu F, Xiao J, Luo J, Lu D, Zhang W, Chu J, Du R, Geng Z, Qiu X, Xue J, Tan J, O'Brien SJ, Chakraborty R. Related Articles, Links



Distribution of two HIV-1-resistant polymorphisms (SDF1-3'A and CCR2-64I) in East Asian and world populations and its implication in AIDS epidemiology.


Am J Hum Genet. 1999 Oct;65(4):1047-53.  
PMID: 10486323 [PubMed - indexed for MEDLINE]

-  **401:** [Weber KS, Nelson PJ, Grone HJ, Weber C.](#) [Related Articles, Links](#)



Expression of CCR2 by endothelial cells : implications for MCP-1 mediated wound injury repair and In vivo inflammatory activation of endothelium.


Arterioscler Thromb Vasc Biol. 1999 Sep;19(9):2085-93.  
PMID: 10479649 [PubMed - indexed for MEDLINE]

-  **402:** [de Roda Husman AM, van Rij RP, Blaak H, Broersen S, Schuitemaker H.](#) [Related Articles, Links](#)



Adaptation to promiscuous usage of chemokine receptors is not a prerequisite for human immunodeficiency virus type 1 disease progression.


J Infect Dis. 1999 Oct;180(4):1106-15.  
PMID: 10479137 [PubMed - indexed for MEDLINE]

-  **403:** [Easterbrook PJ, Rostron T, Ives N, Troop M, Gazzard BG, Rowland-Jones SL.](#) [Related Articles, Links](#)



Chemokine receptor polymorphisms and human immunodeficiency virus disease progression.


J Infect Dis. 1999 Oct;180(4):1096-105.  
PMID: 10479136 [PubMed - indexed for MEDLINE]

-  **404:** [Penton-Rol G, Cota M, Polentarutti N, Luini W, Bernasconi S, Borsatti A, Sica A, LaRosa GJ, Sozzani S, Poli G, Mantovani A.](#) [Related Articles, Links](#)



Up-regulation of CCR2 chemokine receptor expression and increased susceptibility to the multitropic HIV strain 89.6 in monocytes exposed to glucocorticoid hormones.


J Immunol. 1999 Sep 15;163(6):3524-9.  
PMID: 10477627 [PubMed - indexed for MEDLINE]

-  **405:** [Efremov R, Truong MJ, Darcissac EC, Zeng J, Grau O, Vergoten G, Debarb C, Capron A, Bahr GM.](#) [Related Articles, Links](#)



Human chemokine receptors CCR5, CCR3 and CCR2B share common polarity motif in the first extracellular loop with other human G-protein coupled receptors implications for HIV-1 coreceptor function.

Eur J Biochem. 1999 Aug;263(3):746-56.  
PMID: 10469138 [PubMed - indexed for MEDLINE]

-  **406:** [Mellado M, Rodriguez-Frade JM, Vila-Coro AJ, de Ana AM, Martinez-A C.](#) [Related Articles, Links](#)



Chemokine control of HIV-1 infection.


Nature. 1999 Aug 19;400(6746):723-4. No abstract available.  
PMID: 10466720 [PubMed - indexed for MEDLINE]

-  **407:** [Mantovani A, Garlanda C.](#) [Related Articles, Links](#)











Novel pathways for negative regulation of inflammatory cytokines centered on receptor expression.









Dev Biol Stand. 1999;97:97-104. Review. No abstract available.  
PMID: 10463535 [PubMed - indexed for MEDLINE]


















-  **408:** [Jawa RS, Quaid GA, Williams MA, Cave CM, Robinson CT, Babcock GF, Lieberman MA, Witt D, Solomkin JS.](#) [Related Articles, Links](#)



-  Tumor necrosis factor alpha regulates CXC chemokine receptor expression and function.  
Shock. 1999 Jun;11(6):385-90.  
PMID: 10454826 [PubMed - indexed for MEDLINE]
- ☐ **409:** Weiss JM, Nath A, Major EO, Berman JW. [Related Articles](#), [Links](#)
-  HIV-1 Tat induces monocyte chemoattractant protein-1-mediated monocyte transmigration across a model of the human blood-brain barrier and up-regulates CCR5 expression on human monocytes.  
J Immunol. 1999 Sep 1;163(5):2953-9.  
PMID: 10453044 [PubMed - indexed for MEDLINE]
- ☐ **410:** Hogaboam CM, Bone-Larson CL, Lipinski S, Lukacs NW, Chensue SW, Strieter RM, Kunkel SL. [Related Articles](#), [Links](#)
-  Differential monocyte chemoattractant protein-1 and chemokine receptor 2 expression by murine lung fibroblasts derived from Th1- and Th2-type pulmonary granuloma models.  
J Immunol. 1999 Aug 15;163(4):2193-201.  
PMID: 10438961 [PubMed - indexed for MEDLINE]
- ☐ **411:** Campbell EM, Charo IF, Kunkel SL, Strieter RM, Boring L, Gosling J, Lukacs NW. [Related Articles](#), [Links](#)
-  Monocyte chemoattractant protein-1 mediates cockroach allergen-induced bronchial hyperreactivity in normal but not CCR2-/- mice: the role of mast cells.  
J Immunol. 1999 Aug 15;163(4):2160-7.  
PMID: 10438957 [PubMed - indexed for MEDLINE]
- ☐ **412:** Lockett SF, Alonso A, Wyld R, Martin MP, Robertson JR, Gore SM, Leen CL, Brettell RP, Yirrell DL, Carrington M, Brown AJ. [Related Articles](#), [Links](#)
-  Effect of chemokine receptor mutations on heterosexual human immunodeficiency virus transmission.  
J Infect Dis. 1999 Sep;180(3):614-21.  
PMID: 10438347 [PubMed - indexed for MEDLINE]
- ☐ **413:** Boddeke EW, Meigel I, Frentzel S, Gourmala NG, Harrison JK, Buttini M, Spleiss O, Gebicke-Harter P. [Related Articles](#), [Links](#)
-  Cultured rat microglia express functional beta-chemokine receptors.  
J Neuroimmunol. 1999 Aug 3;98(2):176-84.  
PMID: 10430051 [PubMed - indexed for MEDLINE]
- ☐ **414:** Turner L, Scotton C, Negus R, Balkwill F. [Related Articles](#), [Links](#)
-  Hypoxia inhibits macrophage migration.  
Eur J Immunol. 1999 Jul;29(7):2280-7.  
PMID: 10427991 [PubMed - indexed for MEDLINE]
- ☐ **415:** Weber C, Draude G, Weber KS, Wubert J, Lorenz RL, Weber PC. [Related Articles](#), [Links](#)
-  Downregulation by tumor necrosis factor-alpha of monocyte CCR2 expression and monocyte chemotactic protein-1-induced transendothelial migration is antagonized by oxidized low-density lipoprotein: a potential mechanism of monocyte retention in atherosclerotic lesions.  
Atherosclerosis. 1999 Jul;145(1):115-23.  
PMID: 10428302 [PubMed - indexed for MEDLINE]

- 416: [Daar ES, Lynn H, Donfield S, Gomperts E, Hilgartner MW, Hoots K, Chernoff D, Winkler C, O'Brien SJ.](#) [Related Articles, Links](#)  
Effects of plasma HIV RNA, CD4+ T lymphocytes, and the chemokine receptors CCR5 and CCR2b on HIV disease progression in hemophiliacs. Hemophilia Growth and Development Study. *J Acquir Immune Defic Syndr.* 1999 Aug 1;21(4):317-25. PMID: 10428111 [PubMed - indexed for MEDLINE]
- 417: [Billstrom MA, Lehman LA, Scott Worthen G.](#) [Related Articles, Links](#)  
Depletion of extracellular RANTES during human cytomegalovirus infection of endothelial cells. *Am J Respir Cell Mol Biol.* 1999 Aug;21(2):163-7. PMID: 10423397 [PubMed - indexed for MEDLINE]
- 418: [Hunninghake GW, Monick MM, Geist LJ.](#) [Related Articles, Links](#)  
Cytomegalovirus infection. Regulation of inflammation. *Am J Respir Cell Mol Biol.* 1999 Aug;21(2):150-2. Review. No abstract available. PMID: 10423394 [PubMed - indexed for MEDLINE]
- 419: [Fantuzzi L, Borghi P, Ciolli V, Pavlakis G, Belardelli F, Gessani S.](#) [Related Articles, Links](#)  
Loss of CCR2 expression and functional response to monocyte chemotactic protein (MCP-1) during the differentiation of human monocytes: role of secreted MCP-1 in the regulation of the chemotactic response. *Blood.* 1999 Aug 1;94(3):875-83. PMID: 10419877 [PubMed - indexed for MEDLINE]
- 420: [Singh A, Besson G, Mobasher A, Collman RG.](#) [Related Articles, Links](#)  
Patterns of chemokine receptor fusion cofactor utilization by human immunodeficiency virus type 1 variants from the lungs and blood. *J Virol.* 1999 Aug;73(8):6680-90. PMID: 10400765 [PubMed - indexed for MEDLINE]
- 421: [Szalai C, Csaszar A, Czinner A, Szabo T, Panczel P, Madacsy L, Falus A.](#) [Related Articles, Links](#)  
Chemokine receptor CCR2 and CCR5 polymorphisms in children with insulin-dependent diabetes mellitus. *Pediatr Res.* 1999 Jul;46(1):82-4. PMID: 10400139 [PubMed - indexed for MEDLINE]
- 422: [Sallusto F, Kremmer E, Palermo B, Hoy A, Ponath P, Qin S, Forster R, Lipp M, Lanzavecchia A.](#) [Related Articles, Links](#)  
Switch in chemokine receptor expression upon TCR stimulation reveals novel homing potential for recently activated T cells. *Eur J Immunol.* 1999 Jun;29(6):2037-45. PMID: 10382767 [PubMed - indexed for MEDLINE]
- 423: [Han KH, Han KO, Green SR, Quehenberger O.](#) [Related Articles, Links](#)  
Expression of the monocyte chemoattractant protein-1 receptor CCR2 is increased in hypercholesterolemia. Differential effects of plasma lipoproteins on monocyte function. *J Lipid Res.* 1999 Jun;40(6):1053-63. PMID: 10357837 [PubMed - indexed for MEDLINE]

-  **424:** [Hendel H, Caillat-Zucman S, Lebuane H, Carrington M, O'Brien S, Andrieu JM, Schachter F, Zagury D, Rappaport J, Winkler C, Nelson GW, Zagury JF.](#) [Related Articles, Links](#)  
New class I and II HLA alleles strongly associated with opposite patterns of progression to AIDS.  
J Immunol. 1999 Jun 1;162(11):6942-6.  
PMID: 10352317 [PubMed - indexed for MEDLINE]
-  **425:** [Hizawa N, Yamaguchi E, Furuya K, Jinushi E, Ito A, Kawakami Y.](#) [Related Articles, Links](#)  
The role of the C-C chemokine receptor 2 gene polymorphism V64I (CCR2-64I) in sarcoidosis in a Japanese population.  
Am J Respir Crit Care Med. 1999 Jun;159(6):2021-3.  
PMID: 10351956 [PubMed - indexed for MEDLINE]
-  **426:** [Warmington KS, Boring L, Ruth JH, Sonstein J, Hogaboam CM, Curtis JL, Kunkel SL, Charo IR, Chensue SW.](#) [Related Articles, Links](#)  
Effect of C-C chemokine receptor 2 (CCR2) knockout on type-2 (schistosomal antigen-elicited) pulmonary granuloma formation: analysis of cellular recruitment and cytokine responses.  
Am J Pathol. 1999 May;154(5):1407-16.  
PMID: 10329593 [PubMed - indexed for MEDLINE]
-  **427:** [Voevodin A, Samilchuk E, Dashti S.](#) [Related Articles, Links](#)  
Frequencies of SDF-1 chemokine, CCR-5, and CCR-2 chemokine receptor gene alleles conferring resistance to human immunodeficiency virus type 1 and AIDS in Kuwaitis.  
J Med Virol. 1999 May;58(1):54-8.  
PMID: 10223546 [PubMed - indexed for MEDLINE]
-  **428:** [Le Gouill C, Parent JL, Caron CA, Gaudreau R, Volkov L, Rola-Pleszczynski M, Stankova J.](#) [Related Articles, Links](#)  
Selective modulation of wild type receptor functions by mutants of G-protein-coupled receptors.  
J Biol Chem. 1999 Apr 30;274(18):12548-54.  
PMID: 10212233 [PubMed - indexed for MEDLINE]
-  **429:** [Andjelkovic AV, Spencer DD, Pachter JS.](#) [Related Articles, Links](#)  
Visualization of chemokine binding sites on human brain microvessels.  
J Cell Biol. 1999 Apr 19;145(2):403-12.  
PMID: 10209033 [PubMed - indexed for MEDLINE]
-  **430:** [Dawson TC, Kuziel WA, Osahar TA, Maeda N.](#) [Related Articles, Links](#)  
Absence of CC chemokine receptor-2 reduces atherosclerosis in apolipoprotein E-deficient mice.  
Atherosclerosis. 1999 Mar;143(1):205-11.  
PMID: 10208497 [PubMed - indexed for MEDLINE]
-  **431:** [Weber KS, Klickstein LB, Weber C.](#) [Related Articles, Links](#)  
Specific activation of leukocyte beta2 integrins lymphocyte function-associated antigen-1 and Mac-1 by chemokines mediated by distinct pathways via the alpha subunit cytoplasmic domains.  
Mol Biol Cell. 1999 Apr;10(4):861-73.  
PMID: 10198043 [PubMed - indexed for MEDLINE]

-  **432:** [Collman RG, Yi Y.](#) Related Articles, Links  
 Cofactors for human immunodeficiency virus entry into primary macrophages.  
J Infect Dis. 1999 May;179 Suppl 3:S422-6.  
PMID: 10099111 [PubMed - indexed for MEDLINE]
-  **433:** [Horuk R.](#) Related Articles, Links  
 Chemokine receptors and HIV-1: the fusion of two major research fields.  
Immunol Today. 1999 Feb;20(2):89-94. Review.  
PMID: 10098328 [PubMed - indexed for MEDLINE]
-  **434:** [Rodriguez-Frade JM, Vila-Coro AJ, de Ana AM, Albar JP, Martinez-A C, Mellado M.](#) Related Articles, Links  
 The chemokine monocyte chemoattractant protein-1 induces functional responses through dimerization of its receptor CCR2.  
Proc Natl Acad Sci U S A. 1999 Mar 30;96(7):3628-33.  
PMID: 10097088 [PubMed - indexed for MEDLINE]
-  **435:** [Zipeto D, Bodaghi B, Laurent L, Virelizier JL, Michelson S.](#) Related Articles, Links  
 Kinetics of transcription of human cytomegalovirus chemokine receptor US28 in different cell types.  
J Gen Virol. 1999 Mar;80 ( Pt 3):543-7.  
PMID: 10091991 [PubMed - indexed for MEDLINE]
-  **436:** [Zhou Y, Yang Y, Warr G, Bravo R.](#) Related Articles, Links  
 LPS down-regulates the expression of chemokine receptor CCR2 in mice and abolishes macrophage infiltration in acute inflammation.  
J Leukoc Biol. 1999 Feb;65(2):265-9.  
PMID: 10088610 [PubMed - indexed for MEDLINE]
-  **437:** [Schinkel J, Langendam MW, Coutinho RA, Krol A, Brouwer M, Schuitemaker H.](#) Related Articles, Links  
 No evidence for an effect of the CCR5 delta32/+ and CCR2b 64I/+ mutations on human immunodeficiency virus (HIV)-1 disease progression among HIV-1-infected injecting drug users.  
J Infect Dis. 1999 Apr;179(4):825-31.  
PMID: 10068577 [PubMed - indexed for MEDLINE]
-  **438:** [Rabkin CS, Yang Q, Goedert JJ, Nguyen G, Mitsuya H, Sei S.](#) Related Articles, Links  
 Chemokine and chemokine receptor gene variants and risk of non-Hodgkin's lymphoma in human immunodeficiency virus-1-infected individuals.  
Blood. 1999 Mar 15;93(6):1838-42.  
PMID: 10068655 [PubMed - indexed for MEDLINE]
-  **439:** [Weber KS, von Hundelshausen P, Clark-Lewis I, Weber PC, Weber C.](#) Related Articles, Links  
 Differential immobilization and hierarchical involvement of chemokines in monocyte arrest and transmigration on inflamed endothelium in shear flow.  
Eur J Immunol. 1999 Feb;29(2):700-12.  
PMID: 10064088 [PubMed - indexed for MEDLINE]
-  **440:** [Reid S, Ritchie A, Boring L, Gosling J, Cooper S, Hangoc G.](#) Related Articles, Links

Charo IF, Broxmeyer HE.



Enhanced myeloid progenitor cell cycling and apoptosis in mice lacking the chemokine receptor, CCR2.

Blood. 1999 Mar 1;93(5):1524-33.

PMID: 10029580 [PubMed - indexed for MEDLINE]

- ☐ **441:** Yamamoto K, Takeshima H, Hamada K, Nakao M, Kino T, Nishi T, Kochi M, Kuratsu J, Yoshimura T, Ushio Y. [Related Articles, Links](#)



Cloning and functional characterization of the 5'-flanking region of the human monocyte chemoattractant protein-1 receptor (CCR2) gene.

Essential role of 5'-untranslated region in tissue-specific expression.

J Biol Chem. 1999 Feb 19;274(8):4646-54.

PMID: 9988701 [PubMed - indexed for MEDLINE]

- ☐ **442:** Mariani R, Wong S, Mulder LC, Wilkinson DA, Reinhart AL, LaRosa G, Nibbs R, O'Brien TR, Michael NL, Connor RL, Macdonald M, Busch M, Koup RA, Landau NR. [Related Articles, Links](#)



CCR2-64I polymorphism is not associated with altered CCR5 expression or coreceptor function.

J Virol. 1999 Mar;73(3):2450-9.

PMID: 9971830 [PubMed - indexed for MEDLINE]

- ☐ **443:** Chan SY, Speck RF, Power C, Gaffen SL, Chesebro B, Goldsmith MA. [Related Articles, Links](#)



V3 recombinants indicate a central role for CCR5 as a coreceptor in tissue infection by human immunodeficiency virus type 1.

J Virol. 1999 Mar;73(3):2350-8.

PMID: 9971818 [PubMed - indexed for MEDLINE]

- ☐ **444:** Dal Monte P, Varani S, Lazzarotto T, Pignatelli S, Landini MP. [Related Articles, Links](#)



Prokaryotic expression of human cytomegalovirus pUS22 and its reactivity with human antibody.

Arch Virol. 1998;143(12):2413-9.

PMID: 9930196 [PubMed - indexed for MEDLINE]

- ☐ **445:** Magierowska M, Theodorou I, Debre P, Sanson F, Autran B, Riviere Y, Charron D, Costagliola D. [Related Articles, Links](#)



Combined genotypes of CCR5, CCR2, SDF1, and HLA genes can predict the long-term nonprogressor status in human immunodeficiency virus-1-infected individuals.

Blood. 1999 Feb 1;93(3):936-41.

PMID: 9920843 [PubMed - indexed for MEDLINE]

- ☐ **446:** Nardelli B, Tiffany HL, Bong GW, Yourey PA, Morahan DK, Li Y, Murphy PM, Alderson RF. [Related Articles, Links](#)



Characterization of the signal transduction pathway activated in human monocytes and dendritic cells by MPIF-1, a specific ligand for CC chemokine receptor 1.








J Immunol. 1999 Jan 1;162(1):435-44.










PMID: 9886417 [PubMed - indexed for MEDLINE]

- ☐ **447:** Kledal TN, Rosenkilde MM, Schwartz TW. [Related Articles, Links](#)



Selective recognition of the membrane-bound CX3C chemokine, fractalkine, by the human cytomegalovirus-encoded broad-spectrum receptor US28.

- FEBS Lett. 1998 Dec 18;441(2):209-14.  
PMID: 9883886 [PubMed - indexed for MEDLINE]
- ☐ **448:** [Marra F, Romanelli RG, Giannini C, Failli P, Pastacaldi S, Arrighi MC, Pinzani M, Laffi G, Montalto P, Gentilini P.](#) [Related Articles, Links](#)
-  Monocyte chemotactic protein-1 as a chemoattractant for human hepatic stellate cells.  
Hepatology. 1999 Jan;29(1):140-8.  
PMID: 9862860 [PubMed - indexed for MEDLINE]
- ☐ **449:** [Han KH, Tangirala RK, Green SR, Quehenberger O.](#) [Related Articles, Links](#)
-  Chemokine receptor CCR2 expression and monocyte chemoattractant protein-1-mediated chemotaxis in human monocytes. A regulatory role for plasma LDL.  
Arterioscler Thromb Vasc Biol. 1998 Dec;18(12):1983-91.  
PMID: 9848893 [PubMed - indexed for MEDLINE]
- ☐ **450:** [Hogaboam CM, Gallinat CS, Bone-Larson C, Chensue SW, Lukacs NW, Strieter RM, Kunkel SL.](#) [Related Articles, Links](#)
-  Collagen deposition in a non-fibrotic lung granuloma model after nitric oxide inhibition.  
Am J Pathol. 1998 Dec;153(6):1861-72.  
PMID: 9846976 [PubMed - indexed for MEDLINE]
- ☐ **451:** [Paavola CD, Hemmerich S, Grunberger D, Polsky I, Bloom A, Freedman R, Mulkins M, Bhakta S, McCarley D, Wiesent L, Wong B, Jamagin K, Handel TM.](#) [Related Articles, Links](#)
-  Monomeric monocyte chemoattractant protein-1 (MCP-1) binds and activates the MCP-1 receptor CCR2B.  
J Biol Chem. 1998 Dec 11;273(50):33157-65.  
PMID: 9837883 [PubMed - indexed for MEDLINE]
- ☐ **452:** [Martin MP, Dean M, Smith MW, Winkler C, Gerrard B, Michael NL, Lee B, Doms RW, Margolick J, Buchbinder S, Goedert JJ, O'Brien TR, Hilgartner MW, Vlahov D, O'Brien SJ, Carrington M.](#) [Related Articles, Links](#)
-  Genetic acceleration of AIDS progression by a promoter variant of CCR5.  
Science. 1998 Dec 4;282(5395):1907-11.  
PMID: 9836644 [PubMed - indexed for MEDLINE]
- ☐ **453:** [Hendel H, Henon N, Lebuane H, Lachgar A, Poncelet H, Caillat-Zucman S, Winkler CA, Smith MW, Kenefic L, O'Brien S, Lu W, Andrieu JM, Zagury D, Schachter F, Rappaport J, Zagury JF.](#) [Related Articles, Links](#)
-  Distinctive effects of CCR5, CCR2, and SDF1 genetic polymorphisms in AIDS progression.  
J Acquir Immune Defic Syndr Hum Retrovirol. 1998 Dec 1;19(4):381-6.  
PMID: 9833747 [PubMed - indexed for MEDLINE]
- ☐ **454:** [van Rij RP, de Roda Husman AM, Brouwer M, Goudsmit J, Coutinho RA, Schuitemaker H.](#) [Related Articles, Links](#)
-  Role of CCR2 genotype in the clinical course of syncytium-inducing (SI) or non-SI human immunodeficiency virus type 1 infection and in the time to conversion to SI virus variants.  
J Infect Dis. 1998 Dec;178(6):1806-11.  
PMID: 9815240 [PubMed - indexed for MEDLINE]

-  **455:** [Iversen AK, Fugger L, Eugen-Olsen J, Balslev U, Jensen T, Wahl S, Gerstoft J, Mullins JJ, Skinhoj P.](#) [Related Articles, Links](#)  
Cervical human immunodeficiency virus type 1 shedding is associated with genital beta-chemokine secretion.  
J Infect Dis. 1998 Nov;178(5):1334-42.  
PMID: 9780253 [PubMed - indexed for MEDLINE]
-  **456:** [Rowland-Jones SL.](#) [Related Articles, Links](#)  
Survival with HIV infection: good luck or good breeding?  
Trends Genet. 1998 Sep;14(9):343-5. Review. No abstract available.  
PMID: 9769726 [PubMed - indexed for MEDLINE]
-  **457:** [Zhang L, He T, Huang Y, Chen Z, Guo Y, Wu S, Kunstman KJ, Brown RC, Phair JP, Neumann AU, Ho DD, Wolinsky SM.](#) [Related Articles, Links](#)  
Chemokine coreceptor usage by diverse primary isolates of human immunodeficiency virus type 1.  
J Virol. 1998 Nov;72(11):9307-12.  
PMID: 9765480 [PubMed - indexed for MEDLINE]
-  **458:** [Xiao L, Rudolph DL, Owen SM, Spira TJ, Lal RB.](#) [Related Articles, Links](#)  
Adaptation to promiscuous usage of CC and CXC-chemokine coreceptors in vivo correlates with HIV-1 disease progression.  
AIDS. 1998 Sep 10;12(13):F137-43.  
PMID: 9764773 [PubMed - indexed for MEDLINE]
-  **459:** [Hoffman TL, Stephens EB, Narayan O, Doms RW.](#) [Related Articles, Links](#)  
HIV type I envelope determinants for use of the CCR2b, CCR3, STRL33, and APJ coreceptors.  
Proc Natl Acad Sci U S A. 1998 Sep 15;95(19):11360-5.  
PMID: 9736741 [PubMed - indexed for MEDLINE]
-  **460:** [Vieira J, Schall TJ, Corey L, Geballe AP.](#) [Related Articles, Links](#)  
Functional analysis of the human cytomegalovirus US28 gene by insertion mutagenesis with the green fluorescent protein gene.  
J Virol. 1998 Oct;72(10):8158-65.  
PMID: 9733857 [PubMed - indexed for MEDLINE]
-  **461:** [Boring L, Gosling J, Cleary M, Charo IF.](#) [Related Articles, Links](#)  
Decreased lesion formation in CCR2-/- mice reveals a role for chemokines in the initiation of atherosclerosis.  
Nature. 1998 Aug 27;394(6696):894-7.  
PMID: 9732872 [PubMed - indexed for MEDLINE]
-  **462:** [Bodaghi B, Jones TR, Zipeto D, Vita C, Sun L, Laurent L, Arenzana-Seisdedos F, Virelizier JL, Michelson S.](#) [Related Articles, Links](#)  
Chemokine sequestration by viral chemoreceptors as a novel viral escape strategy: withdrawal of chemokines from the environment of cytomegalovirus-infected cells.  
J Exp Med. 1998 Sep 7;188(5):855-66.  
PMID: 9730887 [PubMed - indexed for MEDLINE]
-  **463:** [Lee B, Doranz BJ, Rana S, Yi Y, Mellado M, Frade JM, Martinez-A C, O'Brien SJ, Dean M, Collman RG, Doms RW.](#) [Related Articles, Links](#)  
Influence of the CCR2-V64I polymorphism on human immunodeficiency virus type 1 coreceptor activity and on chemokine

receptor function of CCR2b, CCR3, CCR5, and CXCR4.

J Virol. 1998 Sep;72(9):7450-8.

PMID: 9696841 [PubMed - indexed for MEDLINE]

- 464: [Mellado M, Rodriguez-Frade JM, Aragay A, del Real G, Martin AM, Vila-Coro AJ, Serrano A, Mayor F Jr, Martinez-A C.](#) Related Articles, Links



The chemokine monocyte chemotactic protein 1 triggers Janus kinase 2 activation and tyrosine phosphorylation of the CCR2B receptor.

J Immunol. 1998 Jul 15;161(2):805-13.

PMID: 9670957 [PubMed - indexed for MEDLINE]

- 465: [Donfield SM, Lynn HS, Hilgartner MW.](#)

Related Articles, Links



Progression to AIDS.

Science. 1998 Jun 19;280(5371):1819-20. No abstract available.

PMID: 9669928 [PubMed - indexed for MEDLINE]

- 466: [Menzo S, Sampaolesi R, Vicenzi E, Santagostino E, Liuzzi G, Chirianni A, Piazza M, Cohen OJ, Bagnarelli P, Clementi M.](#) Related Articles, Links



Rare mutations in a domain crucial for V3-loop structure prevail in replicating HIV from long-term non-progressors.

AIDS. 1998 Jun 18;12(9):985-97.

PMID: 9662194 [PubMed - indexed for MEDLINE]

- 467: [Pleskoff O, Treboute C, Alizon M.](#)

Related Articles, Links



The cytomegalovirus-encoded chemokine receptor US28 can enhance cell-cell fusion mediated by different viral proteins.

J Virol. 1998 Aug;72(8):6389-97.

PMID: 9658079 [PubMed - indexed for MEDLINE]

- 468: [Jiang Y, Salafranca MN, Adhikari S, Xia Y, Feng L, Sonntag MK, deFiebre CM, Pennell NA, Streit WJ, Harrison JK.](#) Related Articles, Links



Chemokine receptor expression in cultured glia and rat experimental allergic encephalomyelitis.

J Neuroimmunol. 1998 Jun 1;86(1):1-12.

PMID: 9655467 [PubMed - indexed for MEDLINE]

- 469: [Eugen-Olsen J, Iversen AK, Benfield TL, Koppelhus U, Garred P.](#) Related Articles, Links



Chemokine receptor CCR2b 64I polymorphism and its relation to CD4 T-cell counts and disease progression in a Danish cohort of HIV-infected individuals. Copenhagen AIDS cohort.

J Acquir Immune Defic Syndr Hum Retrovirol. 1998 Jun 1;18(2):110-6.

PMID: 9637575 [PubMed - indexed for MEDLINE]

- 470: [Billstrom MA, Johnson GL, Avdi NJ, Worthen GS.](#)

Related Articles, Links



Intracellular signaling by the chemokine receptor US28 during human cytomegalovirus infection.

J Virol. 1998 Jul;72(7):5535-44.

PMID: 9621010 [PubMed - indexed for MEDLINE]

- 471: [Roger M.](#)

Related Articles, Links



Influence of host genes on HIV-1 disease progression.

FASEB J. 1998 Jun;12(9):625-32. Review.

PMID: 9619442 [PubMed - indexed for MEDLINE]

- 472: [Ioannidis JP, O'Brien TR, Rosenberg PS, Contopoulos-](#)

Related Articles, Links



Ioannidis DG, Goedert JJ.



Genetic effects on HIV disease progression.  
Nat Med. 1998 May;4(5):536. No abstract available.  
PMID: 9585207 [PubMed - indexed for MEDLINE]

- ☐ **473:** Delgado E, Finkel V, Baggiolini M, Mackay CR, Steinman RM, Granelli-Piperno A. [Related Articles](#), [Links](#)



Mature dendritic cells respond to SDF-1, but not to several beta-chemokines.  
Immunobiology. 1998 Mar;198(5):490-500.  
PMID: 9561368 [PubMed - indexed for MEDLINE]

- ☐ **474:** Proost P, Struyf S, Couvreur M, Lenaerts JP, Conings R, Menten P, Verhaert P, Wuyts A, Van Damme J. [Related Articles](#), [Links](#)



Posttranslational modifications affect the activity of the human monocyte chemotactic proteins MCP-1 and MCP-2: identification of MCP-2(6-76) as a natural chemokine inhibitor.  
J Immunol. 1998 Apr 15;160(8):4034-41.  
PMID: 9558113 [PubMed - indexed for MEDLINE]

- ☐ **475:** Penton-Rol G, Polentarutti N, Luini W, Borsatti A, Mancinelli R, Sica A, Sozzani S, Mantovani A. [Related Articles](#), [Links](#)



Selective inhibition of expression of the chemokine receptor CCR2 in human monocytes by IFN-gamma.  
J Immunol. 1998 Apr 15;160(8):3869-73.  
PMID: 9558092 [PubMed - indexed for MEDLINE]

- ☐ **476:** Sanchez X, Suetomi K, Cousins-Hodges B, Horton JK, Navarro J. [Related Articles](#), [Links](#)



CXC chemokines suppress proliferation of myeloid progenitor cells by activation of the CXC chemokine receptor 2.  
J Immunol. 1998 Jan 15;160(2):906-10.  
PMID: 9551928 [PubMed - indexed for MEDLINE]

- ☐ **477:** Frade JM, Mellado M, del Real G, Gutierrez-Ramos JC, Lind P, Martinez-A C. [Related Articles](#), [Links](#)



Characterization of the CCR2 chemokine receptor: functional CCR2 receptor expression in B cells.  
J Immunol. 1997 Dec 1;159(11):5576-84.  
PMID: 9548499 [PubMed - indexed for MEDLINE]

- ☐ **478:** Aragay AM, Mellado M, Frade JM, Martin AM, Jimenez-Sainz MC, Martinez-A C, Mayor F Jr. [Related Articles](#), [Links](#)











Monocyte chemoattractant protein-1-induced CCR2B receptor desensitization mediated by the G protein-coupled receptor kinase 2.  
Proc Natl Acad Sci U S A. 1998 Mar 17;95(6):2985-90.  
PMID: 9501202 [PubMed - indexed for MEDLINE]












- ☐ **479:** Michael NL. [Related Articles](#), [Links](#)



Protective effect of an SDF-1 variant in HIV disease: abstract and commentary.  
JAMA. 1998 Apr 8;279(14):1140. No abstract available.  
PMID: 9546575 [PubMed - indexed for MEDLINE]

- ☐ **480:** Kostrikis LG, Huang Y, Moore JP, Wolinsky SM, Zhang L, Guo Y, Deutsch L, Phair J, Neumann AU, Ho DD. [Related Articles](#), [Links](#)

-  A chemokine receptor CCR2 allele delays HIV-1 disease progression and is associated with a CCR5 promoter mutation.  
Nat Med. 1998 Mar;4(3):350-3.  
PMID: 9500612 [PubMed - indexed for MEDLINE]
- ☐ **481:** Stewart G. Related Articles, Links
-  Chemokine genes--beating the odds.  
Nat Med. 1998 Mar;4(3):275-7. No abstract available.  
PMID: 9500597 [PubMed - indexed for MEDLINE]
- ☐ **482:** Rizzardì GP, Morawetz RA, Vicenzi E, Ghezzi S, Poli G, Lazzarin A, Pantaleo G. Related Articles, Links
-  CCR2 polymorphism and HIV disease. Swiss HIV Cohort.  
Nat Med. 1998 Mar;4(3):252-3. No abstract available.  
PMID: 9500580 [PubMed - indexed for MEDLINE]
- ☐ **483:** Fan P, Kyaw H, Su K, Zeng Z, Augustus M, Carter KC, Li Y. Related Articles, Links
-  Cloning and characterization of a novel human chemokine receptor.  
Biochem Biophys Res Commun. 1998 Feb 4;243(1):264-8.  
PMID: 9473515 [PubMed - indexed for MEDLINE]
- ☐ **484:** Carr JM, Ramshaw HS, Li P, Burrell CJ. Related Articles, Links
-  CD34+ cells and their derivatives contain mRNA for CD4 and human immunodeficiency virus (HIV) co-receptors and are susceptible to infection with M- and T-tropic HIV.  
J Gen Virol. 1998 Jan;79 ( Pt 1):71-5.  
PMID: 9460925 [PubMed - indexed for MEDLINE]
- ☐ **485:** Winkler C, Modi W, Smith MW, Nelson GW, Wu X, Carrington M, Dean M, Honjo T, Tashiro K, Yabe D, Buchbinder S, Vittinghoff E, Goedert JJ, O'Brien TR, Jacobson LP, Detels R, Donfield S, Willoughby A, Gomperts E, Vlahov D, Phair J, O'Brien SJ. Related Articles, Links
-  Genetic restriction of AIDS pathogenesis by an SDF-1 chemokine gene variant. ALIVE Study, Hemophilia Growth and Development Study (HGDS), Multicenter AIDS Cohort Study (MACS), Multicenter Hemophilia Cohort Study (MHCS), San Francisco City Cohort (SFCC) Science. 1998 Jan 16;279(5349):389-93.  
PMID: 9430590 [PubMed - indexed for MEDLINE]
- ☐ **486:** Arai H, Tsou CL, Charo IF. Related Articles, Links
-  Chemotaxis in a lymphocyte cell line transfected with C-C chemokine receptor 2B: evidence that directed migration is mediated by betagamma dimers released by activation of Galpha i-coupled receptors.  
Proc Natl Acad Sci U S A. 1997 Dec 23;94(26):14495-9.  
PMID: 9405641 [PubMed - indexed for MEDLINE]
- ☐ **487:** Kurihara T, Warr G, Loy J, Bravo R. Related Articles, Links
-  Defects in macrophage recruitment and host defense in mice lacking the CCR2 chemokine receptor.  
J Exp Med. 1997 Nov 17;186(10):1757-62.  
PMID: 9362535 [PubMed - indexed for MEDLINE]
- ☐ **488:** Collman RG. Related Articles, Links
- Effect of CCR2 and CCR5 variants on HIV disease: abstract and

-  commentary.  
JAMA. 1997 Dec 17;278(23):2113-4. No abstract available.  
PMID: 9403430 [PubMed - indexed for MEDLINE]
-  **489:** Moore UM, Kaplow JM, Pleass RD, Castro SW, Naik K, Lynch CN, Daly S, Roach AG, Jaye M, Williams RJ. Related Articles, Links  
Monocyte chemoattractant protein-2 is a potent agonist of CCR2B.  
J Leukoc Biol. 1997 Dec;62(6):911-5.  
PMID: 9400834 [PubMed - indexed for MEDLINE]
-   
 **490:** Boring L, Gosling J, Chensue SW, Kunkel SL, Farese RV Jr, Broxmeyer HE, Charo IF. Related Articles, Links  
Impaired monocyte migration and reduced type 1 (Th1) cytokine responses in C-C chemokine receptor 2 knockout mice.  
J Clin Invest. 1997 Nov 15;100(10):2552-61.  
PMID: 9366570 [PubMed - indexed for MEDLINE]
-  **491:** Xu L, Rahimpour R, Ran L, Kong C, Biragyn A, Andrews J, Devries M, Wang JM, Kelvin DJ. Related Articles, Links  
Regulation of CCR2 chemokine receptor mRNA stability.  
J Leukoc Biol. 1997 Nov;62(5):653-60.  
PMID: 9365120 [PubMed - indexed for MEDLINE]
-  **492:** Montecarlo FS, Arai H, Charo IF. Related Articles, Links  
Molecular approaches to identifying ligand binding and signaling domains of C-C chemokine receptors.  
Methods Enzymol. 1997;288:70-84.  
PMID: 9356988 [PubMed - indexed for MEDLINE]
-  **493:** Kuziel WA, Morgan SJ, Dawson TC, Griffin S, Smithies O, Ley K, Maeda N. Related Articles, Links  
Severe reduction in leukocyte adhesion and monocyte extravasation in mice deficient in CC chemokine receptor 2.  
Proc Natl Acad Sci U S A. 1997 Oct 28;94(22):12053-8.  
PMID: 9342361 [PubMed - indexed for MEDLINE]
-  **494:** Michael NL, Louie LG, Rohrbach AL, Schultz KA, Dayhoff DE, Wang CE, Sheppard HW. Related Articles, Links  
The role of CCR5 and CCR2 polymorphisms in HIV-1 transmission and disease progression.  
Nat Med. 1997 Oct;3(10):1160-2.  
PMID: 9334732 [PubMed - indexed for MEDLINE]
-  **495:** Smith MW, Carrington M, Winkler C, Lomb D, Dean M, Huttley G, O'Brien SJ. Related Articles, Links  
CCR2 chemokine receptor and AIDS progression.  
Nat Med. 1997 Oct;3(10):1052-3. No abstract available.  
PMID: 9334699 [PubMed - indexed for MEDLINE]
-  **496:** [No authors listed] Related Articles, Links  
Wrong kind of chemokine research.  
Nat Med. 1997 Oct;3(10):1051. No abstract available.  
PMID: 9334697 [PubMed - indexed for MEDLINE]
-  **497:** Arai H, Montecarlo FS, Tsou CL, Franci C, Charo IF. Related Articles, Links  
Dissociation of chemotaxis from agonist-induced receptor

internalization in a lymphocyte cell line transfected with CCR2B.  
Evidence that directed migration does not require rapid modulation of  
signaling at the receptor level.

J Biol Chem. 1997 Oct 3;272(40):25037-42.

PMID: 9312111 [PubMed - indexed for MEDLINE]

- ☐ **498:** [Samson M, LaRosa G, Libert F, Paindavoine P, Detheux M, Vassart G, Parmentier M.](#) [Related Articles, Links](#)



The second extracellular loop of CCR5 is the major determinant of  
ligand specificity.

J Biol Chem. 1997 Oct 3;272(40):24934-41.

PMID: 9312096 [PubMed - indexed for MEDLINE]

- ☐ **499:** [Montecarlo FS, Charo IF.](#) [Related Articles, Links](#)



The amino-terminal domain of CCR2 is both necessary and sufficient  
for high affinity binding of monocyte chemoattractant protein 1.

Receptor activation by a pseudo-tethered ligand.

J Biol Chem. 1997 Sep 12;272(37):23186-90.

PMID: 9287323 [PubMed - indexed for MEDLINE]

- ☐ **500:** [Michelson S, Dal Monte P, Zipeto D, Bodaghi B, Laurent L, Oberlin E, Arenzana-Seisdedos F, Virelizier JL, Landini MP.](#) [Related Articles, Links](#)



Modulation of RANTES production by human cytomegalovirus  
infection of fibroblasts.

J Virol. 1997 Sep;71(9):6495-500.

PMID: 9261368 [PubMed - indexed for MEDLINE]

Items 1 - 500 of 542

Page

1

of 2 Next

Display  Show  Sort by  Send to



[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Mar 29 2005 17:30:14



All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Books

Search  for

Limits Preview/Index History Clipboard Details

Display  Show  Sort by  Send to

About Entrez

Text Version

All: 542 Review: 25

Items 501 - 542 of 542

Previous  of 2

#### Entrez PubMed

Overview  
Help | FAQ  
Tutorial  
New/Noteworthy  
E-Utilities

#### PubMed Services

Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
LinkOut

My NCBI (Cubby)

#### Related Resources

Order Documents  
NLM Catalog  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central

- ☐ **501:** [Smith MW, Dean M, Carrington M, Winkler C, Huttley GA, Lomb DA, Goedert JJ, O'Brien TR, Jacobson LP, Kaslow R, Buchbinder S, Vittinghoff E, Vlahov D, Hoots K, Hilgartner MW, O'Brien SJ.](#) [Related Articles, Links](#)



Contrasting genetic influence of CCR2 and CCR5 variants on HIV-1 infection and disease progression. Hemophilia Growth and Development Study (HGDS), Multicenter AIDS Cohort Study (MACS), Multicenter Hemophilia Cohort Study (MHCS), San Francisco City Cohort (SFCC), ALIVE Study.  
Science. 1997 Aug 15;277(5328):959-65.  
PMID: 9252328 [PubMed - indexed for MEDLINE]

- ☐ **502:** [Alkhatib G, Ahuja SS, Light D, Mummidi S, Berger EA, Ahuja SK.](#) [Related Articles, Links](#)



CC chemokine receptor 5-mediated signaling and HIV-1 Co-receptor activity share common structural determinants. Critical residues in the third extracellular loop support HIV-1 fusion.  
J Biol Chem. 1997 Aug 8;272(32):19771-6.  
PMID: 9242636 [PubMed - indexed for MEDLINE]

- ☐ **503:** [Frade JM, Llorente M, Mellado M, Alcamí J, Gutierrez-Ramos JC, Zaballos A, Real G, Martínez-A C.](#) [Related Articles, Links](#)



The amino-terminal domain of the CCR2 chemokine receptor acts as coreceptor for HIV-1 infection.  
J Clin Invest. 1997 Aug 1;100(3):497-502.  
PMID: 9239395 [PubMed - indexed for MEDLINE]

- ☐ **504:** [Nieto M, Frade JM, Sancho D, Mellado M, Martínez-A C, Sánchez-Madrid F.](#) [Related Articles, Links](#)



Polarization of chemokine receptors to the leading edge during lymphocyte chemotaxis.  
J Exp Med. 1997 Jul 7;186(1):153-8.  
PMID: 9207004 [PubMed - indexed for MEDLINE]

- ☐ **505:** [Sozzani S, Introna M, Bernasconi S, Polentarutti N, Cinque P, Poli G, Sica A, Mantovani A.](#) [Related Articles, Links](#)



MCP-1 and CCR2 in HIV infection: regulation of agonist and receptor expression.  
J Leukoc Biol. 1997 Jul;62(1):30-3. Review.  
PMID: 9225989 [PubMed - indexed for MEDLINE]

- ☐ **506:** [Berkhout TA, Sarau HM, Moores K, White JR, Elshourbagy N.](#) [Related Articles, Links](#)

Appelbaum E, Reape RJ, Brawner M, Makwana J, Foley JJ, Schmidt DB, Imburgia C, McNulty D, Matthews J, O'Donnell K, O'Shannessy D, Scott M, Groot PH, Macphee C.



Cloning, in vitro expression, and functional characterization of a novel human CC chemokine of the monocyte chemotactic protein (MCP) family (MCP-4) that binds and signals through the CC chemokine receptor 2B.

J Biol Chem. 1997 Jun 27;272(26):16404-13.

PMID: 9195948 [PubMed - indexed for MEDLINE]

☐ **507:** Balter M.

[Related Articles](#), [Links](#)



Does a common virus give HIV a helping hand?

Science. 1997 Jun 20;276(5320):1794. No abstract available.

PMID: 9206839 [PubMed - indexed for MEDLINE]

☐ **508:** Pleskoff O, Treboute C, Brelot A, Heveker N, Seman M, Alizon M.

[Related Articles](#), [Links](#)



Identification of a chemokine receptor encoded by human cytomegalovirus as a cofactor for HIV-1 entry.

Science. 1997 Jun 20;276(5320):1874-8.

PMID: 9188536 [PubMed - indexed for MEDLINE]

☐ **509:** Gong X, Gong W, Kuhns DB, Ben-Baruch A, Howard OM, Wang JM.

[Related Articles](#), [Links](#)



Monocyte chemotactic protein-2 (MCP-2) uses CCR1 and CCR2B as its functional receptors.

J Biol Chem. 1997 May 2;272(18):11682-5.

PMID: 9115216 [PubMed - indexed for MEDLINE]

☐ **510:** Daugherty BL, Springer MS.

[Related Articles](#), [Links](#)



The beta-chemokine receptor genes CCR1 (CMKBR1), CCR2 (CMKBR2), and CCR3 (CMKBR3) cluster within 285 kb on human chromosome 3p21.

Genomics. 1997 Apr 15;41(2):294-5. No abstract available.

PMID: 9143512 [PubMed - indexed for MEDLINE]

☐ **511:** Yen H, Zhang Y, Penfold S, Rollins BJ.

[Related Articles](#), [Links](#)



MCP-1-mediated chemotaxis requires activation of non-overlapping signal transduction pathways.

J Leukoc Biol. 1997 Apr;61(4):529-32.

PMID: 9103241 [PubMed - indexed for MEDLINE]

☐ **512:** Tangirala RK, Murao K, Quehenberger O.

[Related Articles](#), [Links](#)



Regulation of expression of the human monocyte chemotactic protein-1 receptor (hCCR2) by cytokines.

J Biol Chem. 1997 Mar 21;272(12):8050-6.

PMID: 9065478 [PubMed - indexed for MEDLINE]

☐ **513:** Polentarutti N, Allavena P, Bianchi G, Giardina G, Basile A, Sozzani S, Mantovani A, Introna M.









[Related Articles](#), [Links](#)











IL-2-regulated expression of the monocyte chemotactic protein-1 receptor (CCR2) in human NK cells: characterization of a predominant 3.4-kilobase transcript containing CCR2B and CCR2A sequences.









J Immunol. 1997 Mar 15;158(6):2689-94.

PMID: 9058802 [PubMed - indexed for MEDLINE]

- 514: [Sica A, Saccani A, Borsatti A, Power CA, Wells TN, Luini W, Polentarutti N, Sozzani S, Mantovani A.](#) Related Articles, Links  
 Bacterial lipopolysaccharide rapidly inhibits expression of C-C chemokine receptors in human monocytes.  
J Exp Med. 1997 Mar 3;185(5):969-74.  
PMID: 9120403 [PubMed - indexed for MEDLINE]
- 515: [Godiska R, Chantry D, Raport CJ, Schweickart VL, Trong HL, Gray PW.](#) Related Articles, Links  
 Monocyte chemotactic protein-4: tissue-specific expression and signaling through CC chemokine receptor-2.  
J Leukoc Biol. 1997 Mar;61(3):353-60.  
PMID: 9060459 [PubMed - indexed for MEDLINE]
- 516: [Randolph-Habecker J, Beall CJ, Kolattukudy PE, Sedmak DD.](#) Related Articles, Links  
 Monocyte chemoattractant protein-1 binding by cytomegalovirus-infected endothelial cells.  
Transplant Proc. 1997 Feb-Mar;29(1-2):807-8. No abstract available.  
PMID: 9123535 [PubMed - indexed for MEDLINE]
- 517: [Wong LM, Myers SJ, Tsou CL, Gosling J, Arai H, Charo IF.](#) Related Articles, Links  
 Organization and differential expression of the human monocyte chemoattractant protein 1 receptor gene. Evidence for the role of the carboxyl-terminal tail in receptor trafficking.  
J Biol Chem. 1997 Jan 10;272(2):1038-45.  
PMID: 8995400 [PubMed - indexed for MEDLINE]
- 518: [Yamagami S, Tanaka H, Endo N.](#) Related Articles, Links  
 Monocyte chemoattractant protein-2 can exert its effects through the MCP-1 receptor (CC CKR2B).  
FEBS Lett. 1997 Jan 6;400(3):329-32.  
PMID: 9009224 [PubMed - indexed for MEDLINE]
- 519: [Franci C, Gosling J, Tsou CL, Coughlin SR, Charo IF.](#) Related Articles, Links  
 Phosphorylation by a G protein-coupled kinase inhibits signaling and promotes internalization of the monocyte chemoattractant protein-1 receptor. Critical role of carboxyl-tail serines/threonines in receptor function.  
J Immunol. 1996 Dec 15;157(12):5606-12.  
PMID: 8955213 [PubMed - indexed for MEDLINE]
- 520: [Atchison RE, Gosling J, Monteclaro FS, Franci C, Digilio L, Charo IF, Goldsmith MA.](#) Related Articles, Links  
 Multiple extracellular elements of CCR5 and HIV-1 entry: dissociation from response to chemokines.  
Science. 1996 Dec 13;274(5294):1924-6.  
PMID: 8943208 [PubMed - indexed for MEDLINE]
- 521: [Needham M, Sturgess N, Cerillo G, Green I, Warburton H, Wilson R, Martin L, Barratt D, Anderson M, Reilly C, Hollis M.](#) Related Articles, Links  
 Monocyte chemoattractant protein-1: receptor interactions and calcium signaling mechanisms.  
J Leukoc Biol. 1996 Dec;60(6):793-803.  
PMID: 8975884 [PubMed - indexed for MEDLINE]

-  **522:** [Rucker J, Samson M, Doranz BJ, Libert F, Berson JF, Yi Y, Smyth RJ, Collman RG, Broder CC, Vassart G, Doms RW, Parmentier M.](#) [Related Articles, Links](#)  
Regions in beta-chemokine receptors CCR5 and CCR2b that determine HIV-1 cofactor specificity.  
Cell. 1996 Nov 1;87(3):437-46.  
PMID: 8898197 [PubMed - indexed for MEDLINE]
-  **523:** [Arai H, Charo IF.](#) [Related Articles, Links](#)  
Differential regulation of G-protein-mediated signaling by chemokine receptors.  
J Biol Chem. 1996 Sep 6;271(36):21814-9.  
PMID: 8702980 [PubMed - indexed for MEDLINE]
-  **524:** [Heesen M, Tanabe S, Berman MA, Yoshizawa I, Luo Y, Kim RJ, Post TW, Gerard C, Dorf ME.](#) [Related Articles, Links](#)  
Mouse astrocytes respond to the chemokines MCP-1 and KC, but reverse transcriptase-polymerase chain reaction does not detect mRNA for the KC or new MCP-1 receptor.  
J Neurosci Res. 1996 Aug 15;45(4):382-91.  
PMID: 8872898 [PubMed - indexed for MEDLINE]
-  **525:** [Montecclaro FS, Charo IF.](#) [Related Articles, Links](#)  
The amino-terminal extracellular domain of the MCP-1 receptor, but not the RANTES/MIP-1alpha receptor, confers chemokine selectivity. Evidence for a two-step mechanism for MCP-1 receptor activation.  
J Biol Chem. 1996 Aug 9;271(32):19084-92.  
PMID: 8702581 [PubMed - indexed for MEDLINE]
-  **526:** [Loetscher P, Seitz M, Baggiolini M, Moser B.](#) [Related Articles, Links](#)  
Interleukin-2 regulates CC chemokine receptor expression and chemotactic responsiveness in T lymphocytes.  
J Exp Med. 1996 Aug 1;184(2):569-77.  
PMID: 8760810 [PubMed - indexed for MEDLINE]
-  **527:** [Gharace-Kermani M, Denholm EM, Phan SH.](#) [Related Articles, Links](#)  
Costimulation of fibroblast collagen and transforming growth factor beta1 gene expression by monocyte chemoattractant protein-1 via specific receptors.  
J Biol Chem. 1996 Jul 26;271(30):17779-84.  
PMID: 8663511 [PubMed - indexed for MEDLINE]
-  **528:** [Meyer A, Coyle AJ, Proudfoot AE, Wells TN, Power CA.](#) [Related Articles, Links](#)  
Cloning and characterization of a novel murine macrophage inflammatory protein-1 alpha receptor.  
J Biol Chem. 1996 Jun 14;271(24):14445-51. Erratum in: J Biol Chem 1996 Sep 20;271(38):23601.  
PMID: 8662890 [PubMed - indexed for MEDLINE]
-  **529:** [Kurihara T, Bravo R.](#) [Related Articles, Links](#)  
Cloning and functional expression of mCCR2, a murine receptor for the C-C chemokines JE and FIC.  
J Biol Chem. 1996 May 17;271(20):11603-7.  
PMID: 8662823 [PubMed - indexed for MEDLINE]



- 530: [al-Aoukaty A, Schall TJ, Maghazachi AA.](#) [Related Articles, Links](#)
-  Differential coupling of CC chemokine receptors to multiple heterotrimeric G proteins in human interleukin-2-activated natural killer cells.  
Blood. 1996 May 15;87(10):4255-60.  
PMID: 8639784 [PubMed - indexed for MEDLINE]
- 531: [Boring L, Gosling J, Monteclaro FS, Lulis AJ, Tsou CL, Charo IF.](#) [Related Articles, Links](#)
-  Molecular cloning and functional expression of murine JE (monocyte chemoattractant protein 1) and murine macrophage inflammatory protein 1alpha receptors: evidence for two closely linked C-C chemokine receptors on chromosome 9.  
J Biol Chem. 1996 Mar 29;271(13):7551-8.  
PMID: 8631787 [PubMed - indexed for MEDLINE]
- 532: [Qin S, LaRosa G, Campbell JJ, Smith-Heath H, Kassam N, Shi X, Zeng L, Butcher EC, Mackay CR.](#) [Related Articles, Links](#)
-  Expression of monocyte chemoattractant protein-1 and interleukin-8 receptors on subsets of T cells: correlation with transendothelial chemotactic potential.  
Eur J Immunol. 1996 Mar;26(3):640-7.  
PMID: 8605932 [PubMed - indexed for MEDLINE]
- 533: [Kuang Y, Wu Y, Jiang H, Wu D.](#) [Related Articles, Links](#)
-  Selective G protein coupling by C-C chemokine receptors.  
J Biol Chem. 1996 Feb 23;271(8):3975-8.  
PMID: 8626727 [PubMed - indexed for MEDLINE]
- 534: [Dubois PM, Palmer D, Webb ML, Ledbetter JA, Shapiro RA.](#) [Related Articles, Links](#)
-  Early signal transduction by the receptor to the chemokine monocyte chemotactic protein-1 in a murine T cell hybrid.  
J Immunol. 1996 Feb 15;156(4):1356-61.  
PMID: 8568234 [PubMed - indexed for MEDLINE]
- 535: [Combadiere C, Ahuja SK, Van Damme J, Tiffany HL, Gao JL, Murphy PM.](#) [Related Articles, Links](#)
-  Monocyte chemoattractant protein-3 is a functional ligand for CC chemokine receptors 1 and 2B.  
J Biol Chem. 1995 Dec 15;270(50):29671-5.  
PMID: 8530354 [PubMed - indexed for MEDLINE]
- 536: [Denholm EM, Stankus GP.](#) [Related Articles, Links](#)
-  Changes in the expression of MCP-1 receptors on monocytic THP-1 cells following differentiation to macrophages with phorbol myristate acetate.  
Cytokine. 1995 Jul;7(5):436-40.  
PMID: 7578981 [PubMed - indexed for MEDLINE]
- 537: [Franci C, Wong LM, Van Damme J, Proost P, Charo IF.](#) [Related Articles, Links](#)
-  Monocyte chemoattractant protein-3, but not monocyte chemoattractant protein-2, is a functional ligand of the human monocyte chemoattractant protein-1 receptor.  
J Immunol. 1995 Jun 15;154(12):6511-7.

PMID: 7759884 [PubMed - indexed for MEDLINE]

☐ **538:** [Kuhn DE, Beall CJ, Kolattukudy PE.](#)[Related Articles, Links](#)

The cytomegalovirus US28 protein binds multiple CC chemokines with high affinity.

Biochem Biophys Res Commun. 1995 Jun 6;211(1):325-30.  
PMID: 7540006 [PubMed - indexed for MEDLINE]

☐ **539:** [Myers SJ, Wong LM, Charo IF.](#)[Related Articles, Links](#)

Signal transduction and ligand specificity of the human monocyte chemoattractant protein-1 receptor in transfected embryonic kidney cells.

J Biol Chem. 1995 Mar 17;270(11):5786-92.  
PMID: 7890708 [PubMed - indexed for MEDLINE]

☐ **540:** [Gong JH, Clark-Lewis I.](#)[Related Articles, Links](#)

Antagonists of monocyte chemoattractant protein 1 identified by modification of functionally critical NH2-terminal residues.

J Exp Med. 1995 Feb 1;181(2):631-40.  
PMID: 7836918 [PubMed - indexed for MEDLINE]

☐ **541:** [Gao JL, Murphy PM.](#)[Related Articles, Links](#)

Human cytomegalovirus open reading frame US28 encodes a functional beta chemokine receptor.

J Biol Chem. 1994 Nov 18;269(46):28539-42.  
PMID: 7961796 [PubMed - indexed for MEDLINE]

☐ **542:** [Charo IF, Myers SJ, Herman A, Franci C, Connolly AJ, Coughlin SR.](#)[Related Articles, Links](#)

Molecular cloning and functional expression of two monocyte chemoattractant protein 1 receptors reveals alternative splicing of the carboxyl-terminal tails.

Proc Natl Acad Sci U S A. 1994 Mar 29;91(7):2752-6.  
PMID: 8146186 [PubMed - indexed for MEDLINE]

Items 501 - 542 of 542

Previous **Page** **2** of 2Display **Summary** Show **500** Sort by  Send to [Write to the Help Desk](#)[NCBI](#) | [NLM](#) | [NIH](#)[Department of Health & Human Services](#)[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Mar 29 2005 17:30:14

Connecting via Winsock to STN  
Welcome to STN International! Enter x:x  
\* \* \* \* \* Welcome to STN International \* \* \* \* \*  
\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 14:03:45 ON 19 APR 2005

=> file BIOSCIENCE  
FILE 'DRUGMONOG' ACCESS NOT AUTHORIZED  
FILE 'ADISCTI' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Adis Data Information BV

FILE 'ADISINSIGHT' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Adis Data Information BV

FILE 'ADISNEWS' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Adis Data Information BV

FILE 'AGRICOLA' ENTERED AT 14:04:06 ON 19 APR 2005

FILE 'ANABSTR' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (c) 2005 THE ROYAL SOCIETY OF CHEMISTRY (RSC)

FILE 'ANTE' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Cambridge Scientific Abstracts (CSA)

FILE 'AQUALINE' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Cambridge Scientific Abstracts (CSA)

FILE 'AQUASCI' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT 2005 FAO (On behalf of the ASFA Advisory Board). All rights reserved.

FILE 'BIOBUSINESS' ENTERED AT 14:04:06 ON 19 APR 2005  
Copyright (c) 1998 The Thomson Corporation.

FILE 'BIOCOMMERCE' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 BioCommerce Data Ltd. Richmond Surrey, United Kingdom. All rights reserved

FILE 'BIOENG' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Cambridge Scientific Abstracts (CSA)

FILE 'BIOSIS' ENTERED AT 14:04:06 ON 19 APR 2005  
Copyright (c) 2005 The Thomson Corporation

FILE 'BIOTECHABS' ACCESS NOT AUTHORIZED

FILE 'BIOTECHDS' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'BIOTECHNO' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Elsevier Science B.V., Amsterdam. All rights reserved.

FILE 'CABA' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 CAB INTERNATIONAL (CABI)

FILE 'CANCERLIT' ENTERED AT 14:04:06 ON 19 APR 2005

FILE 'CAPLUS' ENTERED AT 14:04:06 ON 19 APR 2005  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'CEABA-VTB' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (c) 2005 DECHEMA eV

FILE 'CEN' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2001 American Chemical Society (ACS)

FILE 'CIN' ENTERED AT 14:04:06 ON 19 APR 2005  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2005 American Chemical Society (ACS)

FILE 'CONFSCI' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Cambridge Scientific Abstracts (CSA)

FILE 'CROPB' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'CROPU' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'DDFB' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'DDFU' ACCESS NOT AUTHORIZED

FILE 'DGENE' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'DISSABS' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 ProQuest Information and Learning Company; All Rights Reserved.

FILE 'DRUGB' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'DRUGMONOG2' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 IMSWORLD Publications Ltd

FILE 'DRUGU' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'EMBAL' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Elsevier Inc. All rights reserved.

FILE 'EMBASE' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Elsevier Inc. All rights reserved.

FILE 'ESBIOBASE' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Elsevier Science B.V., Amsterdam. All rights reserved.

FILE 'FEDRIP' ENTERED AT 14:04:06 ON 19 APR 2005

FILE 'FOMAD' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Leatherhead Food Research Association

FILE 'FOREGE' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Leatherhead Food Research Association

FILE 'FROSTI' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Leatherhead Food Research Association

FILE 'FSTA' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 International Food Information Service

FILE 'GENBANK' ENTERED AT 14:04:06 ON 19 APR 2005

FILE 'HEALSAFE' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Cambridge Scientific Abstracts (CSA)

FILE 'IFIPAT' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 IFI CLAIMS(R) Patent Services (IFI)

FILE 'IMSDRUGNEWS' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 IMSWORLD Publications Ltd

FILE 'IMSPRODUCT' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 IMSWORLD Publications Ltd

FILE 'IMSRESEARCH' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 IMSWORLD Publications Ltd

FILE 'JICST-EPLUS' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Japan Science and Technology Agency (JST)

FILE 'KOSMET' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 International Federation of the Societies of Cosmetics Chemists

FILE 'LIFESCI' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Cambridge Scientific Abstracts (CSA)

FILE 'MEDICONF' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (c) 2005 FAIRBASE Datenbank GmbH, Hannover, Germany

FILE 'MEDLINE' ENTERED AT 14:04:06 ON 19 APR 2005

FILE 'NIOSHTIC' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 U.S. Secretary of Commerce on Behalf of the U.S. Government

FILE 'NTIS' ENTERED AT 14:04:06 ON 19 APR 2005  
Compiled and distributed by the NTIS, U.S. Department of Commerce.  
It contains copyrighted material.  
All rights reserved. (2005)

FILE 'NUTRACEUT' ENTERED AT 14:04:06 ON 19 APR 2005  
Copyright 2005 (c) MARKETLETTER Publications Ltd. All rights reserved.

FILE 'OCEAN' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Cambridge Scientific Abstracts (CSA)

FILE 'PASCAL' ENTERED AT 14:04:06 ON 19 APR 2005  
Any reproduction or dissemination in part or in full,  
by means of any process and on any support whatsoever  
is prohibited without the prior written agreement of INIST-CNRS.  
COPYRIGHT (C) 2005 INIST-CNRS. All rights reserved.

FILE 'PCTGEN' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 WIPO

FILE 'PHAR' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 T&F Informa UK Ltd.

FILE 'PHARMAML' ENTERED AT 14:04:06 ON 19 APR 2005  
Copyright 2005 (c) MARKETLETTER Publications Ltd. All rights reserved.

FILE 'PHIC' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 T&F Informa UK Ltd.

FILE 'PHIN' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 T&F Informa UK Ltd.

FILE 'PROMT' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Gale Group. All rights reserved.

FILE 'PROUSDDR' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Prous Science

FILE 'PS' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Thieme on STN

FILE 'RDISCLOSURE' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Kenneth Mason Publications Ltd.

FILE 'SCISEARCH' ENTERED AT 14:04:06 ON 19 APR 2005  
Copyright (c) 2005 The Thomson Corporation

FILE 'SYNTHLINE' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Prous Science

FILE 'TOXCENTER' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 ACS

FILE 'USPATFULL' ENTERED AT 14:04:06 ON 19 APR 2005  
CA INDEXING COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 14:04:06 ON 19 APR 2005

FILE 'VETB' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'VETU' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'WATER' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 Cambridge Scientific Abstracts (CSA)

FILE 'WPIDS' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'WPIFV' ENTERED AT 14:04:06 ON 19 APR 2005  
COPYRIGHT (C) 2005 THOMSON DERWENT

FILE 'WPINDEX' ACCESS NOT AUTHORIZED

=> s MCP-1RA  
48 FILES SEARCHED...  
L1 77 MCP-1RA

=> DUP REM L1  
DUPLICATE IS NOT AVAILABLE IN 'ADISINSIGHT, ADISNEWS, BIOCOMMERCE, DGENE,  
DRUGMONOG2, FEDRIP, FOREGE, GENBANK, IMSPRODUCT, IMSRESEARCH, KOSMET,  
MEDICONF, NUTRACEUT, PCTGEN, PHAR, PHARMAML, PROUSDDR, PS, RDISCLOSURE,  
SYNTHLINE'.  
ANSWERS FROM THESE FILES WILL BE CONSIDERED UNIQUE  
PROCESSING COMPLETED FOR L1  
L2 48 DUP REM L1 (29 DUPLICATES REMOVED)

=> D L2 1-48

L2 ANSWER 1 OF 48 USPATFULL on STN  
AN 2005:56141 USPATFULL  
TI Anti-CCR2 antibodies and methods of use therefor  
IN LaRosa, Gregory J., Newton, MA, UNITED STATES  
PA Millennium Pharmaceuticals, Inc., Cambridge, MA (U.S. corporation)  
PI US 2005048052 A1 20050303  
AI US 2003-656805 A1 20030905 (10)  
RLI Continuation of Ser. No. US 2001-898513, filed on 3 Jul 2001, PENDING  
Continuation of Ser. No. US 1998-121781, filed on 23 Jul 1998, GRANTED,  
Pat. No. US 6312689  
DT Utility  
FS APPLICATION  
LN.CNT 2092  
INCL INCLM: 424/144.100  
INCLS: 435/007.200  
NCL NCLM: 424/144.100  
NCLS: 435/007.200  
IC [7]  
ICM: G01N033-53  
ICS: G01N033-567; A61K039-395  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 2 OF 48 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation on STN  
DUPLICATE 1  
AN 2004:265527 BIOSIS  
DN PREV200400271471  
TI MCP-1 receptor antibodies.  
AU Charo, Israel R. [Inventor, Reprint Author]; Coughlin, Shaun R. [Inventor]  
CS San Francisco, CA, USA  
ASSIGNEE: The Regents of the University of California  
PI US 6730301 May 04, 2004  
SO Official Gazette of the United States Patent and Trademark Office Patents,  
(May 4 2004) Vol. 1282, No. 1. <http://www.uspto.gov/web/menu/patdata.html>.  
e-file.  
ISSN: 0098-1133 (ISSN print).  
DT Patent  
LA English  
ED Entered STN: 26 May 2004

L2 ANSWER 3 OF 48 CAPLUS COPYRIGHT 2005 ACS on STN DUPLICATE 2  
 AN 2004:633041 CAPLUS  
 DN 141:172873  
 TI Humanized anti-CCR2 chemokine receptor antibodies and recombinant  
 production thereof, and methods of therapeutic, prophylactic and  
 diagnostic uses therefor  
 IN O'Keefe, Theresa; Ponath, Paul  
 PA USA  
 SO U.S. Pat. Appl. Publ., 128 pp., Cont.-in-part of U.S. Pat. Appl. 2004  
 33,561.  
 CODEN: USXXCO  
 DT Patent  
 LA English  
 FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2004151721	A1	20040805	US 2003-733563	20031210
	US 2004033561	A1	20040219	US 2002-272899	20021017
PRAI	US 2001-350166P	P	20011019		
	US 2002-392364P	P	20020626		
	US 2002-272899	A2	20021017		

L2 ANSWER 4 OF 48 IFIPAT COPYRIGHT 2005 IFI on STN DUPLICATE 3  
 AN 10716719 IFIPAT;IFIUDB;IFICDB

TI MAMMALIAN MONOCYTE CHEMOATTRACTANT PROTEIN RECEPTORS

IN Charo Israel R; Coughlin Shaun R

PA California, University of Regents (13234)

PI US 2004223968 A1 20041111

AI US 2004-791166 20040301

RLI US 1995-446669 19950525 CONTINUATION 6132987

US 2000-625573 20000725 CONTINUATION 6730301

US 1994-182962 19940113 CONTINUATION-IN-PART ABANDONED

FI US 2004223968 20041111

US 6132987

US 6730301

DT Utility; Patent Application - First Publication

FS CHEMICAL

APPLICATION

CLMN 17

GI 8 Figure(s).

FIG. 1 illustrates the human cDNA and amino acid sequences (SEQ ID NO: 1 and SEQ ID NO: 2, respectively) of the isolated MCP-1 receptor clone, MCP-1 RA.

FIG. 2 illustrates the human cDNA and amino acid sequences (SEQ ID NO: 3 and SEQ ID NO: 4, respectively) of the isolated MCP-1 receptor clone, MCP-1RB.

FIG. 3 illustrates the results of Northern blot analysis of hematopoietic cell lines that were probed for \*\*\*MCP\*\*\* - \*\*\*1RA\*\*\* and MCP1RB mRNA.

FIG. 4 illustrates the predicted amino acid sequence of the MCP1 receptor A ( \*\*\*MCP\*\*\* - \*\*\*1RA\*\*\* ) (SEQ ID NO: 2), aligned with the MIP-1 alpha /RANTES receptor sequence (SEQ ID NO: 5), the orphan receptor sequence HUMSTR (SEQ ID NO:6) and the two IL-8 receptor sequences (SEQ ID NOS: 7 and 8). Identical residues are boxed. The seven putative transmembrane domains are indicated by the horizontal bars. Gaps inserted to optimize the alignments are indicated by dashes. Amino acid numbers for each sequence are located to the right of the sequences.

FIG. 5 graphically depicts the functional expression of MCP-1R protein in Xenopus oocytes as assayed by measuring calcium mobilization in the presence of MCP-1.

FIG. 6 graphically depicts the results of the calcium efflux assay used to confirm gene expression and responsiveness to MCP1 as described in Example 4.

FIG. 7 graphically depicts the binding of <sup>125</sup>I-MCP-1 to the recombinant MCP-1RB receptor, as described in detail in Example 5.

FIG. 8 graphically depicts the results of the MCP-1RB receptor-mediated calcium mobilization experiments also described in detail in Example 5. 8A depicts intracellular calcium flux as a function of MCP-1 concentration (nM). Calcium transients peaked at 4-8 sec. after addition of MCP-1 and returned to baseline within 90 sec. of activation. 8B

depicts the MCP-1 stimulated calcium mobilization (EC50=3.4 nM) and the lack of stimulated calcium mobilization by other cytokines. 8C illustrates that MCP-1 desensitized the cells to a second addition of MCP-1.

L2 ANSWER 5 OF 48 IFIPAT COPYRIGHT 2005 IFI on STN DUPLICATE 4

AN 10712395 IFIPAT;IFIUDB;IFICDB

TI MCP-1 RECEPTOR ANTIBODIES

IN Charo Israel R; Coughlin Shaun R

PA California, University of Regents (13234)

PI US 2004219644 A1 20041104

AI US 2004-791592 20040301

RLI US 1995-446669 19950525 CONTINUATION 6132987

US 2000-625573 20000725 CONTINUATION 6730301

US 1994-182962 19940113 CONTINUATION-IN-PART ABANDONED

FI US 2004219644 20041104

US 6132987

US 6730301

DT Utility; Patent Application - First Publication

FS CHEMICAL

APPLICATION

CLMN 12

GI 8 Figure(s).

FIG. 1 illustrates the human cDNA and amino acid sequences (SEQ ID NO: 1 and SEQ ID NO: 2, respectively) of the isolated MCP-1 receptor clone, \*\*\*MCP\*\*\* - \*\*\*1RA\*\*\*.

FIG. 2 illustrates the human cDNA and amino acid sequences (SEQ ID NO: 3 and SEQ ID NO: 4, respectively) of the isolated MCP-1 receptor clone, MCP-1RB.

FIG. 3 illustrates the results of Northern blot analysis of hematopoietic cell lines that were probed for \*\*\*MCP\*\*\* - \*\*\*1RA\*\*\* and MCP1RB mRNA.

FIG. 4 illustrates the predicted amino acid sequence of the MCP1 receptor A ( \*\*\*MCP\*\*\* - \*\*\*1RA\*\*\* ) (SEQ ID NO: 2), aligned with the MIP-1 alpha /RANTES receptor sequence (SEQ ID NO: 5), the orphan receptor sequence HUMSTSR (SEQ ID NO:6) and the two IL-8 receptor sequences (SEQ ID NOS: 7 and 8). Identical residues are boxed. The seven putative transmembrane domains are indicated by the horizontal bars. Gaps inserted to optimize the alignments are indicated by dashes. Amino acid numbers for each sequence are located to the right of the sequences.

FIG. 5 graphically depicts the functional expression of MCP-1R protein in Xenopus oocytes as assayed by measuring calcium mobilization in the presence of MCP-1.

FIG. 6 graphically depicts the results of the calcium efflux assay used to confirm gene expression and responsiveness to MCP1 as described in Example 4.

FIG. 7 graphically depicts the binding of <sup>125</sup>I-MCP-1 to the recombinant MCP-1RB receptor, as described in detail in Example 5.

FIG. 8 graphically depicts the results of the MCP-1RB receptormediated calcium mobilization experiments also described in detail in Example 5.

8A depicts intracellular calcium flux as a function of MCP-1 concentration (nM). Calcium transients peaked at 4-8 sec. after addition of MCP-1 and returned to baseline within 90 sec. of activation. 8B depicts the MCP-1 stimulated calcium mobilization (EC50=3.4 nM) and the lack of stimulated calcium mobilization by other cytokines. 8C illustrates that MCP-1 desensitized the cells to a second addition of MCP-1.

L2 ANSWER 6 OF 48 USPATFULL on STN

AN 2004:334226 USPATFULL

TI Anti-CCR2 antibodies and methods of use therefor

IN LaRosa, Gregory J., Newton, MA, UNITED STATES

PA Newman, Walter, Boston, MA, UNITED STATES

Millennium Pharmaceuticals, Inc., a Delaware corporation (U.S. corporation)

PI US 2004265303 A1 20041230

AI US 2004-826454 A1 20040416 (10)

RLI Continuation of Ser. No. US 2001-898513, filed on 3 Jul 2001, PENDING  
Continuation of Ser. No. US 1998-121781, filed on 23 Jul 1998, GRANTED,  
Pat. No. US 6312689

DT Utility

FS APPLICATION



LN.CNT 2077  
INCL INCLM: 424/143.100  
INCLS: 530/388.220  
NCL NCLM: 424/143.100  
NCLS: 530/388.220  
IC [7]  
ICM: A61K039-395  
ICS: C07K016-28  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 7 OF 48 USPATFULL on STN  
AN 2004:172816 USPATFULL  
TI Humanized anti-CCR2 antibodies and methods of use therefor  
IN LaRosa, Gregory J., Newton, MA, UNITED STATES  
Horvath, Christopher, Taunton, MA, UNITED STATES  
Newman, Walter, Boston, MA, UNITED STATES  
Jones, S. Tarran, Radlett, UNITED KINGDOM  
O'Brien, Siobhan H., London, UNITED KINGDOM  
O'Keefe, Theresa, Waltham, MA, UNITED STATES  
PA Millennium Pharmaceuticals, Inc., Cambridge, MA (U.S. corporation)  
PI US 2004132980 A1 20040708  
AI US 2004-766610 A1 20040127 (10)  
RLI Division of Ser. No. US 2001-840459, filed on 23 Apr 2001, GRANTED, Pat. No. US 6696550 Continuation of Ser. No. WO 2001-US3537, filed on 2 Feb 2001, PENDING Continuation-in-part of Ser. No. US 2000-497625, filed on 3 Feb 2000, GRANTED, Pat. No. US 6727349 Continuation-in-part of Ser. No. US 1999-359193, filed on 22 Jul 1999, GRANTED, Pat. No. US 6352832 Continuation-in-part of Ser. No. US 1998-121781, filed on 23 Jul 1998, GRANTED, Pat. No. US 6312689  
DT Utility  
FS APPLICATION  
LN.CNT 5361  
INCL INCLM: 530/388.150  
INCLS: 536/023.530; 435/069.100; 435/328.000; 435/320.100  
NCL NCLM: 530/388.150  
NCLS: 536/023.530; 435/069.100; 435/328.000; 435/320.100  
IC [7]  
ICM: C12Q001-68  
ICS: C07H021-04; C07K016-44; C12N005-06  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 8 OF 48 USPATFULL on STN  
AN 2004:165363 USPATFULL  
TI Humanized anti-CCR2 antibodies and methods of use therefor  
IN LaRosa, Gregory J., Newton, MA, UNITED STATES  
Horvath, Christopher, Taunton, MA, UNITED STATES  
Newman, Walter, Boston, MA, UNITED STATES  
Jones, S. Tarran, Hertfordshire, UNITED KINGDOM  
O'Brien, Siobhan H., London, UNITED KINGDOM  
O'Keefe, Theresa, Waltham, MA, UNITED STATES  
PA Millennium Pharmaceuticals, Inc., Cambridge, MA (U.S. corporation)  
PI US 2004126851 A1 20040701  
AI US 2004-766773 A1 20040127 (10)  
RLI Division of Ser. No. US 2000-497625, filed on 3 Feb 2000, GRANTED, Pat. No. US 6727349 Continuation-in-part of Ser. No. US 1999-359193, filed on 22 Jul 1999, GRANTED, Pat. No. US 6352832 Continuation-in-part of Ser. No. US 1998-121781, filed on 23 Jul 1998, GRANTED, Pat. No. US 6312689  
DT Utility  
FS APPLICATION  
LN.CNT 5057  
INCL INCLM: 435/069.100  
INCLS: 435/320.100; 435/328.000; 530/388.150; 536/023.530  
NCL NCLM: 435/069.100  
NCLS: 435/320.100; 435/328.000; 530/388.150; 536/023.530  
IC [7]  
ICM: C12Q001-68  
ICS: C07H021-04; C07K016-44; C12N005-06  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 9 OF 48 USPATFULL on STN  
AN 2004:103762 USPATFULL  
TI Recombinant anti-CCR2 antibodies and methods of use therefor

IN LaRosa, Gregory J., Newton, MA, United States  
Horvath, Christopher, Taunton, MA, United States  
Newman, Walter, Boston, MA, United States  
Jones, S. Tarran, Radlett, UNITED KINGDOM  
O'Brien, Siobhan H., Finchley, UNITED KINGDOM  
O'Keefe, Theresa, Waltham, MA, United States  
PA Millennium Pharmaceuticals, Inc., Cambridge, MA, United States (U.S.  
corporation)  
PI US 6727349 B1 20040427  
AI US 2000-497625 20000203 (9)  
RLI Continuation-in-part of Ser. No. US 1999-359193, filed on 22 Jul 1999,  
now patented, Pat. No. US 6352832 Continuation-in-part of Ser. No. US  
1998-121781, filed on 23 Jul 1998, now patented, Pat. No. US 6312689  
DT Utility  
FS GRANTED  
LN.CNT 5356  
INCL INCLM: 530/387.300  
INCLS: 424/130.100; 424/156.100; 530/387.100; 530/388.230  
NCL NCLM: 530/387.300  
NCLS: 424/130.100; 424/156.100; 530/387.100; 530/388.230  
IC [7]  
ICM: C07K016-00  
EXF 530/387.1; 530/387.3; 530/388.1; 530/388.23; 530/300; 530/350;  
424/130.1; 424/133.1; 424/135.1; 424/156.1  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 10 OF 48 USPATFULL on STN DUPLICATE 5  
AN 2003:52384 USPATFULL  
TI COMPOSITIONS AND METHODS FOR WOUND HEALING  
IN HEBER-KATZ, ELLEN, PHILADELPHIA, PA, UNITED STATES  
PI US 2003037345 A1 20030220  
US 6538173 B2 20030325  
AI US 1999-249155 A1 19990212 (9)  
PRAI US 1998-74737P 19980213 (60)  
US 1998-97937P 19980826 (60)  
US 1998-102051P 19980928 (60)  
DT Utility  
FS APPLICATION  
LN.CNT 3622  
INCL INCLM: 800/003.000  
INCLS: 435/004.000; 435/006.000; 424/009.100  
NCL NCLM: 800/008.000  
NCLS: 424/009.100; 435/004.000; 435/006.000; 800/003.000  
IC [7]  
ICM: A61K049-00  
ICS: C12Q001-68; C12Q001-00  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 11 OF 48 USPATFULL on STN  
AN 2003:325926 USPATFULL  
TI Compositions and methods for wound healing  
IN Heber-Katz, Ellen, Philadelphia, PA, UNITED STATES  
PA The Wistar Institute, Philadelphia, PA, UNITED STATES, 19104-4268 (U.S.  
corporation)  
PI US 2003229911 A1 20031211  
AI US 2002-314322 A1 20021209 (10)  
RLI Division of Ser. No. US 1999-249155, filed on 12 Feb 1999, GRANTED, Pat.  
No. US 6538173  
PRAI US 1998-102051P 19980928 (60)  
US 1998-97937P 19980826 (60)  
US 1998-74737P 19980213 (60)  
DT Utility  
FS APPLICATION  
LN.CNT 5324  
INCL INCLM: 800/018.000  
INCLS: 800/009.000  
NCL NCLM: 800/018.000  
NCLS: 800/009.000  
IC [7]  
ICM: A01K067-027  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 12 OF 48 USPATFULL on STN  
AN 2003:237867 USPATFULL  
TI Human G-protein chemokine receptor (CCR5) HDGNR10  
IN Rosen, Craig A., Laytonsville, MD, UNITED STATES  
Roschke, Viktor, Rockville, MD, UNITED STATES  
Li, Yi, Sunnyvale, CA, UNITED STATES  
Ruben, Steven M., Olney, MD, UNITED STATES  
PA Human Genome Sciences, Inc. (U.S. corporation)  
PI US 2003166024 A1 20030904  
AI US 2002-135839 A1 20020501 (10)  
RLI Continuation of Ser. No. US 2001-779879, filed on 9 Feb 2001, ABANDONED  
PRAI US 2000-181258P 20000209 (60)  
US 2000-187999P 20000309 (60)  
US 2000-234336P 20000922 (60)  
DT Utility  
FS APPLICATION  
LN.CNT 17941  
INCL INCLM: 435/007.230  
INCLS: 435/069.100; 435/320.100; 530/388.220; 536/023.530; 435/334.000  
NCL NCLM: 435/007.230  
NCLS: 435/069.100; 435/320.100; 530/388.220; 536/023.530; 435/334.000  
IC [7]  
ICM: G01N033-574  
ICS: C07H021-04; C12P021-02; C07K016-30; C12N005-06  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 13 OF 48 USPATFULL on STN  
AN 2003:237337 USPATFULL  
TI Anti-CCR2 antibodies and methods of use therefor  
IN LaRosa, Gregory J., Newton, MA, UNITED STATES  
Newman, Walter, Boston, MA, UNITED STATES  
PA Millennium Pharmaceuticals, Inc., Cambridge, MA, UNITED STATES (U.S. corporation)  
PI US 2003165494 A1 20030904  
AI US 2001-898513 A1 20010703 (9)  
RLI Continuation of Ser. No. US 1998-121781, filed on 23 Jul 1998, GRANTED, Pat. No. US 6312689  
DT Utility  
FS APPLICATION  
LN.CNT 2077  
INCL INCLM: 424/130.100  
INCLS: 424/141.100; 424/143.100; 424/159.100; 530/388.220; 530/388.230; 530/389.200  
NCL NCLM: 424/130.100  
NCLS: 424/141.100; 424/143.100; 424/159.100; 530/388.220; 530/388.230; 530/389.200  
IC [7]  
ICM: A61K039-395  
ICS: A61K039-42; C07K016-00; C12P021-08  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 14 OF 48 USPATFULL on STN  
AN 2003:213656 USPATFULL  
TI DNA encoding novel chemokine receptors  
IN Au-Young, Janice, Berkeley, CA, UNITED STATES  
Bandman, Olga, Mountain View, CA, UNITED STATES  
Coleman, Roger, Mountain View, CA, UNITED STATES  
Wilde, Craig G., Sunnyvale, CA, UNITED STATES  
PI US 2003148294 A1 20030807  
AI US 2002-95876 A1 20020311 (10)  
RLI Continuation of Ser. No. US 1996-638081, filed on 26 Apr 1996, ABANDONED  
DT Utility  
FS APPLICATION  
LN.CNT 2015  
INCL INCLM: 435/006.000  
INCLS: 435/069.500; 435/069.100; 435/320.100; 435/325.000; 530/350.000; 536/023.500  
NCL NCLM: 435/006.000  
NCLS: 435/069.500; 435/069.100; 435/320.100; 435/325.000; 530/350.000; 536/023.500  
IC [7]  
ICM: C12Q001-68

ICS: C07H021-04; C12P021-02; C07K014-715  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 15 OF 48 USPATFULL on STN  
AN 2003:207326 USPATFULL  
TI Method of identifying inhibitors of C-C chemokine receptor 3  
IN Gerard, Craig J., Dover, MA, UNITED STATES  
Gerard, Norma P., Dover, MA, UNITED STATES  
Mackay, Charles R., Watertown, MA, UNITED STATES  
Ponath, Paul D., Boston, MA, UNITED STATES  
Post, Theodore W., Newton, MA, UNITED STATES  
Qin, Shixin, Lexington, MA, UNITED STATES  
PA Children's Medical Center Corporation, Boston, MA (U.S. corporation)  
Brigham & Women's Hospital, Boston, MA (U.S. corporation)  
Millennium Pharmaceuticals, Inc., Cambridge, MA (U.S. corporation)  
PI US 2003143684 A1 20030731  
AI US 2002-283028 A1 20021028 (10)  
RLI Continuation of Ser. No. US 1996-720565, filed on 30 Sep 1996, PENDING  
Continuation-in-part of Ser. No. WO 1996-US608, filed on 19 Jan 1996,  
PENDING Continuation-in-part of Ser. No. US 1995-375199, filed on 19 Jan  
1995, PENDING  
DT Utility  
FS APPLICATION  
LN.CNT 4396  
INCL INCLM: 435/069.100  
INCLS: 435/320.100; 435/325.000; 424/143.100; 530/350.000; 530/388.220;  
536/023.500  
NCL NCLM: 435/069.100  
NCLS: 435/320.100; 435/325.000; 424/143.100; 530/350.000; 530/388.220;  
536/023.500  
IC [7]  
ICM: C12P021-02  
ICS: C12N005-06; C07K014-715; C07K016-28; C07H021-04; A61K039-395  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 16 OF 48 USPATFULL on STN  
AN 2003:146312 USPATFULL  
TI Human G-protein Chemokine Receptor (CCR5) HDGNR10  
IN Roschke, Viktor, Rockville, MD, UNITED STATES  
Rosen, Craig A., Laytonsville, MD, UNITED STATES  
Ruben, Steven M., Olney, MD, UNITED STATES  
PA Human Genome Sciences, Inc. (U.S. corporation)  
PI US 2003100058 A1 20030529  
AI US 2002-67800 A1 20020208 (10)  
RLI Continuation-in-part of Ser. No. WO 2001-US4153, filed on 9 Feb 2001,  
UNKNOWN Continuation-in-part of Ser. No. US 2001-779880, filed on 9 Feb  
2001, PENDING  
PRAI US 2001-297257P 20010612 (60)  
US 2001-310458P 20010808 (60)  
US 2001-328447P 20011012 (60)  
US 2001-341725P 20011221 (60)  
DT Utility  
FS APPLICATION  
LN.CNT 18955  
INCL INCLM: 435/069.100  
INCLS: 435/326.000; 435/320.100; 530/388.800; 536/023.530  
NCL NCLM: 435/069.100  
NCLS: 435/326.000; 435/320.100; 530/388.800; 536/023.530  
IC [7]  
ICM: C12P021-02  
ICS: C07H021-04; C12N005-06; C07K016-30  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 17 OF 48 USPATFULL on STN  
AN 2003:222015 USPATFULL  
TI Compositions for the detection of blood cell and immunological response  
gene expression  
IN Cocks, Benjamin G., Sunnyvale, CA, United States  
Stuart, Susan G., Montara, CA, United States  
Seilhamer, Jeffrey J., Los Altos Hills, CA, United States  
PA Incyte Corporation, Palo Alto, CA, United States (U.S. corporation)  
PI US 6607879 B1 20030819

AI US 1998-23655 19980209 (9)  
DT Utility  
FS GRANTED  
LN.CNT 3719  
INCL INCLM: 435/006.000  
INCLS: 435/069.100; 536/023.100; 536/024.100; 536/024.300; 536/024.310;  
536/024.320; 536/024.330  
NCL NCLM: 435/006.000  
NCLS: 435/069.100; 536/023.100; 536/024.100; 536/024.300; 536/024.310;  
536/024.320; 536/024.330  
IC [7]  
ICM: C12Q001-68  
ICS: C07H021-00  
EXF 435/6; 435/69.1; 536/22.1; 536/23.1; 536/24.1; 536/24.3-24.33  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 18 OF 48 USPATFULL on STN  
AN 2003:81589 USPATFULL  
TI Method of identifying inhibitors of C--C chemokine receptor 3  
IN Gerard, Craig J., Dover, MA, United States  
Gerard, Norma P., Dover, MA, United States  
Mackay, Charles R., Watertown, MA, United States  
Ponath, Paul D., Boston, MA, United States  
Post, Theodore W., Newton, MA, United States  
Qin, Shixin, Lexington, MA, United States  
PA Children's Medical Center Corporation, Boston, MA, United States (U.S.  
corporation)  
Millennium Pharmaceuticals, Inc., Cambridge, MA, United States (U.S.  
corporation)  
Brigham & Women's Hospital, Boston, MA, United States (U.S. corporation)  
PI US 6537764 B1 20030325  
AI US 1996-720565 19960930 (8)  
RLI Continuation-in-part of Ser. No. WO 1996-US608, filed on 19 Jan 1996  
Continuation-in-part of Ser. No. US 1995-375199, filed on 19 Jan 1995  
DT Utility  
FS GRANTED  
LN.CNT 4524  
INCL INCLM: 435/007.210  
INCLS: 435/007.100; 435/007.200  
NCL NCLM: 435/007.210  
NCLS: 435/007.100; 435/007.200  
IC [7]  
ICM: G01N033-53  
ICS: G01N033-566  
EXF 536/23.4; 536/23.5; 435/69.1; 435/69.7; 435/325; 435/320.1; 435/7.2;  
435/7.1; 435/7.21; 530/300; 530/350; 436/501; 436/536  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 19 OF 48 USPATFULL on STN DUPLICATE 6  
AN 2002:272461 USPATFULL  
TI Humanized anti-CCR2 antibodies and methods of use therefor  
IN LaRosa, Gregory J., Newton, MA, UNITED STATES  
Horvath, Christopher, Taunton, MA, UNITED STATES  
Newman, Walter, Boston, MA, UNITED STATES  
Jones, S. Tarran, Radlett, UNITED KINGDOM  
O'Brien, Siobhan H., London, UNITED KINGDOM  
O'Keefe, Theresa, Waltham, MA, UNITED STATES  
PI US 2002150576 A1 20021017  
US 6696550 B2 20040224  
AI US 2001-840459 A1 20010423 (9)  
RLI Continuation of Ser. No. WO 2001-US3537, filed on 2 Feb 2001, UNKNOWN  
Continuation-in-part of Ser. No. US 2000-497625, filed on 3 Feb 2000,  
PENDING Continuation-in-part of Ser. No. US 1999-359193, filed on 22 Jul  
1999, UNKNOWN Continuation-in-part of Ser. No. US 1998-121781, filed on  
23 Jul 1998, UNKNOWN  
DT Utility  
FS APPLICATION  
LN.CNT 5446  
INCL INCLM: 424/142.100  
INCLS: 530/388.150  
NCL NCLM: 530/388.230  
NCLS: 424/130.100; 424/133.100; 424/156.100; 530/387.100; 530/387.300

IC [7]  
ICM: A61K039-395  
ICS: C07K016-40  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 20 OF 48 USPATFULL on STN DUPLICATE 7  
AN 2002:272455 USPATFULL  
TI Anti-CCR2 antibodies and methods of use therefor  
IN LaRosa, Gregory J., West Roxbury, MA, UNITED STATES  
PA Millennium Pharmaceuticals, Inc., Cambridge, MA, UNITED STATES (U.S. corporation)  
PI US 2002150570 A1 20021017  
US 6491915 B2 20021210  
AI US 2001-895723 A1 20010629 (9)  
RLI Division of Ser. No. US 1998-121781, filed on 23 Jul 1998, GRANTED, Pat. No. US 6312689  
DT Utility  
FS APPLICATION  
LN.CNT 1889  
INCL INCLM: 424/130.100  
INCLS: 424/143.100; 424/134.100; 424/141.100; 424/085.100; 530/388.220; 530/388.230; 530/389.100  
NCL NCLM: 424/130.100  
NCLS: 424/085.100; 424/134.100; 424/141.100; 424/143.100; 530/388.220; 530/388.230; 530/389.100

IC [7]  
ICM: A61K045-00  
ICS: A61K039-395; A61K039-40; A61K039-42; C07K016-00; C12P021-08  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 21 OF 48 USPATFULL on STN DUPLICATE 8  
AN 2002:98887 USPATFULL  
TI Anti-CCR2 antibodies and methods of use therefor  
IN LaRosa, Gregory L., West Roxbury, MA, UNITED STATES  
PA Millennium Pharamaceuticals, Inc., Cambridge, MA (U.S. corporation)  
PI US 2002051782 A1 20020502  
US 6448021 B2 20020910  
AI US 2001-905849 A1 20010713 (9)  
RLI Division of Ser. No. US 1998-121781, filed on 23 Jul 1998, GRANTED, Pat. No. US 6312689  
DT Utility  
FS APPLICATION  
LN.CNT 1961  
INCL INCLM: 424/130.100  
INCLS: 424/145.100; 435/007.100; 536/023.500  
NCL NCLM: 435/007.100  
NCLS: 424/141.100; 435/005.000; 435/007.930; 435/007.940; 435/345.000

IC [7]  
ICM: A61K039-395  
ICS: G01N033-53; C07H021-04  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 22 OF 48 USPATFULL on STN DUPLICATE 9  
AN 2002:98886 USPATFULL  
TI Anti-CCR2 antibodies and methods of use therefor  
IN LaRosa, Gregory J., West Roxbury, MA, UNITED STATES  
PI US 2002051781 A1 20020502  
US 6406694 B2 20020618  
AI US 2001-896309 A1 20010629 (9)  
RLI Division of Ser. No. US 1998-121781, filed on 23 Jul 1998, GRANTED, Pat. No. US 6312689  
DT Utility  
FS APPLICATION  
LN.CNT 1890  
INCL INCLM: 424/130.100  
INCLS: 530/388.230; 435/335.000  
NCL NCLM: 424/130.100  
NCLS: 424/085.100; 424/134.100; 424/141.100; 424/143.100; 530/388.220; 530/388.230; 530/389.100

IC [7]  
ICM: A61K039-395  
ICS: C12N005-06; C07K016-24

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 23 OF 48 USPATFULL on STN DUPLICATE 10  
AN 2002:66634 USPATFULL  
TI Anti-CCR2 antibodies and methods of use therefor  
IN LaRosa, Gregory J., West Roxbury, MA, UNITED STATES  
PI US 2002037285 A1 20020328  
US 6458353 B2 20021001  
AI US 2001-866970 A1 20010529 (9)  
RLI Division of Ser. No. US 1998-121781, filed on 23 Jul 1998, PENDING  
DT Utility  
FS APPLICATION  
LN.CNT 1727  
INCL INCLM: 424/130.100  
INCLS: 530/388.100; 424/144.100; 424/143.100; 424/135.100  
NCL NCLM: 424/130.100  
NCLS: 424/141.100; 424/143.100; 424/159.100; 435/069.100; 530/388.220;  
530/388.230; 530/389.200  
IC [7]  
ICM: A61K039-395  
ICS: C07K016-28; C12P021-08

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 24 OF 48 USPATFULL on STN DUPLICATE 11  
AN 2002:48245 USPATFULL  
TI Anti-CCR2 antibodies and methods of use therefor  
IN LaRosa, Gregory J., West Roxbury, MA, UNITED STATES  
PA Millennium Pharmaceuticals, Inc., Cambridge, MA (U.S. corporation)  
PI US 2002028436 A1 20020307  
US 6395497 B2 20020528  
AI US 2001-905835 A1 20010713 (9)  
RLI Division of Ser. No. US 1998-121781, filed on 23 Jul 1998, GRANTED, Pat.  
No. US 6312689  
DT Utility  
FS APPLICATION  
LN.CNT 1934  
INCL INCLM: 435/005.000  
INCLS: 424/130.100; 424/143.100; 435/007.100  
NCL NCLM: 435/007.100  
NCLS: 424/141.100; 435/005.000; 435/007.930; 435/007.940; 435/345.000  
IC [7]  
ICM: A61K039-395  
ICS: C12Q001-70; G01N033-53

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 25 OF 48 USPATFULL on STN DUPLICATE 12  
AN 2002:26855 USPATFULL  
TI Anti-CCR2 antibodies and methods of use therefor  
IN LaRosa, Gregory J., West Roxbury, MA, UNITED STATES  
PA Millennium Pharmaceuticals, Inc., Cambridge, MA, UNITED STATES (U.S.  
corporation)  
PI US 2002015700 A1 20020207  
US 6406865 B2 20020618  
AI US 2001-905847 A1 20010713 (9)  
RLI Division of Ser. No. US 1998-121781, filed on 23 Jul 1998, GRANTED, Pat.  
No. US 6312689  
DT Utility  
FS APPLICATION  
LN.CNT 1943  
INCL INCLM: 424/130.100  
INCLS: 424/142.100; 424/145.100; 530/388.200; 530/388.700; 530/388.750;  
530/389.600; 530/388.230  
NCL NCLM: 435/007.100  
NCLS: 424/141.100; 435/005.000; 435/007.930; 435/007.940; 435/345.000  
IC [7]  
ICM: A61K039-395  
ICS: A61K039-40; A61K039-42; C07K016-00; C12P021-08

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 26 OF 48 USPATFULL on STN DUPLICATE 13  
AN 2002:21829 USPATFULL  
TI Anti-CCR2 antibodies and methods of use therefor

IN LaRosa, Gregory J., West Roxbury, MA, UNITED STATES  
PA Millennium Pharmaceuticals, Inc., Cambridge, MA (U.S. corporation)  
PI US 2002012664 A1 20020131  
US 6451522 B2 20020917  
AI US 2001-905848 A1 20010713 (9)  
RLI Division of Ser. No. US 1998-121781, filed on 23 Jul 1998, GRANTED, Pat.  
No. US 6312689  
DT Utility  
FS APPLICATION  
LN.CNT 1994  
INCL INCLM: 424/130.100  
INCLS: 435/007.900; 435/005.000  
NCL NCLM: 435/005.000  
NCLS: 424/141.100; 435/007.100; 435/007.930; 435/007.940; 435/345.000  
IC [7]  
ICM: A61K039-395  
ICS: G01N033-53; G01N033-542; C12Q001-70  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 27 OF 48 USPATFULL on STN  
AN 2002:280593 USPATFULL  
TI Gene expression profiling of antidepressant action in the brain  
IN Bonaventure, Pascal, San Diego, CA, UNITED STATES  
Quo, Hongqing, San Diego, CA, UNITED STATES  
Liu, Xuejun, San Diego, CA, UNITED STATES  
Kamme, Fredrik, San Diego, CA, UNITED STATES  
Meurers, Bernhard, La Jolla, CA, UNITED STATES  
Leysen, Josepha E.M.F., Oud-Turnhout, BELGIUM  
Bakker, Margot H.M., Breda, NETHERLANDS  
PI US 2002156038 A1 20021024  
AI US 2001-971900 A1 20011004 (9)  
PRAI US 2000-238374P 20001006 (60)  
US 2001-295782P 20010604 (60)  
DT Utility  
FS APPLICATION  
LN.CNT 6849  
INCL INCLM: 514/044.000  
INCLS: 435/006.000; 435/287.200  
NCL NCLM: 514/044.000  
NCLS: 435/006.000; 435/287.200  
IC [7]  
ICM: A61K048-00  
ICS: C12Q001-68; C12M001-34  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 28 OF 48 USPATFULL on STN  
AN 2002:119846 USPATFULL  
TI Human G-protein Chemokine receptor (CCR5) HDG NR10  
IN Rosen, Craig A., Laytonsville, MD, UNITED STATES  
Roschke, Viktor, Rockville, MD, UNITED STATES  
Li, Yi, Sunnyvale, CA, UNITED STATES  
Ruben, Steven M., Olney, MD, UNITED STATES  
PI US 2002061834 A1 20020523  
AI US 2001-779880 A1 20010209 (9)  
PRAI US 2000-181258P 20000209 (60)  
US 2000-187999P 20000309 (60)  
US 2000-234336P 20000922 (60)  
DT Utility  
FS APPLICATION  
LN.CNT 18667  
INCL INCLM: 514/001.000  
INCLS: 530/350.000; 536/023.500; 435/325.000; 435/320.100; 435/069.100  
NCL NCLM: 514/001.000  
NCLS: 530/350.000; 536/023.500; 435/325.000; 435/320.100; 435/069.100  
IC [7]  
ICM: A61K031-00  
ICS: C07H021-04; C07K014-705; C12N005-06; C12P021-02  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 29 OF 48 USPATFULL on STN  
AN 2002:92268 USPATFULL  
TI Human G-protein Chemokine Receptor HDG NR10



IN Rosen, Craig A., Laytonsville, MD, UNITED STATES  
Roschke, Viktor, Rockville, MD, UNITED STATES  
Li, Yi, Sunnyvale, CA, UNITED STATES  
Ruben, Steven M., Olney, MD, UNITED STATES  
PI US 2002048786 A1 20020425  
AI US 2001-779879 A1 20010209 (9)  
PRAI US 2000-181258P 20000209 (60)  
US 2000-187999P 20000309 (60)  
US 2000-234336P 20000922 (60)  
DT Utility  
FS APPLICATION  
LN.CNT 17969  
INCL INCLM: 435/069.100  
INCLS: 536/023.500; 424/130.100; 514/012.000; 435/007.200; 435/325.000  
NCL NCLM: 435/069.100  
NCLS: 536/023.500; 424/130.100; 514/012.000; 435/007.200; 435/325.000  
IC [7]  
ICM: G01N033-53  
ICS: G01N033-567; A61K038-00; C07H021-04; C12P021-06; A61K039-395;  
C12N005-02; C12N005-00  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 30 OF 48 USPATFULL on STN  
AN 2002:45472 USPATFULL  
TI Anti-CCR2 antibodies and methods of use therefor  
IN LaRosa, Gregory J., West Roxbury, MA, United States  
Horvath, Christopher, Taunton, MA, United States  
Newman, Walter, Boston, MA, United States  
PA Millennium Pharmaceuticals, Inc., Cambridge, MA, United States (U.S.  
corporation)  
PI US 6352832 B1 20020305  
AI US 1999-359193 19990722 (9)  
RLI Continuation-in-part of Ser. No. US 1998-121781, filed on 23 Jul 1998  
DT Utility  
FS GRANTED  
LN.CNT 2322  
INCL INCLM: 435/007.100  
INCLS: 435/005.000; 435/345.000; 435/343.000; 435/343.200; 436/548.000  
NCL NCLM: 435/007.100  
NCLS: 435/005.000; 435/343.000; 435/343.200; 435/345.000; 436/548.000  
IC [7]  
ICM: G01N033-53  
EXF 435/5; 435/7.1; 435/345; 435/343; 435/343.2; 436/548  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 31 OF 48 USPATFULL on STN  
AN 2001:196598 USPATFULL  
TI Anti-CCR2 antibodies and methods of use therefor  
IN LaRosa, Gregory J., West Roxbury, MA, United States  
PA Millennium Pharmaceuticals, Inc., Cambridge, MA, United States (U.S.  
corporation)  
PI US 6312689 B1 20011106  
AI US 1998-121781 19980723 (9)  
DT Utility  
FS GRANTED  
LN.CNT 2209  
INCL INCLM: 424/130.100  
INCLS: 424/143.100; 424/159.100; 424/141.100; 530/388.220; 530/388.230;  
530/389.200  
NCL NCLM: 424/130.100  
NCLS: 424/141.100; 424/143.100; 424/159.100; 530/388.220; 530/388.230;  
530/389.200  
IC [7]  
ICM: A61K039-395  
ICS: C07K016-00  
EXF 424/143.1; 424/130.1; 424/159.1; 424/141.1; 530/388.22; 530/388.23;  
530/389.2  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 32 OF 48 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation on  
STN DUPLICATE 14  
AN 2001:245318 BIOSIS

DN PREV200100245318  
TI Recombinant mammalian monocyte chemotactic protein-1 (MCP-1) receptors  
(MCP-1R, CCR-2).  
AU Charo, Israel F. [Inventor, Reprint author]; Coughlin, Shaun R. [Inventor]  
CS Lafayette, CA, USA  
ASSIGNEE: The Regents of the University of California  
PI US 6132987 October 17, 2000  
SO Official Gazette of the United States Patent and Trademark Office Patents,  
(Oct. 17, 2000) Vol. 1239, No. 3. e-file.  
CODEN: OGUPE7. ISSN: 0098-1133.  
DT Patent  
LA English  
ED Entered STN: 23 May 2001  
Last Updated on STN: 19 Feb 2002

L2 ANSWER 33 OF 48 USPATFULL on STN  
AN 2000:77189 USPATFULL  
TI Mouse arrays and kits comprising the same  
IN Chenchik, Alex, Palo Alto, CA, United States  
Lukashev, Matvey, Newton, MA, United States  
PA Clontech Laboratories, Inc., Palo Alto, CA, United States (U.S.  
corporation)  
PI US 6077673 20000620  
AI US 1998-222248 19981228 (9)  
RLI Continuation-in-part of Ser. No. US 1998-53375, filed on 31 Mar 1998  
DT Utility  
FS Granted  
LN.CNT 1655  
INCL INCLM: 435/006.000  
INCLS: 422/068.100; 435/283.100; 435/285.100; 435/286.100; 435/286.200;  
435/287.100; 435/287.200; 435/287.700; 435/287.900; 435/289.100;  
435/299.100  
NCL NCLM: 435/006.000  
NCLS: 422/068.100; 435/283.100; 435/285.100; 435/286.100; 435/286.200;  
435/287.100; 435/287.200; 435/287.700; 435/287.900; 435/289.100;  
435/299.100  
IC [7]  
ICM: C12Q001-68  
EXF 422/50; 422/68.1; 435/283.1; 435/285.1; 435/286.1; 435/286.2; 435/287.1;  
435/287.2; 435/287.7; 435/287.9; 435/289.1; 435/299.1; 435/6  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 34 OF 48 USPATFULL on STN  
AN 1999:155460 USPATFULL  
TI Methods of assaying differential expression  
IN Chenchik, Alex, Palo Alto, CA, United States  
Jokhadze, George, Mountain View, CA, United States  
Bibilashvili, Robert, Moscow, Russian Federation  
PA Clontech Laboratories, Inc., Palo Alto, CA, United States (U.S.  
corporation)  
PI US 5994076 19991130  
AI US 1997-859998 19970521 (8)  
DT Utility  
FS Granted  
LN.CNT 13450  
INCL INCLM: 435/006.000  
INCLS: 435/091.100; 435/091.200; 536/023.100; 536/024.300; 536/024.310;  
536/024.330  
NCL NCLM: 435/006.000  
NCLS: 435/091.100; 435/091.200; 536/023.100; 536/024.300; 536/024.310;  
536/024.330  
IC [6]  
ICM: C12Q001-68  
ICS: C12P019-34; C07H021-02; C07H021-04  
EXF 435/6; 435/91.1; 435/91.2; 536/24.3; 536/24.31; 536/24.33; 536/23.1  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L2 ANSWER 35 OF 48 IFIPAT COPYRIGHT 2005 IFI on STN DUPLICATE 15  
AN 02930013 IFIPAT;IFIUDB;IFICDB  
TI MAMMALIAN MONOCYTE CHEMOATTRACTANT PROTEIN RECEPTORS AND ASSAYS USING  
THEM; POLYPEPTIDES PRODUCED BBY EXPRESSION OF HETEROLOGOUS NUCLEIC ACID  
IN CELLS AND ENCODED BY DNA AND HYBRIDIZE

IN Charo Israel F; Coughlin Shaun R  
PA California, University of Regents (13234)  
PI US 5707815 A 19980113 (CITED IN 013 LATER PATENTS)  
AI US 1995-450393 19950525  
RLI US 1994-182962 19940113 CONTINUATION-IN-PART ABANDONED  
US 1995-446669 19950525 DIVISION 6132987  
FI US 5707815 19980113  
US 6132987  
DT Utility; REASSIGNED  
FS CHEMICAL  
GRANTED  
MRN 013418 MFN: 0149  
CLMN 17  
GI 14 Drawing Sheet(s), 18 Figure(s).

L2 ANSWER 36 OF 48 BIOENG COPYRIGHT 2005 CSA on STN DUPLICATE  
AN 2004290830 BIOENG  
DN 3866779  
TI Selective G protein coupling by C-C chemokine receptors  
AU Kuang, Yanan; Wu, Yanping; Jiang, Huiping; Wu, Dianqing  
CS Dep. Oncol., Univ. Rochester, Rochester, NY 14642, USA  
SO Journal of Biological Chemistry [J. BIOL. CHEM.], vol. 271, no. 8, pp.  
3975-3978, 1996  
ISSN: 0021-9258  
DT Journal  
LA English  
SL English  
OS Chemoreception Abstracts; Immunology Abstracts

L2 ANSWER 37 OF 48 CAPLUS COPYRIGHT 2005 ACS on STN  
AN 1994:452470 CAPLUS  
DN 121:52470  
TI Molecular cloning and functional expression of two monocyte  
chemoattractant protein 1 receptors reveals alternative splicing of the  
carboxyl-terminal tails  
AU Charo, Israel F.; Myers, Scott J.; Herman, Ann; Franci, Christian;  
Connolly, Andrew J.; Coughlin, Shaun R.  
CS Gladstone Inst. Cardiovasc. Dis., San Francisco, CA, 94141-9100, USA  
SO Proceedings of the National Academy of Sciences of the United States of  
America (1994), 91(7), 2752-6  
CODEN: PNASA6; ISSN: 0027-8424  
DT Journal  
LA English

L2 ANSWER 38 OF 48 DGENE COPYRIGHT 2005 The Thomson Corp on STN  
AN AAR79165 Protein DGENE  
TI DNA encoding monocyte chemo-attractant protein-1 receptor - used partic.  
for identifying antagonists and for treating diseases characterised by  
monocytic infiltrates  
IN Charo I; Coughlin S  
PA (REGC) UNIV CALIFORNIA.  
PI WO 9519436 A 19950720 84  
AI WO 1995-US476 19950111  
PRAI US 1994-182962 19940113  
DT Patent  
LA English  
OS 1995-263866 [34]  
CR N-PSDB: AAQ96297  
DESC Human monocyte chemoattractant protein-1 receptor \*\*\*MCP\*\*\* -  
\*\*\*1RA\*\*\* .

L2 ANSWER 39 OF 48 DGENE COPYRIGHT 2005 The Thomson Corp on STN  
AN AAR79170 Peptide DGENE  
TI DNA encoding monocyte chemo-attractant protein-1 receptor - used partic.  
for identifying antagonists and for treating diseases characterised by  
monocytic infiltrates  
IN Charo I; Coughlin S  
PA (REGC) UNIV CALIFORNIA.  
PI WO 9519436 A 19950720 84  
AI WO 1995-US476 19950111  
PRAI US 1994-182962 19940113  
DT Patent

LA English  
OS 1995-263866 [34]  
DESC End of third transmembrane domain of human MIP-1alpha/RANTES receptor.

L2 ANSWER 40 OF 48 DGENE COPYRIGHT 2005 The Thomson Corp on STN  
AN AAR79169 Peptide DGENE  
TI DNA encoding monocyte chemo-attractant protein-1 receptor - used partic.  
for identifying antagonists and for treating diseases characterised by  
monocytic infiltrates  
IN Charo I; Coughlin S  
PA (REGC) UNIV CALIFORNIA.  
PI WO 9519436 A 19950720 84  
AI WO 1995-US476 19950111  
PRAI US 1994-182962 19940113  
DT Patent  
LA English  
OS 1995-263866 [34]  
DESC End of third transmembrane domain of human monocyte chemoattractant  
protein-1 receptor MCR-1RA.

L2 ANSWER 41 OF 48 DGENE COPYRIGHT 2005 The Thomson Corp on STN  
AN AAR79166 Protein DGENE  
TI DNA encoding monocyte chemo-attractant protein-1 receptor - used partic.  
for identifying antagonists and for treating diseases characterised by  
monocytic infiltrates  
IN Charo I; Coughlin S  
PA (REGC) UNIV CALIFORNIA.  
PI WO 9519436 A 19950720 84  
AI WO 1995-US476 19950111  
PRAI US 1994-182962 19940113  
DT Patent  
LA English  
OS 1995-263866 [34]  
CR N-PSDB: AAQ96298  
DESC Human monocyte chemoattractant protein-1 receptor MCP-1RB.

L2 ANSWER 42 OF 48 DGENE COPYRIGHT 2005 The Thomson Corp on STN  
AN ADP65363 DNA DGENE  
TI Diagnosing and analyzing autoimmune disease using gene expression  
profiles and microarray technology, useful for diagnosing and treating  
rheumatoid arthritis, lupus, fibrositis, osteoarthritis, fibromyalgia and  
gout.  
IN Hirsch R; Thorton S L  
PA (CHIL-N) CHILDREN'S HOSPITAL MEDICAL CENT.  
PI WO 2003072827 A1 20030904 56  
AI WO 2002-US35433 20021031  
PRAI US 2001-336220P 20011031  
DT Patent  
LA English  
OS 2003-712740 [67]  
CR GENBAN:; U03882  
DESC Human monocyte chemoattractant protein 1 receptor ( \*\*\*MCP\*\*\* -  
\*\*\*1RA\*\*\* ) DNA.

L2 ANSWER 43 OF 48 DGENE COPYRIGHT 2005 The Thomson Corp on STN  
AN AAQ96297 cDNA DGENE  
TI DNA encoding monocyte chemo-attractant protein-1 receptor - used partic.  
for identifying antagonists and for treating diseases characterised by  
monocytic infiltrates  
IN Charo I; Coughlin S  
PA (REGC) UNIV CALIFORNIA.  
PI WO 9519436 A1 19950720 84  
AI WO 1995-US476 19950111  
PRAI US 1994-182962 19940113  
DT Patent  
LA English  
OS 1995-263866 [34]  
CR P-PSDB: AAR79165  
DESC Human monocyte chemoattractant protein-1 receptor \*\*\*MCP\*\*\* -  
\*\*\*1RA\*\*\* .

L2 ANSWER 44 OF 48 DGENE COPYRIGHT 2005 The Thomson Corp on STN

AN AAQ96298 cDNA DGENE  
 TI DNA encoding monocyte chemo-attractant protein-1 receptor - used partic.  
 for identifying antagonists and for treating diseases characterised by  
 monocytic infiltrates  
 IN Charo I; Coughlin S  
 PA (REGC) UNIV CALIFORNIA.  
 PI WO 9519436 A1 19950720 84  
 AI WO 1995-US476 19950111  
 PRAI US 1994-182962 19940113  
 DT Patent  
 LA English  
 OS 1995-263866 [34]  
 CR P-PSDB: AAR79166  
 DESC Human monocyte chemoattractant protein-1 receptor MCP-1RB.

L2 ANSWER 45 OF 48 FEDRIP COPYRIGHT 2005 NTIS on STN  
 AN 2005:184462 FEDRIP  
 NR CRISP 5R01DK056848-04  
 TI CHEMOKINE THERAPEUTIC TARGETS FOR KIDNEY DISEASE  
 SF Principal Investigator: KELLEY, VICKI R; VKELLEY@RICS.BWH.HARVARD.EDU,  
 HARVARD INSTITUTES OF MEDICINE, 77 AVENUE LOUIS PASTEUR, BOSTON, MA 02115  
 CSP BRIGHAM AND WOMEN'S HOSPITAL, BOSTON, MASSACHUSETTS  
 CSS Supported By: NATIONAL INSTITUTE OF DIABETES AND DIGESTIVE AND KIDNEY  
 DISEASES  
 DB 2002 (/01/01)  
 FYR 2004  
 DE 2001 (/31/06)  
 FU Noncompeting Continuation (Type 5)  
 FS National Institutes of Health

L2 ANSWER 46 OF 48 GENBANK.RTM. COPYRIGHT 2005 on STN

LOCUS (LOC): CB552719 GenBank (R)  
 GenBank ACC. NO. (GBN): CB552719  
 GenBank VERSION (VER): CB552719.1 GI:31301914  
 CAS REGISTRY NO. (RN): 526714-96-5  
 SEQUENCE LENGTH (SQL): 354  
 MOLECULE TYPE (CI): mRNA; linear  
 DIVISION CODE (CI): Expressed sequence tag  
 DATE (DATE): 1 Jun 2003  
 DEFINITION (DEF): MMSP0021\_C06 MMSP Macaca mulatta cDNA, mRNA sequence.  
 KEYWORDS (ST): EST  
 SOURCE: Macaca mulatta (rhesus monkey)  
 ORGANISM (ORGN): Macaca mulatta  
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;  
 Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini;  
 Cercopithecidae; Cercopithecinae; Macaca

NUCLEIC ACID COUNT (NA): 95 a 85 c 90 g 84 t

COMMENT:

Contact: Holzman T  
 Katze Lab  
 University of Washington  
 Box 358070, Seattle, WA 98195-8070, USA  
 Tel: 206 732 6156  
 Fax: 206 732 6055  
 Email: ted@locke.hs.washington.edu  
 Similar to GenBank entry HSU03882 U03882 Human monocyte  
 chemoattractant protein 1 receptor ( \*\*\*MCP\*\*\* - \*\*\*1RA\*\*\* )  
 alternatively spliced  
 mRNA, complete cds. 6/1994  
 Plate: MMSP0021 row: C column: 06.

REFERENCE: 1 (bases 1 to 354)  
 AUTHOR (AU): Katze,M.G.; Bumgarner,R.; Korth,M.; Feldman,R.;  
 Amjadi,M.; Holzman,T.  
 TITLE (TI): Expressed sequence tags from Rhesus macaque spleen  
 JOURNAL (SO): Unpublished (2002)

FEATURES (FEAT):

Feature Key	Location	Qualifier
source	1..354	/organism="Macaca mulatta" /db-xref="taxon:9544"

```

/clone-lib="MMSP"
/sex="male"
/cell-type="monocytes"
/dev-stage="adult"
/note="Organ: spleen"

```

SEQUENCE (SEQ):

```

1 agaaccagta aagcttcctt gtctgatctg agctgggttg ttttgtgggt gctgttcccg
61 acttgctgct ccccttgccc ctgtctgttt ccgcacaggc tttatcacat agctcttggc
121 tgtaggattg cccactcca aaaaccagtg tgtggaggtc caggagcgag accaggaaag
181 aatgtgaaag aaactacaca aggactcctt gatggtcgtg gaaaaggaaa gtcaaattggc
241 agagcccctg aagccagtct tcaaggcaga gaaggagcct aaagacagaa gtaacagacc
301 tctgctttgg aaatcacaca tctggcctca cggatgtgtg atatcacaat gtga

```

L2 ANSWER 47 OF 48 GENBANK.RTM. COPYRIGHT 2005 on STN

```

LOCUS (LOC):          HSMCPA02      GenBank (R)
GenBank ACC. NO. (GBN): U80924
GenBank VERSION (VER): U80924.1  GI:1773032
CAS REGISTRY NO. (RN): 391827-34-2
SEQUENCE LENGTH (SQL): 5471
MOLECULE TYPE (CI):   DNA; linear
DIVISION CODE (CI):   Primates
DATE (DATE):          24 Jul 1997
DEFINITION (DEF):     Human monocyte chemoattractant protein 1 receptor gene,
                        two alternatively spliced forms, complete cds.
SEGMENT:              2 of 2
SOURCE:               human.
  ORGANISM (ORGN):    Homo sapiens
                        Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
                        Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini;
                        Hominidae; Homo
NUCLEIC ACID COUNT (NA): 1540 a 1127 c 1324 g 1480 t
REFERENCE:            1 (bases 1 to 5471)
  AUTHOR (AU):        Wong,L.M.; Myers,S.J.; Tsou,C.L.; Gosling,J.; Arai,H.;
                        Charo,I.F.
  TITLE (TI):         Organization and differential expression of the human
                        monocyte chemoattractant protein 1 receptor gene.
                        Evidence for the role of the carboxyl-terminal tail in
                        receptor trafficking
  JOURNAL (SO):        J. Biol. Chem., 272 (2), 1038-1045 (1997)
  OTHER SOURCE (OS):   CA 126:102953
REFERENCE:            2 (bases 1 to 5471)
  AUTHOR (AU):        Myers,S.J.; Charo,I.F.
  TITLE (TI):         Direct Submission
  JOURNAL (SO):        Submitted (04-DEC-1996) Pharmacology, Emory University,
                        1510 Clifton Road, Atlanta 30322, USA

```

FEATURES (FEAT):

Feature Key	Location	Qualifier
source	1..5471	/organism="Homo sapiens" /db-xref="taxon:9606"
mRNA	join(1555..2546, 3756..5007)	/note="alternatively spliced form with A-form carboxyl tail" /product="monocyte chemoattractant protein 1 receptor"
mRNA	1555..3496	/note="alternatively spliced form with B-form carboxyl tail" /product="monocyte chemoattractant protein 1 receptor"
CDS	join(1606..2546, 3756..3939)	/note="MCP-1RA receptor; alternatively spliced form including A-form carboxyl tail" /codon-start=1 /product="monocyte chemoattractant protein 1 receptor" /protein-id="AAC51637.1" /db-xref="GI:1816525" /translation="MLSTSRSRFIRNTNESGEEV TTFFDYDYGAPCHKFDVKQIGAQL LPPLYSLVFIFGFVGNMLVVLILINCKKLKCLTD"

CDS

1606..2688

IYLLNLAISDLLFLITLPLWAHSA  
ANEWVFGNAMCKLFTGLYHIGYFGGIFFIILLTI  
DRYLAIVHAVFALKARTVTFGVVT  
SVITWLVAVFASVPGIIFTKCQKEDSVYVCGPYF  
PRGWNFHTIMRNILGLVLP LLIM  
VICYSGILKTLRLCRNEKKRHRVRVIFTIMIVY  
FLFWTPYNIVILLNTFQEFFGLSN  
CESTSQLDQATQVTETLGMTHCCINPIIYAFVGE  
KFRSLFHIALGCRIAPLQKPVCGG  
PGVRPGKNVKVTTQGLLDGRGKGKSIGRAPEASL  
QDKEGA"  
/note="MCP-1RB receptor;  
alternatively spliced form  
including B-form carboxyl tail"  
/codon-start=1  
/product="monocyte chemoattractant  
protein 1 receptor"  
/protein-id="AAC51636.1"  
/db-xref="GI:1773034"  
/translation="MLSTSRSRFIRNTNESGEEV  
TTFFDYDYGAPCHKFDVKQIGAQL  
LPPLYSLVFIFGFVGNMLVVLILINCKKLKCLTD  
IYLLNLAISDLLFLITLPLWAHSA  
ANEWVFGNAMCKLFTGLYHIGYFGGIFFIILLTI  
DRYLAIVHAVFALKARTVTFGVVT  
SVITWLVAVFASVPGIIFTKCQKEDSVYVCGPYF  
PRGWNFHTIMRNILGLVLP LLIM  
VICYSGILKTLRLCRNEKKRHRVRVIFTIMIVY  
FLFWTPYNIVILLNTFQEFFGLSN  
CESTSQLDQATQVTETLGMTHCCINPIIYAFVGE  
KFRRLSVFFRKHITKRFCQCPV  
FYRETVDGVTSINTPSTGEQEV SAGL"

SEQUENCE (SEQ) :

1	ccaaaactgc	tcctaatttt	cagaaggaga	agcaaccag	ggcaatgcc	aattttgctt
61	cttagcaatg	gaggaatcca	caatcggaag	gagttttcag	cagtgcacca	tttgggggtg
121	gttgaatttg	agggtccctgc	atgataccca	ctttgctcac	ttcagtgcct	aaaactgagt
181	atggttcata	gtaggtgttc	aataagtgtt	gatacagtga	atacatgcat	ggggagatat
241	gcatcaggca	atgggaaatt	caactctaag	gcttagggga	aagctggagc	ttgaagacag
301	agcttttaga	aacagtagca	tagaaggag	taggaacct	gagtttagac	aatacaattc
361	aggaagaact	ttgtagcaag	gataaagagc	caaaaaatta	aagagggtgag	agctaagtgt
421	gggtgcctggg	gaatcttaag	gtgtgggcac	ggggaggaga	tgccacaaa	gaacatgaat
481	aaaaagcggg	agcacagccc	ctcccatctg	gaagccaaa	agaattgtaa	atggagggaag
541	ttagcagaag	gatcaaatac	ttgaagaggg	tgggaattgga	ataaaaccag	ggcatttgaa
601	aaattgggtt	gtcactgcaa	tcttaacaag	agaagttttg	gcaggatgat	ggaggcagaa
661	agctgagaga	atcatcagtt	agaacgtttt	tgacttcaga	gaacagaaaa	tgagttcat
721	aatggcttta	aaacaggggc	ttgtttttct	cccagcaatt	tgagaggcca	aggcgggtgc
781	atcaggaggt	caagagaccg	agaccatcct	gccaacatgg	tgaatcccca	tctctactaa
841	aaatacaaaa	attagcgggc	catggtggtg	cacgcctata	gtcccatcta	ctcaggaggc
901	tgaggcagga	gaatcacttg	aaccaggag	gtggagggtg	cagtgaactg	agatcatggc
961	cactgcacta	tagcctggag	acacagcgag	atccgtctc	caaaaaaaaa	aaaaaaaaagaa
1021	ggcagaaggt	gaatagtcca	agggtgggtt	taggactcag	tgataatagg	attctgcctg
1081	gcttctcatg	gttctctagg	tcttccattc	atggcaccat	gccctcacta	ggcatgctgc
1141	cagagcagga	gggcgtccac	cttctcttgt	gccttcttat	cagggaagaa	gactttctca
1201	gaacccccca	gcagactccc	ttttcatatt	atggtccagc	aatgagtcac	aagacctatg
1261	caccacctgc	aaaggagcca	gagaaaacaa	acgcccagcg	cttttagcct	gaaaatgaga
1321	atctggtttg	ctggggaaga	taaagggtgt	cggaaaatgg	ctggtgggta	aatcattgat
1381	gtctgccact	aggaatgaaa	ggcaaatcag	gaactggcac	acatgctttc	aggagatgg
1441	ctgcagagga	gagggcaaa	actgggaagt	tgcttatgtg	gtgccagact	atttgggaaga
1501	tcatggattg	cggtgtttgt	gttgtgtggt	catcattttg	ttctttgttt	acagaacaga
1561	gaaagtggat	tgaacaagga	cgcatttccc	cagtacatcc	acaacatgct	gtccacatct
1621	cgttctcggt	ttatcagaaa	taccaacgag	agcgggtgaag	aagtcaccac	cttttttgat
1681	tatgattacg	gtgctccctg	tcataaattt	gacgtgaagc	aaattggggc	ccaactcctg
1741	cctccgctct	actcgctggg	gttcatcttt	ggttttgtgg	gcaacatgct	ggtcgtcctc
1801	atcttaataa	actgcaaaaa	gctgaagtgc	ttgactgaca	tttacctgct	caacctggcc
1861	atctctgata	tgctttttct	tattactctc	ccattgtggg	ctcactctgc	tgcaaatgag
1921	tgggtctttg	ggaatgcaat	gtgcaaat	ttcacagggc	tgtatcacat	cggttatttt
1981	ggcggaatct	tcttctcat	cctcctgaca	atcgatagat	acctggctat	tgtccatgct
2041	gtgtttgctt	taaaagccag	gacggtcacc	tttgggggtg	tgacaagtgt	gatcacctgg
2101	ttgggtggctg	tggtttgcttc	tgteccagga	atcatcttta	ctaaatgcc	gaaagaagat
2161	tctgtttatg	tctgtggccc	ttattttcca	cgaggatgga	ataatttcca	cacaataatg
2221	aggaacattt	tggggctggg	cctgcccgtg	ctcatcatgg	tcatctgcta	ctcgggaatc

```

2281 ctgaaaaccc tgcttcggtg tcgaaacgag aagaagaggg atagggcagt gagagtcac
2341 ttcaccatca tgattgttta ctttctcttc tggactccct ataacattgt cattctcctg
2401 aacaccttcc aggaattctt cggcctgagt aactgtgaaa gcaccagtca actggaccaa
2461 gccacgcagg tgacagagac tcttgggatg actcactgct gcatcaatcc catcatctat
2521 gccttcggtt gggagaagtt cagaaggtat ctctcgggtg tcttccgaaa gcacatcacc
2581 aagcgcttct gcaaaacaatg tccagttttc tacagggaga cagtggatgg agtgacttca
2641 acaaacacgc cttccactgg ggagcaggaa gtctcggctg gtttataaaa cgaggagcag
2701 tttgattgtt gtttataaag ggagataaca atctgtatat aacaacaaac ttcaagggtt
2761 tgttgaacaa tagaaacctg taaagcaggt gccaggaac ctgagggtg tgtgtactaa
2821 tacagactat gtcacccaat gcataatcaa catgtgctca gggaataatc cagaaaaact
2881 gtgggtagag actttgactc tccagaaagc tcatctcagc tcctgaaaaa tgcctcatta
2941 ccttgtgcta atcctctttt tctagtcttc ataatttctt cactcaatct ctgattctgt
3001 caatgtcttg aaatcaaggg ccagctggag gtgaagaaga gaatgtgaca ggcacagatg
3061 aatgggagtg agggatagtg gggtcagggc tgagaggaga aggagggaga catgagcatg
3121 gctgagcctg gacaaaagca aaggctgagca aagggtcac gcattcagcc aggagatgat
3181 actggctcctt agccccatct gccacgtgta tttaacctg aagggttcac caggtcaggg
3241 agagtgttggg aactgcaata acctgggagt tttgggtggg tccgatgatt ctcttttgc
3301 taagtgcattg acataatttt gctttattac agtttatcta tggcaccat gcaccttaca
3361 tttgaaatct atgaaatatt atgctccatt gttcagatgc ttcttaggcc acatccccct
3421 gtctaaaaat tcagaaaatt tttgtttata aaagatgcat tatctatgat atgctaatat
3481 atgtatatgc aatatatata ggctcttgct tgatctctcc aggaggtagt gattatgaga
3541 aggggttgga gaatgatgag ttccttcacc aggagcaaag gacggggatc gtgtggaacc
3601 actgcagaac tatttccgaa atcaaaactaa gtggagagag ccaggaaggc tgcacagaa
3661 cccagtaaaag cttctgtgct ggatctgagc tggttgtgtt tgtgcttgct tttccctgcc
3721 ttgccatccc cctcactctt ctcttttccc cacagccttt ttcacatagc tcttggctgt
3781 aggtattgccc cactccaaaa accagtgtgt ggaggtccag gagtgagacc aggaaagaat
3841 gtgaaagtga ctacacaagg actcctcgat ggtcgtggaa aaggaaagtc aattggcaga
3901 gcccctgaag ccagtcttca ggacaaagaa ggagcctaga gacagaaatg acagatctct
3961 gctttggaag tcacacgtct ggcttcacag atgtgtgatt cacagtgtga atcttgggtg
4021 ctacgttacc aggcaggaag gctgagagga gagagactcc agctgggttg gaaaacagta
4081 ttttccaaac taccttccag ttcctcattt ttgaatacag gcatagagtt cagacttttt
4141 ttaaatagta aaaaaaaat taaagctgaa aactgcaact tgtaaatgtg gtaaagagtt
4201 agtttgagtt gctatcatgt caaacgtgaa aatgctgtat tagtcacaga gataattcta
4261 gctttgagct taagaatttt gagcaggtgg tatgtttggg agactgctga gtcaacccaa
4321 tagttgttga ttggcaggag ttggaagtgt gtgatctgtg ggcacattag cctatgtgca
4381 tgcagcatct aagtaatgat gtcgtttgaa tcacagtata cgctccatcg ctgtcatctc
4441 agctggatct ccattctctc aggttctgtg ccaaaagcct tttgtgtttt gttttgtatc
4501 attatgaagt catgcgttta atcacattcg agtgtttcag tgcttcgcag atgtccttga
4561 tgctcatatt gttccctaatt ttgccagtgg gaactcctaa atcaaattgg cttctaataca
4621 aagcttttaa accctattgg taaagaatgg aagggtgaga agctccctga agtaagcaaa
4681 gactttcctc ttagtcgagc caagtttaaga atgttcttat gttgccagtg gtgtttctga
4741 tctgatgcaa gcaagaaaca ctgggcttct agaaccaggc aacttgggaa ctagactccc
4801 aagctggact atggctctac tttcaggcca catggctaaa gaaggtttca gaaagaagtg
4861 gggacagagc agaactttca cttcatata tttgtatgat cctaataaat gcataaaatg
4921 ttaagttgat ggtgatgaaa tgtaataact gtttttaaca actatgattt ggaaaaataaa
4981 tcaatgctat aactatgttg ataaaagatt taaaaacaac tggctgtttt tttacactgt
5041 ggtgtggaag attgtgttgt gttcacaact tttcacttct tcccctgtgt gattacacac
5101 acctgccctt gtggtgtgac ttgcagtgcg ccctacaggc cacacacccc acgccctcca
5161 ccactggctc tgctgctgga atgtgagcag aagtgcacac tgccctcatc aagcggagga
5221 gcctcttgct cagccacagg caggcccatc ccagatcaca cccgtcagcg cgtgcgccgt
5281 ggtgaatgag aagcacaggg gagctgcagc cacatataac atgagcaaga agtctgtgtt
5341 tgctgtgata agccactgag ttttaggggt tgtttgttaa gaagcccca aaccgattaa
5401 gacatgtggg atatagtgc ttcatatata gaactctggaa aactatccat ttattttcaa
5461 tcatggaatt c

```

L2 ANSWER 48 OF 48 GENBANK.RTM. COPYRIGHT 2005 on STN

```

LOCUS (LOC):          HSU03882      GenBank (R)
GenBank ACC. NO. (GBN): U03882
GenBank VERSION (VER): U03882.1  GI:472555
CAS REGISTRY NO. (RN): 384568-23-4
SEQUENCE LENGTH (SQL): 2232
MOLECULE TYPE (CI):   mRNA; linear
DIVISION CODE (CI):   Primates
DATE (DATE):          22 Jun 1994
DEFINITION (DEF):     Human monocyte chemoattractant protein 1 receptor (
                        ***MCP*** - ***1RA*** ) alternatively spliced mRNA,
                        complete cds.
SOURCE:
  ORGANISM (ORGN):     Homo sapiens
                        Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
                        Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini;

```



Hominidae; Homo

NUCLEIC ACID COUNT (NA): 602 a 464 c 508 g 658 t

REFERENCE: 1 (bases 1 to 2232)

AUTHOR (AU): Charo, I.F.; Myers, S.J.; Herman, A.; Franci, C.;  
Connolly, A.J.; Coughlin, S.R.

TITLE (TI): Molecular cloning and functional expression of two  
monocyte chemoattractant protein 1 receptors reveals  
alternative splicing of the carboxyl-terminal tails

JOURNAL (SO): Proc. Natl. Acad. Sci. U.S.A., 91 (7), 2752-2756 (1994)

OTHER SOURCE (OS): CA 121:52470

REFERENCE: 2 (bases 1 to 2232)

AUTHOR (AU): Myers, S.J.

TITLE (TI): Direct Submission

JOURNAL (SO): Submitted (01-DEC-1993) Scott J. Myers, Cardiovascular,  
The Gladstone Institutes, 2550 23rd Street, San  
Francisco, CA 94110, USA

#### FEATURES (FEAT):

Feature Key	Location	Qualifier
source	1..2232	/organism="Homo sapiens" /db-xref="taxon:9606" /clone="ccr2-9a" /cell-line="MonoMac 6" /clone-lib="MonoMac6-#3"
CDS	40..1164	/standard-name="monocyte chemoattractant protein 1 receptor" /note="alternatively spliced; MCP-1RA" /codon-start=1 /product="MCP-1 receptor" /protein-id="AAA19119.1" /db-xref="GI:472556" /translation="MLSTSRSRFIRNTNESGEEV TTFDDYDYGAPCHKFDVKQIGAQL LPPLYSLVFI FGFVGNMLVVLILINCKKLCLTD IYLLNLAI SDLLFLITLPLWAHSA ANEWVFGNAMCKLFTGLYHIGYFGGIFFIILLTI DRYLAI VHAVFALKARTVTFGVVT SVITWL VAVFASVPGI IFTKCQKEDSVYVCGPYF PRGWNNFHTIMRNILGLVLPLLLIM VICYSGLKTLRLCRNEKKRHRAVRVIFTIMIVY FLFWTPYNIVILLNTFQEFFGLSN CESTSQLDQATQVTETLGMTHCCINPIIYAFVGE KFRSLFHIALGCRIAPLQKPVC GG PGVRPGKNVKVTTQGLLDGRGKGK SIGRAPEASL QDKEGA"

#### SEQUENCE (SEQ):

```
1 ggattgaaca aggacgcatt tccccagtag atccacaaca tgctgtccac atctcggttct
61 cggtttatca gaaataccaa cgagagcggg gaagaagtca ccaccttttt tgattatgat
121 tacggtgctc cctgtcataa atttgacgtg aagcaaattg gggcccaact cctgcctccg
181 ctctactcgc tgggtgttcat ctttggtttt gtgggcaaca tgctggtcgt cctcatctta
241 ataaactgca aaaagctgaa gtgcttgact gacatttacc tgctcaacct ggccatctct
301 gatctgcttt ttcttattac tctccattg tgggctcact ctgctgcaaa tgagtgggtc
361 tttgggaatg caatgtgcaa attattcaca gggctgtatc acatcggtta ttttggcgga
421 atcttcttca tcatcctcct gacaatcgat agatacctgg ctattgtcca tgctgtgttt
481 gctttaaaag ccaggacggg cacctttggg gtggtgacaa gtgtgatcac ctggttggtg
541 gctgtgtttg cttctgtccc aggaatcatc ttactaaaat gccagaaaaga agattctggt
601 tatgtctgtg gcccttattt tccacgagga tgggaataatt tccacacaat aatgaggaac
661 attttggggc tggctcctgcc gctgctcatc atgggtcatc gctactcggg aatcctgaaa
721 accctgcttc ggtgtcgaaa cgagaagaag aggcataagg cagtgagagt catcttcacc
781 atcatgattg ttacttttct cttctggact ccctataaca ttgtcattct cctgaacacc
841 ttccaggaat tcttcggcct gagtaactgt gaaagcacca gtcaactgga ccaagccacg
901 cagggtgacag agactccttg gatgactcac tgctgcatca atcccatcat ctatgccttc
961 gttggggaga agttcagaag cctttttcac atagctcttg gctgtaggat tgccccactc
1021 caaaaaccag tgtgtggagg tccaggagtg agaccaggaa agaattgtgaa agtgactaca
1081 caaggactcc tcgatggctg tggaaaagga aagtcaattg gcagagcccc tgaagccagt
1141 cttcaggaca aagaaggagc ctagagacag aatgacaga tctctgcttt ggaaatcaca
1201 cgtctggctt cacagatgtg tgattcacag tgtgaatctt ggtgtctacg ttaccaggca
1261 ggaaggctga gaggagagag actccagctg gggtggaaaa cagtattttc caaactacct
```

1321	tccagttcct	cattttttgaa	tacaggcata	gagttcagac	ttttttttaa	tagtaaaaaat
1381	aaaatttaaag	ctgaaaactg	caacttgtaa	atgtggtaaa	gagttagttt	gagttgctat
1441	catgtcaaac	gtgaaaatgc	tgtattagtc	acagagataa	ttctagcttt	gagcttaaga
1501	attttgagca	ggtggtatgt	ttgggagact	gctgagtaa	cccaatagtt	gttgattggc
1561	aggagttgga	agtgtgtgat	ctgtgggcac	attagcctat	gtgcatgcag	catctaagta
1621	atgatgtcgt	ttgaatcaca	gtatacgctc	catcgctgtc	atctcagctg	gatctccatt
1681	ctctcaggct	tgctgccaaa	agccttttgt	gttttgtttt	gtatcattat	gaagtcatgc
1741	gtttaatcac	attcgagtgt	ttcagtgctt	cgcagatgtc	cttgatgctc	atattgttcc
1801	ctaatttgcc	agtgggaact	cctaaatcaa	attggcttct	aatcaaagct	tttaaaccct
1861	attggtaaag	aatggaaggt	ggagaagctc	cctgaagtaa	gcaaagactt	tcctcttagt
1921	cgagccaagt	taagaatggt	cttatgttgc	ccagtgtgtt	tctgatctga	tgcaagcaag
1981	aaacactggg	cttctagaac	caggcaactt	gggaactaga	ctccaagct	ggactatggc
2041	tctactttca	ggccacatgg	ctaaagaagg	tttcagaaaag	aagtggggac	agagcagaac
2101	tttcaccttc	atataattgt	atgatcctaa	tgaatgcata	aaatgttaag	ttgatggtga
2161	tgaaatgtaa	atactgtttt	taacaactat	gatttggaag	ataaatcaat	gctataacta
2221	tgttgataaa	ag				

STN INTERNATIONAL LOGOFF AT 14:05:26 ON 19 APR 2005